

In-Person Survey

California Statewide Report Fiscal Year 2022-23



Prepared by Human Services Research Institute for the
CALIFORNIA DEPARTMENT OF DEVELOPMENTAL SERVICES



Human Services Research Institute (HSRI)

2336 Massachusetts Avenue

Cambridge, MA 02140

**National Association of State Directors of Developmental Disabilities Services
(NASDDDS)**

301 N Fairfax Street, Suite 101

Alexandria, VA 22314

Contents

What is National Core Indicators® – Intellectual and Developmental Disabilities (NCI-IDD)?	17
Where are the statistics in this report from?	17
What is the NCI-IDD In-Person Survey?	17
Survey Development.....	17
Organization of the Survey	17
Pre-Survey Information.....	18
Background Information	18
Section I.....	18
Section II.....	18
Surveyor Feedback Sheet	18
CA In-Person Survey FY22/23	19
I. Results	20
Demographics.....	22
Table 1. Age.....	23
Table 2. Age Group.....	24
Table 3. Sex.....	25
Table 4. Marital Status.....	26
Table 5. Is this person a parent?.....	27
Table 6. Race and Ethnicity	28
Table 7. Residential designation	29
Table 8. Type of residence – ICFs/ID, nursing facilities or other specialized institutional settings.....	30
Table 9. Type of residence – group residential setting.....	31
Table 10. Type of residence–Continued.....	32
Table 11. Length of time at current residence (if not homeless or in crisis bed placement)	33
Table 12. Person’s residence owned or controlled by provider agency.....	34
Table 13. Person is named on the lease or other legally enforceable rental agreement.....	35
Table 14. Has ID diagnosis	36
Table 15. Level of ID.....	37
Table 16. Mood, anxiety, behavior, psychotic, and other mental illness	38
Table 17. Diagnoses noted in record	39
Table 18. Diagnoses noted in record (continued)	40

Table 19. Other conditions in record	41
Table 20. Other conditions in record (continued)	42
Table 21. Other conditions in record (continued)	43
Table 22. Preferred language.....	44
Table 23. Preferred language (continued).....	45
Table 24. Preferred language (continued).....	46
Table 25. Preferred language (continued).....	47
Table 26. Preferred means of communication.....	48
Table 27. Mobility	49
Table 28. Support needed to manage self-injurious behavior.....	50
Table 29. Support needed to manage disruptive behavior	51
Table 30. Support needed to manage destructive behavior.....	52
Table 31. Level of guardianship/conservatorship.....	53
Table 32. Guardian's/Conservator's relationship to person.....	54
Table 33. Guardian's/Conservator's relationship to person (continued).....	55
Table 34. Funding source	56
Table 35. Person receives Medicare.....	57
Table 36. Amount of daily support received at home	58
Table 37. Has remote supports.....	59
Table 38. Has ever been diagnosed or presumed diagnosed with COVID-19.....	60
Table 39. Has ever required in-patient hospitalization due to COVID-19 (of those who had COVID-19).....	61
Table 40. Has gotten the COVID-19 vaccine	62
Community Inclusion and Belonging.....	63
Table 41. Gets to go out and do the things likes to do in the community as much as wants to	65
Table 42. Does things in the community with the people they want.....	67
Table 43. Can be themselves when with others in groups, organizations, or communities the person takes part in (if person takes part in groups, organizations, or communities)	69
Table 44. Others include them as part of the group in groups, organizations, or communities the person takes part in (if person takes part in groups, organizations, or communities)	71
Table 45. Gets help to learn new things	73
Choice and Decision Making	74
Table 46. Chose or had some input in choosing where they live if not living in the family home	76
Table 47. Chose or had some input in choosing their housemates if not living in the family home, or chose to live alone	78
Table 48. Decides or has help deciding their daily schedule	80

Table 49. Decides or has help deciding how to spend free time	82
Table 50. Has enough choice about what to do in free time.....	84
Table 51. Chose or had some help in choosing where they work (among those with a paid community job).....	86
Table 52. Chose or had some input in choosing day program or work program	88
Table 53. Has input in choosing their regular day activities (in addition to or instead of a paid community job and/or day program/work program)	90
Table 54. Chooses or has help deciding what to buy or has set limits on what to buy with their spending money	92
Table 55. Chose staff or were aware they could request to change staff	94
Table 56. Can change their case manager/service coordinator if wants to.....	96
Community Participation	97
Table 57. Went out shopping at least once in the past month (Examples: groceries, clothing)	99
Table 58. Went out on errands at least once in the past month (Examples: banks, post office, hairdressers or barber).....	101
Table 59. Went out for entertainment at least once in the past month (Examples: go to the movies or attend plays, concerts, sporting events, going out dancing).....	103
Table 60. Went out to a restaurant or coffee shop at least once in the past month	105
Table 61. Went out to religious service or spiritual practice at least once in the past month (Examples: church, synagogue, study, or other place of worship).....	107
Table 62. Takes part in groups, organizations or communities (in-person or virtually)	109
Table 63. The groups, organizations or communities takes part in include people without disabilities	111
Relationships	112
Table 64. Has friends who are not staff or family members.....	114
Table 65. Has best friend (may be staff or family).....	116
Table 66. Wants help to make or keep in contact with friends	118
Table 67. Has friends (may be staff or family) and can meet with their friends in person when they want	120
Table 68. Has other ways of talking, chatting, or communicating with friends when cannot see them in person	122
Table 69. Can see and/or talk with their family when they want (among those who do not live in the family home).....	124
Table 70. Often feels lonely	126
Table 71. Can go on a date or is married or living with partner	128
Satisfaction	129
Table 72. Likes home or where lives.....	131
Table 73. Wants to live somewhere else	133
Table 74. Has enough things they like to do at home.....	135

Table 75. Likes paid community job (if working in a paid community job)	137
Table 76. Wants to go out shopping more, less or the same amount as last month	139
Table 77. Wants to go out for entertainment more, less or the same amount as last month	141
Table 78. Wants to go out to a restaurant or coffee shop more, less or the same amount as last month	143
Table 79. Wants to go out to a religious service or spiritual practice more, less or the same amount as last month.....	145
Table 80. Person wants to be a part of more community groups	147
Table 81. Likes how they usually spend time during the day	149
Table 82. Has used telehealth for healthcare services and like using it.....	151
Table 83. Has accessed services and support using video conference technology and like using it.....	153
Table 84. Have talked with their case manager/service coordinator using video conference technology and like using it	155
Service Coordination	156
Table 85. Has met or spoken with case manager/service coordinator	158
Table 86. Case manager/service coordinator knows what is important to person.....	160
Table 87. Able to contact case manager/service coordinator when wants	162
Table 88. Case manager/service coordinator has talked to them about technology that may help them in their everyday life.....	164
Table 89. Was at last IPP meeting, or had the opportunity to be but chose not to.....	166
Table 90. Knew what was being talked about at last IPP meeting	168
Table 91. Last IPP meeting included people person wanted to be there	170
Table 92. Person helped make IPP	172
Table 93. Case manager/service coordinator reviews their IPP with them throughout the year, when needed.....	174
Table 94. IPP includes things that are important to person	176
Table 95. Knows who to ask if wants to change something about services	178
Workforce	179
Table 96. Staff are respectful of person's culture	181
Table 97. Staff treat person with respect.....	183
Table 98. Person can talk or communicate with staff in their preferred language	185
Table 99. Staff do things the way person wants them done	187
Table 100. When in the community, staff support person in the way they want.....	189
Table 101. Staff come and leave when they are supposed to.....	191
Table 102. Person's staff change too often	193
Table 103. Staff have the right training to meet persons needs.....	195

Access.....	196
Table 104. Able to get places when wants to do something outside of home like going out to see friends, for entertainment, or to do something fun	198
Table 105. Has a way to get places needs to go (like work, appointments, etc.)	200
Table 106. Has access to the internet.....	202
Table 107. Internet always works at home	204
Table 108. Frequency uses internet.....	206
Table 109. Uses technology in everyday life to help them do more things on their own	208
Table 110. Has enough help to use the technology and devices that help them in their everyday life (if uses technology that helps them do more things on their own).....	210
Table 111. Knows who to talk to if there are issues with the technology and devices that help them in their everyday life (if uses technology that helps them do more things on their own)	212
Table 112. Has used telehealth to talk with a health professional.....	214
Table 113. Accessed services or supports using videoconference technology	216
Table 114. Has talked with their case manager/service coordinator using videoconference technology	218
Table 115. Has a cell phone or smartphone	220
Table 116. Wants a cell phone or smartphone (if does not have one)	222
Table 117. Reasons does not have cell phone or smartphone.....	224
Table 118a. Additional services needed.....	226
Table 118b. Additional services needed (continued).....	228
Table 118c. Additional services needed (continued).....	230
Table 118d. Additional services needed (continued).....	232
Safety	233
Table 119. Are there any places that you feel afraid or scared?.....	235
Table 120. Has someone to go to for help when they feel afraid.....	237
Health	238
Table 121. Has a primary care doctor or practitioner.....	240
Table 122. In poor health	242
Table 123. Had a complete physical exam in the past year (This refers to a routine exam, not a visit for a specific problem or illness).....	244
Table 124. Had a routine dental exam in the past year	246
Table 125. Had an eye exam/vision screening in the past year	248
Table 126. Had a hearing test in the past five years	250
Table 127. Had a Pap test in the past three years (among women 21 and older).....	252
Table 128. Had a mammogram test in the past two years (among women age 50 and over).....	254

Table 129. Last colorectal cancer screening (among people age 45 to 75)	256
Table 130. Had a flu vaccine in the past 12 months	258
Table 131. Went to the emergency room for any reason to get care for themselves in the past 12 months	260
Table 132. Fell and hurt themselves in the past six months	262
Medications	263
Table 133. Takes medication for mood, anxiety, and/or psychotic disorders	265
Table 134. Number of medications taken for at least one of the following: mood disorders, anxiety, or psychotic disorders.....	267
Table 135. Takes medication for behavioral challenges.....	269
Table 136. Number of medications taken for behavioral challenges if taking at least one for this purpose	271
Table 137. Has behavior plan.....	273
Wellness.....	274
Table 138. Uses nicotine or tobacco products	276
Table 139. Body Mass Index (BMI) category (BMI calculated using data on weight and height).....	278
Table 140. Exercises or does physical activity at least once per week for 10 minutes or more at a time.....	280
Table 141. Exercises or does physical activity at least once per week that makes the muscles in arms, legs, back, and/or chest work hard.....	282
Rights and Respect	283
Table 142. Has attended a self-advocacy group, meeting, conference or event or had the opportunity and chose not to	285
Table 143. Has ever voted in local, state, or federal election, or had the opportunity and chose not to.....	287
Table 144. Has a place to be alone in the home	289
Table 145. Has a key to the home	291
Table 146. Wants a key to the home (if does not have one).....	293
Table 147. Can lock bedroom if wants.....	295
Table 148. Others (who do not live in the home) let person know before entering home	297
Table 149. Others let person know before coming into person's bedroom	299
Table 150. Others read person's mail or email without asking.....	301
Table 151. There are no rules for using phone or internet	303
Table 152. There are rules about having friends or visitors in the home	305
Table 153. Can stay at home if others in the house go somewhere.....	307
California Specific Questions.....	308
Table 154. If have a paid job in the community, also works with co-workers who do not have a disability	310
Table 155. Are there staff at your job who speak your preferred language?	312

Table 156. Do people read your text messages without asking you first? (For example, do people read your text messages without your permission.).....	314
Table 157a. Best way to receive information from the regional center?.....	316
Table 157b. Best way to receive information from the regional center (continued).....	318
Table 158. Got a copy of your IPP in your preferred language	320
Table 159. Knows what to do if disagree with a decision made by a regional center (For example, do you know how to ask for a Fair Hearing or file a complaint?)	322
Table 160. Feel prepared for how to handle a natural disaster emergency (such as a wildfire or earthquake).....	324
Table 161. If participated in religious or spiritual practice (either in-person or online), chose the religious service or spiritual practice attended	326
Table 162. If have a job, get paid the California State minimum wage (\$15.00/hour).....	328
Table 163. Staff at day program or work program who speak preferred language	330
Table 164. Have to ask for permission to get spending money to buy things.....	332
Table 165. Devices that can be used to access the internet, talk with others, or see others	334
NCI-IDD History and Activities	335
Overview of National Core Indicators.....	335
The Core Indicators	335
Domains and Sub-Domains	336
How NCI Data Are Used	338
Methodology.....	338
Administration	338
Proxy Respondents	339
Surveyor Training.....	340
Data Analysis	340
Criteria for Exclusion of Responses.....	340
Responses for Section I.....	341
Responses for Section II.....	341
Sampling.....	341
Why do we ask states to collect 400 surveys?	341
Data Management and Analysis.....	344
Weighting.....	344
Collapsing Data.....	344

Appendix A: NCI-IDD In-Person Survey 2022-23 Recoding Guide345

Message from the California Department of Developmental Services

Mission: The Department of Developmental Services (DDS) is committed to providing leadership that results in quality services to the people of California and assures the opportunity for individuals with developmental disabilities to exercise their right to make choices.

All Californians with an intellectual or developmental disability as defined by California law have both a civil right and an individual entitlement to receive services from the California Department of Developmental Services. These statutory requirements make California's service system unique and could impact comparisons between its survey results and the results of other states.

The NCI-IDD In-Person Survey report was compiled by the Human Services Research Institute (HSRI) in accordance with Welfare and Institutions Code (WIC), Section 4571. It is an important effort to collect accurate, reliable, and valid consumer and family satisfaction measures, as well as consumer outcome data. More information about the California NCI can be found at <https://www.dds.ca.gov/rc/nci/>.

This is the sixth administration of the In-Person Survey, with data collected from July 2022 through August 2023. During that time, 8830 surveys were completed with adults with intellectual/developmental disabilities receiving at least one service beyond case management from a regional center. The data findings in this report contribute to our understanding of how California's system is performing. California uses these reports to monitor changes in the system and to guide strategic planning and quality improvement activities. Regional centers can use the data in a similar fashion at the local level.

This report does not compare California's data to the data of other states but does include the NCI Average across participating NCI states. This is because California's DDS service system is unique among states. Some of the things that make California's service system unique include:


1. California has longstanding statute that ensures services and supports are provided for eligible persons with intellectual/developmental disabilities.
2. California's laws mandate intake, evaluation and assessment within 120 days.
3. California has a broad eligibility definition for receiving services.
4. California has mandated services, including case management, with statutory limitations on caseload size.
5. California's service obligations to the families needing services are, by law, from pre-conception to death.
6. California's regional centers are, by design, autonomous in that each center has a local board of directors to best address the unique needs of each of the 21 regions.
7. Consumers or their families can call a team meeting at any time to request a change in service.

Reports like this offer DDS the opportunity to compare the results of the data across the years. System improvements will take time to identify and achieve, but this report provides valuable data and is one more tool in our continuous effort to improve services and supports to individuals with intellectual/developmental disabilities across California.

Acknowledgements


This report would not be possible if not for the 8830 individuals who agreed to offer their time and discuss their lives in order to assist in improving the services of all people with intellectual/developmental disabilities in California. Additionally, a special mention goes to the families, friends, and staff members who participated in the survey process.

Respondents of this survey are adults who have IDD and receive at least one service in addition to case management from the state DD service system. More NCI data findings are available at [National Core Indicators - CA Department of Developmental Services](#).



Respondents of this survey are adults who have IDD and receive at least one service in addition to case management from the state DD service system. More NCI data findings are available at [National Core Indicators - CA Department of Developmental Services](#).

Individual with IDD....



Results are reported by survey respondents. Some questions allow multiple responses, so data depicted may exceed or be under 100%

Residence...



- 56% parent or relative's home
- 23% community care facility
- 13% own home or apartment
- 7% ICF/IDD, nursing facility or other institutional setting
- 1% foster care or host home

List of Abbreviations Used in This Report

AFS - Adult Family Survey

ARCA - Association of Regional Center Agencies

CAC - Consumer Advisory Committee

CA-ODESA - California Online Data Entry Survey Administration

CCF - Community Care Facility

CFS - Child Family Survey

CIP - Core Indicators Project

CMS - Centers for Medicare & Medicaid Services

DDS - Department of Developmental Services

FGS - Family/Guardian Survey

FHA - Family Home Agency

HCBS – Home and Community-Based Services

HSRI - Human Services Research Institute

ICF - Intermediate Care Facility

ILS/SLS - Independent Living Services/Supported Living Services

IPP – Individual Program Plan

NASDDDS - National Association of State Directors of Developmental Disabilities Services

NCI - National Core Indicators

QAC - Quality Assessment Coordinator

RC - Regional Center

SCDD - State Council on Developmental Disabilities

List of Regional Center Abbreviations

ACRC- Alta California Regional Center
CVRC- Central Valley Regional Center
ELARC- Eastern Los Angeles Regional Center
FDLRC- Frank D. Lanterman Regional Center
FNRC- Far Northern Regional Center
GGRC- Golden Gate Regional Center
HRC- Harbor Regional Center
IRC- Inland Regional Center
KRC- Kern Regional Center
NBRC- North Bay Regional Center
NLACRC- North Los Angeles County Regional Center
RCEB- Regional Center of the East Bay
RCOC- Regional Center of Orange County
RCRC- Redwood Coast Regional Center
SARC- San Andreas Regional Center
SCLARC- South Central Los Angeles Regional Center
SDRC- San Diego Regional Center
SG/PRC- San Gabriel/Pomona Regional Center
TCRC- Tri-Counties Regional Center Regional Center
VMRC- Valley Mountain Regional Center
WRC- Westside Regional Center

What is National Core Indicators® – Intellectual and Developmental Disabilities (NCI-IDD)?

The National Core Indicators® – Intellectual and Developmental Disabilities (NCI-IDD) program is a voluntary effort by state developmental disability agencies to track their performance using a standardized set of consumer and family/guardian surveys with nationally validated measures. The effort is coordinated by the National Association of State Directors of Developmental Disabilities Services (NASDDDS) and the Human Services Research Institute (HSRI).

Where are the statistics in this report from?

Thirty three (33) states administered the In-Person Survey (IPS) in 2022-23: AL, AR, CA, CT, DE, DC, FL, GA, HI, IL, IN, KS, KY, MD, MI, MN, MO, MT, NE, NV, NH, NJ, NY, NC, OK, OR, PA, SC, TX, UT, VA, WI, WY.

Each of the 21 California regional centers collected a valid sample for analysis. Together they contributed 8830 surveys.

What is the NCI-IDD In-Person Survey?

The NCI-IDD In-Person Survey is completed with adults with IDD age 18 and older receiving at least one paid service (in addition to case management) from the state I/DD (Intellectual / Developmental Disabilities) service system. The survey instrument includes a “Background Information Section”, which gathers data about the consumer from agency records, and an In-Person Survey that is conducted face-to-face with the person receiving services, either in person or via videoconference. The In-Person Survey is composed of two sections: Section I includes subjective questions that can only be answered by the person receiving services from the state. Section II includes objective, fact-based questions that can be answered by the person or, if needed, a proxy respondent who knows the person well.

Survey Development

The IPS was initially developed by a technical advisory subcommittee for the purpose of collecting information directly from individuals with intellectual/developmental disabilities and their families or advocates. Many questions were drawn from survey instruments in use in the field; others were developed specifically for NCI-IDD. NCI-IDD staff routinely test and refine the instrument.

Most participating states use the standard survey tool developed by the project. However, some states opt to incorporate additional survey questions to look more deeply at specific issues. California added state-specific questions to the 2022-23 IPS tool. Results from those questions detailed in this report.

Organization of the Survey

The In-Person Survey consists of a pre-survey form, three distinct survey sections, and a surveyor feedback form. Each is described below.

Pre-Survey Information

This form has questions that help the surveyor prepare for the meeting as well as assist the surveyor in administering the survey questions. Pre-Survey information is not included in the analysis by HSRI and thus not included in this report; it is for surveyor use only.

Background Information

This section consists of questions about demographics, residence, health, employment status, and services and supports. Data is generally collected from state records, case manager/service manager, or a combination of both.

Section I

This section attempts to determine individuals' level of satisfaction and opinions. It may *only* be completed through a direct meeting with the individual.

Section II

This section contains questions that are answered by a direct meeting with the individual when possible. If the person is unable to respond, a proxy who knows the person well may be used. Case managers or service coordinators are not allowed to respond to these questions on the individual's behalf.

Surveyor Feedback Sheet

This form is used to record information such as the length of the NCI meeting with the individual and any problematic questions encountered.

CA In-Person Survey FY22/23

The National Core Indicators®-Intellectual and Developmental Disabilities (NCI®-IDD) are standard measures used across states to assess the outcomes of services provided to individuals with intellectual/developmental disabilities and their families. Indicators address key areas of concern such as employment, respect/rights, service planning, community inclusion, choice, and health and safety. The data that result from NCI surveys are often used to inform strategic planning, produce legislative reports, and prioritize quality improvement initiatives. Many states also share the data with stakeholder groups such as Quality Councils and use the stakeholder feedback to help set priorities and establish policy direction.

The NCI-IDD In-Person Survey is administered to individuals with a developmental disability who receive at least one service in addition to case management. Not all states that participate in NCI-IDD administer the In-Person Survey on an annual basis.

In California, the In-Person Survey is administered once every other year and data are collected from all 21 regional centers. The California statewide average is comprised of this data. **Please note: the NCI-IDD average (noted as just “NCI-IDD” in the tables) and CA averages (noted as “CA”) shown throughout this report are weighted.**

Respondents of this survey are adults who have IDD and receive at least one service in addition to case management from the state DD service system. More NCI data findings are available at <https://www.dds.ca.gov/rc/nci/>.

I. Results

This section briefly describes the structure of the survey instrument and presents the results of the most recent data collection cycle.

Presentation of Demographics

The following section details the demographic profile of individuals included in the 2022-23 In-Person Survey. Tables display demographic results listed alphabetically by regional center, followed by the *weighted* CA and NCI-IDD averages.

Regional Centers receive an 'n/a' designation within the table if 20 or fewer people responded to the survey item; however, their data are included in the CA Average. Some items collected from the Background Information section were not available in CA records and could not be collected during the survey interview. Those outcomes are not included in this report.

Demographics

This section presents descriptive information of individuals surveyed.

For several states included in the NCI-IDD Average, survey items in the Background Information section (including certain items related to Demographics, Health, Medication, and Wellness) had a large amount of missing data or data recorded as “don’t know.” Detailed information by state can be found in the NCI-IDD National In-Person Survey Report: <https://idd.nationalcoreindicators.org/survey-reports-insights/>.

The quantity of missing data can be a result of several factors. We do not know whether the data are missing systematically or randomly; for example, are data missing across the board for those in a specific waiver population in a given state? If so, the resulting data are not representative of the entire sample or population. Please note that the NCI-IDD average reflects the average of data that were reported to NCI-IDD and may not be reflective of the service population across the country.

All CA statewide and NCI-IDD averages are weighted. For more information on weighting see the Data Analysis section of this report.

Table 1. Age

Regional Center	Mean Age (Years)	N
ACRC	39.6	417
CVRC	41.3	413
ELARC	38.2	414
FNRC	43.8	414
FDLRC	39.8	410
GGRC	43.4	411
HRC	36.9	412
IRC	37.2	525
KRC	38.1	407
NBRC	42.9	411
NLACRC	34.7	407
RCRC	41.5	427
RCEB	41.2	415
RCOC	40.1	441
SARC	40.2	416
SDRC	36.8	405
SGPRC	38.6	405
SCLARC	35.3	419
TCRC	41.5	409
VMRC	41.6	434
WRC	37.7	418
CA	39.0	8830
NCI-IDD	40.3	25041

The NCI-IDD average is weighted.

Table 2. Age Group

Regional Center	18-22	23-34	35-54	55-74	75 and older	Unknown	N
ACRC	15%	34%	29%	20%	3%	0%	417
CVRC	9%	35%	32%	22%	3%	0%	413
ELARC	15%	38%	29%	15%	2%	0%	414
FNRC	8%	25%	39%	25%	3%	0%	414
FDLRC	15%	33%	29%	21%	2%	0%	410
GGRC	8%	33%	30%	25%	5%	0%	411
HRC	15%	42%	25%	17%	2%	0%	412
IRC	15%	38%	27%	17%	2%	0%	525
KRC	16%	36%	29%	17%	2%	0%	407
NBRC	11%	30%	31%	22%	5%	0%	411
NLACRC	21%	40%	27%	12%	1%	0%	407
RCRC	12%	33%	29%	22%	3%	0%	427
RCEB	11%	33%	33%	21%	2%	0%	415
RCOC	12%	37%	28%	21%	2%	0%	441
SARC	18%	28%	29%	21%	3%	0%	416
SDRC	17%	39%	27%	15%	1%	0%	405
SGPRC	13%	38%	30%	18%	1%	0%	405
SCLARC	18%	40%	28%	12%	1%	0%	419
TCRC	15%	31%	29%	21%	4%	0%	409
VMRC	15%	26%	32%	23%	4%	0%	434
WRC	18%	33%	32%	16%	1%	0%	418
CA	15%	35%	29%	19%	2%	0%	8830
NCI-IDD	9%	37%	32%	19%	2%	1%	25424

The NCI-IDD average is weighted.

Table 3. Sex*Refers to individual's sex as assigned at birth*

Regional Center	Male	Female	Don't Know	N
ACRC	54%	46%	0%	417
CVRC	58%	42%	0%	413
ELARC	60%	40%	0%	414
FNRC	59%	41%	0%	414
FDLRC	62%	38%	0%	410
GGRC	57%	43%	0%	411
HRC	63%	37%	0%	412
IRC	59%	41%	0%	525
KRC	57%	43%	0%	407
NBRC	58%	42%	0%	411
NLACRC	58%	42%	0%	407
RCRC	62%	38%	0%	427
RCEB	60%	40%	0%	415
RCOC	62%	38%	0%	441
SARC	61%	39%	0%	416
SDRC	59%	41%	0%	405
SGPRC	60%	40%	0%	405
SCLARC	57%	43%	0%	419
TCRC	55%	45%	0%	409
VMRC	64%	36%	0%	434
WRC	61%	39%	0%	418
CA	59%	41%	0%	8830
NCI-IDD	60%	40%	0%	25062

The NCI-IDD average is weighted.

Table 4. Marital Status*Information may have been collected in the field*

Regional Center	Single, Never Married	Married	Single, Married in the Past	Don't Know	N
ACRC	94%	3%	3%	0%	414
CVRC	94%	3%	3%	0%	412
ELARC	99%	1%	0%	0%	414
FNRC	89%	6%	6%	0%	413
FDLRC	99%	0%	0%	0%	410
GGRC	98%	1%	1%	0%	411
HRC	98%	1%	1%	0%	412
IRC	98%	2%	0%	0%	525
KRC	92%	4%	3%	0%	407
NBRC	96%	2%	1%	0%	409
NLACRC	97%	2%	1%	0%	407
RCRC	91%	5%	4%	0%	427
RCEB	99%	1%	0%	0%	415
RCOC	99%	1%	0%	0%	441
SARC	97%	2%	1%	0%	415
SDRC	96%	2%	2%	0%	402
SGPRC	98%	2%	0%	0%	398
SCLARC	99%	1%	0%	0%	419
TCRC	95%	1%	4%	0%	408
VMRC	94%	4%	2%	0%	430
WRC	99%	1%	0%	0%	416
CA	97%	2%	1%	0%	8805
NCI-IDD	93%	1%	2%	4%	24913

The NCI-IDD average is weighted.

Table 5. Is this person a parent?

Categories are not mutually exclusive, therefore N is not shown. At least 25% of CA responses were missing or “Don’t Know.”

Regional Center	No, does not have a child	Yes, parent of a child or children under 18	Yes, parent of a child or children over 18	Yes, parent of a child or children, unknown age(s)	Don't know
ACRC	93%	7%	0%	0%	0%
CVRC	26%	57%	17%	0%	0%
ELARC	n/a	n/a	n/a	n/a	n/a
FNRC	n/a	n/a	n/a	n/a	n/a
FDLRC	n/a	n/a	n/a	n/a	n/a
GGRC	n/a	n/a	n/a	n/a	n/a
HRC	n/a	n/a	n/a	n/a	n/a
IRC	94%	4%	1%	0%	0%
KRC	91%	4%	8%	0%	0%
NBRC	n/a	n/a	n/a	n/a	n/a
NLACRC	94%	4%	2%	0%	0%
RCRC	n/a	n/a	n/a	n/a	n/a
RCEB	n/a	n/a	n/a	n/a	n/a
RCOC	n/a	n/a	n/a	n/a	n/a
SARC	n/a	n/a	n/a	n/a	n/a
SDRC	n/a	n/a	n/a	n/a	n/a
SGPRC	n/a	n/a	n/a	n/a	n/a
SCLARC	n/a	n/a	n/a	n/a	n/a
TCRC	93%	2%	5%	0%	1%
VMRC	97%	3%	0%	0%	3%
WRC	n/a	n/a	n/a	n/a	n/a
CA	88%	8%	5%	0%	0%
NCI-IDD	96%	2%	2%	0%	14%

The NCI-IDD average is weighted.

Table 6. Race and Ethnicity

Categories are not mutually exclusive, therefore N is not shown; “Don’t Know” responses are included in the denominator, which is different from past years. In previous years, this variable was mutually exclusive.

Regional Center	American Indian or Alaska Native	Asian	Black or African American	Pacific Islander	White	Hispanic or Latino	Other	Don't Know
ACRC	0%	9%	15%	1%	58%	13%	3%	0%
CVRC	0%	6%	8%	0%	35%	49%	1%	1%
ELARC	0%	13%	2%	0%	15%	70%	1%	0%
FNRC	2%	2%	3%	0%	81%	10%	1%	0%
FDLRC	0%	14%	10%	0%	35%	40%	1%	0%
GGRC	0%	26%	12%	0%	43%	18%	1%	0%
HRC	0%	14%	14%	0%	31%	38%	3%	0%
IRC	0%	5%	10%	0%	35%	49%	1%	0%
KRC	2%	4%	11%	0%	44%	41%	1%	0%
NBRC	1%	7%	11%	0%	60%	19%	2%	2%
NLACRC	0%	6%	12%	0%	41%	40%	0%	0%
RCRC	3%	2%	3%	0%	80%	11%	1%	0%
RCEB	1%	16%	23%	0%	39%	19%	2%	0%
RCOC	0%	14%	3%	0%	52%	27%	4%	2%
SARC	0%	19%	3%	0%	40%	33%	3%	1%
SDRC	0%	9%	9%	0%	45%	37%	1%	0%
SGPRC	0%	12%	8%	0%	24%	52%	3%	1%
SCLARC	0%	2%	32%	0%	5%	60%	1%	1%
TCRC	1%	4%	3%	0%	55%	36%	1%	1%
VMRC	1%	9%	11%	0%	48%	31%	2%	0%
WRC	0%	5%	29%	0%	30%	31%	6%	1%
CA	0%	9%	11%	0%	40%	36%	2%	1%
NCI-IDD	1%	4%	17%	1%	63%	14%	3%	4%

The NCI-IDD average is weighted.

Table 7. Residential designation

Information based on residential designation defined by the USDA: <https://www.ers.usda.gov/data-products/rural-urban-commuting-area-codes.aspx>

Regional Center	Metropolitan	Micropolitan	Rural	Small town	N
ACRC	90%	9%	0%	0%	416
CVRC	91%	6%	1%	2%	410
ELARC	100%	0%	0%	0%	413
FNRC	53%	26%	2%	19%	414
FDLRC	100%	0%	0%	0%	408
GGRC	98%	1%	0%	0%	403
HRC	100%	0%	0%	0%	412
IRC	99%	1%	0%	0%	521
KRC	88%	8%	2%	1%	405
NBRC	96%	2%	0%	1%	409
NLACRC	100%	0%	0%	0%	406
RCRC	1%	88%	4%	6%	427
RCEB	100%	0%	0%	0%	414
RCOC	100%	0%	0%	0%	441
SARC	95%	5%	0%	0%	414
SDRC	99%	1%	0%	0%	405
SGPRC	100%	0%	0%	0%	405
SCLARC	100%	0%	0%	0%	418
TCRC	100%	0%	0%	0%	409
VMRC	94%	4%	1%	1%	433
WRC	100%	0%	0%	0%	417
CA	95%	4%	0%	1%	8800
NCI-IDD	82%	10%	2%	5%	25007

The NCI-IDD average is weighted.

Table 8. Type of residence – ICFs/ID, nursing facilities or other specialized institutional settings

Regional Center	ICF/IID, 4-6 Residents With Disabilities	ICF/IID, 7-15 Residents With Disabilities	ICF/IID, 16 or More Residents With Disabilities	Nursing Facility	Other Specialized Institutional Facility	N
ACRC	2%	0%	0%	1%	0%	417
CVRC	7%	0%	0%	0%	2%	412
ELARC	1%	0%	0%	0%	0%	411
FNRC	2%	0%	0%	0%	2%	413
FDLRC	2%	0%	1%	1%	3%	410
GGRC	5%	0%	0%	0%	2%	409
HRC	2%	0%	0%	0%	0%	412
IRC	8%	1%	0%	1%	1%	523
KRC	4%	0%	0%	1%	2%	407
NBRC	10%	0%	0%	1%	1%	411
NLACRC	1%	0%	1%	0%	1%	405
RCRC	1%	0%	0%	1%	0%	427
RCEB	6%	0%	0%	0%	1%	414
RCOC	12%	0%	0%	0%	3%	441
SARC	0%	1%	0%	0%	1%	416
SDRC	4%	0%	0%	0%	0%	404
SGPRC	4%	0%	1%	0%	2%	405
SCLARC	2%	0%	1%	2%	1%	419
TCRC	5%	1%	1%	0%	2%	404
VMRC	3%	0%	0%	0%	8%	434
WRC	2%	0%	0%	0%	0%	417
CA	5%	0%	0%	1%	1%	8811
NCI-IDD	2%	1%	0%	0%	0%	25039

The NCI-IDD average is weighted.

Table 9. Type of residence – group residential setting

Regional Center	Group Living Setting, 2-3 People With Disabilities	Group Living Setting, 4-6 People With Disabilities	Group Living Setting, 7-15 People With Disabilities	N
ACRC	0%	26%	1%	417
CVRC	0%	20%	0%	412
ELARC	0%	18%	0%	411
FNRC	1%	26%	1%	413
FDLRC	0%	24%	4%	410
GGRC	2%	33%	1%	409
HRC	2%	20%	0%	412
IRC	1%	18%	0%	523
KRC	2%	15%	0%	407
NBRC	1%	20%	0%	411
NLACRC	0%	15%	0%	405
RCRC	0%	6%	1%	427
RCEB	0%	33%	1%	414
RCOC	0%	23%	0%	441
SARC	1%	31%	2%	416
SDRC	0%	18%	1%	404
SGPRC	0%	22%	2%	405
SCLARC	1%	15%	1%	419
TCRC	0%	19%	0%	404
VMRC	1%	31%	3%	434
WRC	3%	12%	0%	417
CA	1%	21%	1%	8811
NCI-IDD	8%	18%	5%	25039

The NCI-IDD average is weighted.

Table 10. Type of residence–Continued

Regional Center	Own Home or Apartment	Parent or Relative's Home	Foster Care or Host Home (2 or More People With a Disability)	Foster Care, Host Home, or Shared Living (1 Person With a Disability)	Homeless or Crisis Bed Placement	Other	Don't Know	N
ACRC	15%	53%	1%	0%	0%	0%	0%	417
CVRC	14%	53%	3%	0%	0%	0%	0%	412
ELARC	10%	69%	0%	0%	0%	0%	0%	411
FNRC	38%	30%	1%	0%	0%	0%	0%	413
FDLRC	10%	54%	0%	0%	0%	0%	0%	410
GGRC	13%	39%	4%	0%	0%	0%	0%	409
HRC	11%	64%	0%	0%	0%	0%	0%	412
IRC	6%	64%	1%	0%	0%	0%	0%	523
KRC	14%	56%	6%	0%	0%	0%	0%	407
NBRC	22%	43%	3%	0%	0%	0%	0%	411
NLACRC	13%	65%	1%	0%	0%	0%	0%	405
RCRC	38%	46%	4%	0%	0%	0%	0%	427
RCEB	12%	44%	1%	0%	0%	0%	0%	414
RCOC	9%	53%	0%	0%	0%	0%	0%	441
SARC	11%	51%	1%	0%	0%	0%	0%	416
SDRC	11%	64%	0%	0%	0%	0%	0%	404
SGPRC	6%	62%	0%	0%	0%	0%	0%	405
SCLARC	4%	73%	0%	0%	0%	0%	0%	419
TCRC	25%	46%	0%	0%	0%	0%	0%	404
VMRC	14%	38%	0%	0%	0%	0%	0%	434
WRC	19%	62%	1%	0%	0%	0%	0%	417
CA	13%	56%	1%	0%	0%	0%	0%	8811
NCI-IDD	12%	45%	3%	3%	0%	0%	1%	25039

The NCI-IDD average is weighted.

Table 11. Length of time at current residence (if not homeless or in crisis bed placement)

Regional Center	Less Than 1 Year	1-3 Years	4-5 Year	Over 5 Years	Don't Know	N
ACRC	9%	17%	11%	63%	0%	414
CVRC	4%	17%	12%	67%	0%	413
ELARC	4%	10%	6%	80%	0%	414
FNRC	12%	16%	14%	58%	0%	412
FDLRC	9%	11%	8%	72%	0%	409
GGRC	11%	9%	14%	66%	0%	411
HRC	5%	8%	7%	80%	0%	411
IRC	6%	14%	10%	68%	1%	516
KRC	9%	16%	13%	63%	0%	407
NBRC	16%	15%	15%	53%	0%	404
NLACRC	6%	13%	9%	72%	0%	406
RCRC	9%	17%	12%	62%	0%	427
RCEB	10%	11%	10%	69%	0%	410
RCOC	7%	8%	7%	78%	0%	441
SARC	10%	12%	9%	70%	0%	411
SDRC	9%	13%	8%	69%	0%	405
SGPRC	10%	12%	8%	69%	0%	403
SCLARC	9%	10%	7%	74%	0%	419
TCRC	7%	14%	6%	73%	0%	408
VMRC	7%	17%	10%	66%	0%	433
WRC	5%	16%	8%	71%	0%	418
CA	8%	13%	9%	69%	0%	8792
NCI-IDD	8%	17%	9%	63%	4%	24657

The NCI-IDD average is weighted.

Table 12. Person's residence owned or controlled by provider agency

Regional Center	Yes	No	Don't Know	N
ACRC	31%	69%	0%	416
CVRC	30%	70%	0%	410
ELARC	20%	80%	0%	411
FNRC	32%	68%	0%	410
FDLRC	36%	64%	0%	410
GGRC	44%	56%	0%	407
HRC	25%	75%	0%	411
IRC	29%	71%	0%	523
KRC	26%	74%	0%	406
NBRC	33%	67%	0%	411
NLACRC	20%	80%	0%	405
RCRC	10%	89%	0%	427
RCEB	42%	58%	0%	414
RCOC	38%	62%	0%	439
SARC	37%	63%	0%	415
SDRC	25%	75%	0%	404
SGPRC	32%	68%	0%	405
SCLARC	22%	78%	0%	419
TCRC	28%	72%	0%	404
VMRC	47%	53%	0%	430
WRC	17%	83%	0%	415
CA	30%	70%	0%	8792
NCI-IDD	36%	62%	2%	22722

The NCI-IDD average is weighted.

Table 13. Person is named on the lease or other legally enforceable rental agreement

At least 25% of CA responses were missing or “Don’t Know.”

Regional Center	Yes, named on lease or deed	No	Yes, named on other legally enforceable rental agreement	Don't Know	N
ACRC	5%	86%	0%	10%	21
CVRC	n/a	n/a	n/a	n/a	n/a
ELARC	n/a	n/a	n/a	n/a	n/a
FNRC	n/a	n/a	n/a	n/a	n/a
FDLRC	n/a	n/a	n/a	n/a	n/a
GGRC	n/a	n/a	n/a	n/a	n/a
HRC	n/a	n/a	n/a	n/a	n/a
IRC	2%	89%	0%	10%	63
KRC	9%	84%	6%	1%	238
NBRC	n/a	n/a	n/a	n/a	n/a
NLACRC	9%	85%	2%	4%	46
RCRC	n/a	n/a	n/a	n/a	n/a
RCEB	n/a	n/a	n/a	n/a	n/a
RCOC	n/a	n/a	n/a	n/a	n/a
SARC	n/a	n/a	n/a	n/a	n/a
SDRC	n/a	n/a	n/a	n/a	n/a
SGPRC	n/a	n/a	n/a	n/a	n/a
SCLARC	n/a	n/a	n/a	n/a	n/a
TCRC	15%	76%	6%	3%	155
VMRC	n/a	n/a	n/a	n/a	n/a
WRC	n/a	n/a	n/a	n/a	n/a
CA	9%	83%	4%	4%	604
NCI-IDD	17%	56%	7%	20%	15335

The NCI-IDD average is weighted.

Table 14. Has ID diagnosis

Regional Center	Yes	No	Don't Know	N
ACRC	71%	29%	0%	417
CVRC	81%	19%	0%	413
ELARC	71%	29%	0%	414
FNRC	73%	27%	0%	414
FDLRC	69%	31%	0%	410
GGRC	68%	32%	0%	411
HRC	72%	28%	0%	412
IRC	78%	22%	0%	524
KRC	76%	24%	0%	407
NBRC	74%	26%	0%	411
NLACRC	64%	36%	0%	407
RCRC	71%	29%	0%	427
RCEB	70%	30%	0%	415
RCOC	80%	20%	0%	441
SARC	72%	28%	0%	416
SDRC	83%	17%	0%	405
SGPRC	82%	18%	0%	405
SCLARC	79%	21%	0%	419
TCRC	69%	31%	0%	409
VMRC	84%	16%	0%	434
WRC	72%	28%	0%	418
CA	75%	25%	0%	8829
NCI-IDD	84%	14%	2%	24999

The NCI-IDD average is weighted.

Table 15. Level of ID

Regional Center	Mild	Moderate	Severe	Profound	Unspecified	Unknown	N
ACRC	51%	25%	13%	3%	8%	0%	294
CVRC	45%	25%	12%	7%	11%	0%	333
ELARC	44%	24%	13%	14%	6%	0%	293
FNRC	63%	21%	11%	3%	3%	0%	301
FDLRC	49%	18%	17%	9%	7%	0%	282
GGRC	48%	27%	12%	8%	5%	0%	281
HRC	49%	26%	10%	7%	8%	0%	298
IRC	53%	24%	11%	10%	1%	0%	411
KRC	55%	27%	13%	6%	0%	0%	309
NBRC	45%	22%	10%	9%	13%	0%	305
NLACRC	59%	20%	10%	4%	8%	0%	261
RCRC	69%	19%	4%	2%	5%	0%	304
RCEB	39%	26%	10%	6%	19%	0%	288
RCOC	47%	25%	13%	8%	7%	0%	352
SARC	33%	27%	11%	4%	26%	0%	301
SDRC	50%	32%	11%	4%	2%	0%	334
SGPRC	43%	31%	15%	8%	3%	0%	331
SCLARC	54%	22%	12%	8%	3%	0%	330
TCRC	58%	22%	10%	8%	3%	0%	283
VMRC	52%	27%	11%	5%	5%	0%	364
WRC	51%	22%	12%	7%	8%	0%	303
CA	49%	25%	12%	7%	7%	0%	6558
NCI-IDD	39%	30%	11%	7%	13%	0%	20927

The NCI-IDD average is weighted.

Table 16. Mood, anxiety, behavior, psychotic, and other mental illness

Categories are not mutually exclusive therefore N is not shown; “Don’t Know” responses are included in the denominator. At least 25% of CA responses were missing or “Don’t Know.”

Regional Center	Mood Disorder	Anxiety Disorder	Behavior Challenges	Psychotic Disorder	Other Mental Illness or Psychiatric Diagnosis
ACRC	3%	2%	0%	7%	3%
CVRC	0%	1%	1%	1%	0%
ELARC	0%	0%	1%	3%	0%
FNRC	2%	0%	0%	2%	1%
FDLRC	1%	0%	0%	0%	0%
GGRC	0%	0%	0%	0%	0%
HRC	0%	0%	0%	0%	0%
IRC	2%	2%	2%	1%	0%
KRC	17%	17%	16%	5%	0%
NBRC	0%	1%	0%	0%	0%
NLACRC	5%	2%	2%	2%	2%
RCRC	0%	0%	0%	0%	0%
RCEB	0%	0%	0%	1%	0%
RCOC	0%	0%	0%	0%	0%
SARC	0%	0%	0%	0%	0%
SDRC	1%	0%	0%	0%	2%
SGPRC	0%	0%	0%	1%	0%
SCLARC	0%	0%	0%	0%	0%
TCRC	14%	23%	7%	4%	1%
VMRC	1%	2%	0%	1%	0%
WRC	0%	0%	0%	0%	0%
CA	2%	2%	1%	1%	0%
NCI-IDD	24%	21%	21%	8%	7%

The NCI-IDD average is weighted.

Table 17. Diagnoses noted in record

Categories are not mutually exclusive therefore N is not shown; “Don’t Know” responses are included in the denominator. At least 25% of CA responses were missing or “Don’t Know.”

Regional Center	Autism Spectrum Disorder	Cerebral Palsy	Brain Injury	Seizure Disorder	Chemical Dependency
ACRC	43%	24%	0%	28%	0%
CVRC	24%	36%	0%	46%	0%
ELARC	51%	26%	0%	31%	0%
FNRC	38%	27%	0%	35%	0%
FDLRC	53%	22%	0%	35%	0%
GGRC	38%	29%	0%	34%	0%
HRC	53%	26%	0%	25%	0%
IRC	37%	35%	0%	38%	0%
KRC	36%	22%	2%	34%	1%
NBRC	33%	31%	0%	38%	0%
NLACRC	54%	28%	1%	25%	0%
RCRC	43%	27%	1%	32%	0%
RCEB	39%	31%	0%	34%	0%
RCOC	45%	32%	0%	34%	0%
SARC	41%	32%	1%	33%	0%
SDRC	41%	34%	0%	32%	0%
SGPRC	39%	27%	0%	38%	0%
SCLARC	45%	25%	0%	31%	0%
TCRC	38%	18%	1%	29%	0%
VMRC	37%	30%	0%	38%	0%
WRC	54%	27%	0%	31%	0%
CA	42%	29%	0%	33%	0%
NCI-IDD	31%	16%	3%	25%	1%

The NCI-IDD average is weighted.

Table 18. Diagnoses noted in record (continued)

Categories are not mutually exclusive therefore N is not shown; “Don’t Know” responses are included in the denominator. At least 25% of CA responses were missing or “Don’t Know.”

Regional Center	Down Syndrome	Prader Willi	Fetal Alcohol Syndrome	Limited or No Vision	Severe or Profound Hearing Loss	Other Disabilities Not Listed	No Other Disabilities Other than ID
ACRC	2%	0%	0%	7%	6%	0%	1%
CVRC	1%	0%	0%	18%	6%	0%	0%
ELARC	3%	0%	0%	12%	9%	0%	0%
FNRC	0%	0%	1%	15%	10%	0%	0%
FDLRC	3%	1%	0%	7%	6%	0%	0%
GGRC	0%	0%	0%	13%	11%	0%	0%
HRC	0%	0%	0%	14%	10%	0%	0%
IRC	2%	0%	0%	13%	13%	1%	0%
KRC	5%	0%	1%	16%	14%	1%	1%
NBRC	0%	0%	0%	19%	14%	0%	0%
NLACRC	2%	1%	0%	9%	4%	1%	1%
RCRC	0%	0%	0%	12%	15%	0%	0%
RCEB	0%	0%	0%	21%	11%	0%	0%
RCOC	1%	0%	0%	13%	13%	0%	1%
SARC	0%	0%	0%	15%	10%	0%	0%
SDRC	2%	0%	0%	11%	7%	0%	0%
SGPRC	4%	0%	0%	16%	8%	0%	0%
SCLARC	3%	0%	0%	11%	8%	0%	0%
TCRC	1%	0%	0%	8%	8%	4%	1%
VMRC	1%	0%	0%	11%	10%	0%	0%
WRC	0%	0%	0%	8%	5%	0%	1%
CA	2%	0%	0%	13%	9%	0%	0%
NCI-IDD	6%	0%	1%	12%	4%	14%	10%

The NCI-IDD average is weighted.

Table 19. Other conditions in record

Categories are not mutually exclusive therefore N is not shown; “Don’t Know” responses are included in the denominator.

Regional Center	Cardiovascular Disease	Diabetes	Cancer	High Blood Pressure	High Cholesterol
ACRC	0%	38%	2%	3%	43%
CVRC	2%	25%	10%	2%	57%
ELARC	0%	24%	5%	1%	44%
FNRC	3%	24%	12%	4%	57%
FDLRC	7%	23%	12%	19%	21%
GGRC	2%	41%	0%	5%	67%
HRC	5%	40%	7%	14%	31%
IRC	3%	28%	6%	9%	46%
KRC	6%	34%	2%	37%	38%
NBRC	7%	18%	4%	4%	18%
NLACRC	2%	42%	12%	2%	28%
RCRC	n/a	n/a	n/a	n/a	n/a
RCEB	4%	18%	2%	6%	24%
RCOC	5%	23%	11%	4%	40%
SARC	5%	28%	4%	9%	26%
SDRC	n/a	n/a	n/a	n/a	n/a
SGPRC	2%	18%	6%	16%	53%
SCLARC	0%	23%	8%	31%	29%
TCRC	3%	18%	4%	31%	36%
VMRC	3%	29%	5%	1%	59%
WRC	0%	33%	4%	0%	17%
CA	3%	26%	7%	9%	43%
NCI-IDD	8%	17%	3%	26%	24%

The NCI-IDD average is weighted.

Table 20. Other conditions in record (continued)

Categories are not mutually exclusive therefore N is not shown; “Don’t Know” responses are included in the denominator.

Regional Center	Dysphagia	Pressure Ulcers	Alzheimer’s Disease or Other Dementia	Oral Health or Dental Problems	Sleep apnea
ACRC	0%	0%	0%	0%	7%
CVRC	6%	0%	1%	0%	6%
ELARC	4%	0%	0%	0%	5%
FNRC	3%	1%	0%	0%	12%
FDLRC	0%	2%	0%	0%	2%
GGRC	0%	0%	0%	2%	2%
HRC	2%	5%	0%	0%	7%
IRC	2%	0%	1%	3%	9%
KRC	4%	2%	2%	5%	7%
NBRC	11%	2%	0%	0%	16%
NLACRC	0%	0%	0%	0%	5%
RCRC	n/a	n/a	n/a	n/a	n/a
RCEB	4%	4%	0%	0%	4%
RCOC	15%	1%	1%	0%	15%
SARC	9%	2%	0%	0%	12%
SDRC	n/a	n/a	n/a	n/a	n/a
SGPRC	1%	1%	0%	0%	12%
SCLARC	0%	2%	0%	0%	6%
TCRC	1%	0%	1%	3%	6%
VMRC	1%	0%	0%	1%	4%
WRC	8%	0%	0%	0%	0%
CA	4%	1%	0%	1%	8%
NCI-IDD	8%	1%	3%	4%	9%

The NCI-IDD average is weighted.

Table 21. Other conditions in record (continued)

Categories are not mutually exclusive therefore N is not shown; “Don’t Know” responses are included in the denominator.

Regional Center	Asthma	Other Pulmonary Diagnosis	Chronic Kidney Disease	Long-term Health Problems Associated With COVID-19	Other
ACRC	22%	2%	0%	0%	3%
CVRC	28%	1%	2%	0%	0%
ELARC	27%	7%	2%	0%	0%
FNRC	20%	7%	4%	0%	1%
FDLRC	28%	2%	0%	0%	2%
GGRC	22%	0%	2%	0%	2%
HRC	12%	2%	0%	0%	5%
IRC	26%	5%	3%	2%	5%
KRC	22%	8%	3%	3%	10%
NBRC	47%	2%	0%	0%	0%
NLACRC	28%	2%	7%	0%	14%
RCRC	n/a	n/a	n/a	n/a	n/a
RCEB	48%	2%	2%	0%	0%
RCOC	25%	3%	4%	0%	2%
SARC	23%	5%	4%	0%	0%
SDRC	n/a	n/a	n/a	n/a	n/a
SGPRC	34%	1%	0%	0%	0%
SCLARC	29%	5%	0%	0%	2%
TCRC	10%	3%	2%	1%	38%
VMRC	24%	3%	1%	0%	1%
WRC	29%	13%	4%	0%	4%
CA	26%	4%	2%	0%	4%
NCI-IDD	12%	3%	12%	0%	47%

The NCI-IDD average is weighted.

Table 22. Preferred language*Information may have been collected in the field*

Regional Center	English	Spanish	Chinese (including Mandarin, Cantonese, and Hokkien)	N
ACRC	92%	5%	0%	417
CVRC	70%	26%	0%	413
ELARC	65%	32%	1%	414
FNRC	93%	6%	0%	414
FDLRC	71%	25%	0%	410
GGRC	83%	7%	5%	411
HRC	83%	14%	0%	412
IRC	72%	26%	0%	525
KRC	77%	22%	0%	407
NBRC	84%	15%	0%	411
NLACRC	78%	22%	0%	407
RCRC	95%	5%	0%	427
RCEB	77%	12%	5%	415
RCOC	80%	14%	0%	440
SARC	64%	23%	1%	416
SDRC	81%	18%	0%	405
SGPRC	74%	24%	0%	405
SCLARC	52%	47%	0%	419
TCRC	82%	17%	0%	409
VMRC	82%	14%	0%	434
WRC	77%	22%	0%	418
CA	77%	20%	1%	8829
NCI-IDD	92%	6%	0%	24851

The NCI-IDD average is weighted.

Table 23. Preferred language (continued)*Information may have been collected in the field*

Regional Center	Tagalog (Including Filipino)	Vietnamese	Korean	Arabic	N
ACRC	0%	0%	0%	0%	417
CVRC	0%	0%	0%	0%	413
ELARC	0%	1%	0%	0%	414
FNRC	0%	0%	0%	0%	414
FDLRC	1%	0%	2%	0%	410
GGRC	2%	0%	0%	0%	411
HRC	0%	1%	0%	0%	412
IRC	0%	0%	0%	0%	525
KRC	0%	0%	0%	0%	407
NBRC	0%	0%	0%	0%	411
NLACRC	0%	0%	0%	0%	407
RCRC	0%	0%	0%	0%	427
RCEB	1%	0%	0%	0%	415
RCOC	0%	6%	0%	0%	440
SARC	0%	11%	0%	0%	416
SDRC	0%	0%	0%	0%	405
SGPRC	1%	0%	0%	0%	405
SCLARC	0%	0%	0%	0%	419
TCRC	0%	0%	0%	0%	409
VMRC	1%	0%	0%	0%	434
WRC	0%	0%	0%	0%	418
CA	0%	1%	0%	0%	8829
NCI-IDD	0%	0%	0%	0%	24851

The NCI-IDD average is weighted.

Table 24. Preferred language (continued)*Information may have been collected in the field*

Regional Center	Armenian	Farsi	Hmong	Khmer	N
ACRC	0%	0%	0%	0%	417
CVRC	0%	0%	1%	0%	413
ELARC	0%	0%	0%	0%	414
FNRC	0%	0%	1%	0%	414
FDLRC	0%	0%	0%	0%	410
GGRC	0%	0%	0%	0%	411
HRC	0%	0%	0%	0%	412
IRC	0%	0%	0%	0%	525
KRC	0%	0%	0%	0%	407
NBRC	0%	0%	0%	0%	411
NLACRC	0%	0%	0%	0%	407
RCRC	0%	0%	0%	0%	427
RCEB	0%	0%	0%	0%	415
RCOC	0%	0%	0%	0%	440
SARC	0%	0%	0%	0%	416
SDRC	0%	0%	0%	0%	405
SGPRC	0%	0%	0%	0%	405
SCLARC	0%	0%	0%	0%	419
TCRC	0%	0%	0%	0%	409
VMRC	0%	0%	0%	0%	434
WRC	0%	1%	0%	0%	418
CA	0%	0%	0%	0%	8829
NCI-IDD	0%	0%	0%	0%	24851

The NCI-IDD average is weighted.

Table 25. Preferred language (continued)*Information may have been collected in the field*

Regional Center	Lao	Russian	American Sign Language (ASL)	Other	N
ACRC	0%	1%	0%	0%	417
CVRC	0%	0%	0%	1%	413
ELARC	0%	0%	0%	0%	414
FNRC	0%	0%	0%	0%	414
FDLRC	0%	0%	0%	0%	410
GGRC	0%	0%	0%	2%	411
HRC	0%	0%	0%	1%	412
IRC	0%	0%	1%	1%	525
KRC	0%	0%	0%	0%	407
NBRC	0%	0%	0%	0%	411
NLACRC	0%	0%	0%	0%	407
RCRC	0%	0%	0%	0%	427
RCEB	0%	0%	2%	1%	415
RCOC	0%	0%	0%	0%	440
SARC	0%	0%	0%	0%	416
SDRC	0%	0%	0%	0%	405
SGPRC	0%	0%	0%	0%	405
SCLARC	0%	0%	0%	0%	419
TCRC	0%	0%	0%	0%	409
VMRC	0%	0%	0%	2%	434
WRC	0%	0%	0%	0%	418
CA	0%	0%	0%	0%	8829
NCI-IDD	0%	0%	0%	1%	24851

The NCI-IDD average is weighted.

Table 26. Preferred means of communication*Information may have been collected in the field*

Regional Center	Spoken	Gestures or Body Language	Sign Language or Finger Spelling	Communication Device	Other	Don't Know	N
ACRC	85%	15%	0%	0%	0%	0%	413
CVRC	82%	17%	0%	0%	1%	0%	413
ELARC	85%	15%	0%	0%	0%	0%	414
FNRC	89%	10%	0%	0%	0%	0%	414
FDLRC	86%	13%	0%	0%	0%	0%	409
GGRC	81%	18%	0%	0%	0%	0%	410
HRC	89%	11%	0%	0%	0%	0%	412
IRC	79%	19%	1%	0%	1%	0%	521
KRC	84%	14%	1%	0%	1%	0%	404
NBRC	87%	13%	0%	0%	0%	0%	400
NLACRC	85%	14%	0%	0%	0%	0%	407
RCRC	93%	7%	0%	0%	0%	0%	427
RCEB	78%	21%	0%	0%	1%	0%	412
RCOC	82%	17%	0%	0%	0%	0%	439
SARC	81%	18%	0%	0%	1%	0%	410
SDRC	83%	17%	0%	0%	0%	0%	403
SGPRC	83%	17%	0%	0%	0%	0%	405
SCLARC	83%	16%	0%	0%	0%	0%	419
TCRC	84%	14%	0%	0%	1%	0%	409
VMRC	83%	15%	0%	0%	2%	0%	434
WRC	84%	16%	0%	0%	0%	0%	417
CA	83%	16%	0%	0%	0%	0%	8792
NCI-IDD	77%	14%	1%	1%	4%	2%	24943

The NCI-IDD average is weighted.

Table 27. Mobility*Information may have been collected in the field*

Regional Center	Moves self around environment without aids	Moves self around environment with aids or uses wheelchair independently	Non-ambulatory and always needs assistance to move around environment	Don't Know	N
ACRC	81%	5%	14%	0%	415
CVRC	79%	5%	15%	0%	413
ELARC	82%	4%	14%	0%	414
FNRC	85%	7%	8%	0%	414
FDLRC	85%	5%	10%	0%	410
GGRC	85%	6%	9%	0%	410
HRC	82%	7%	11%	0%	412
IRC	76%	7%	17%	0%	522
KRC	79%	7%	14%	0%	407
NBRC	76%	8%	16%	0%	408
NLACRC	84%	3%	13%	0%	407
RCRC	85%	7%	9%	0%	427
RCEB	82%	5%	14%	0%	414
RCOC	79%	6%	15%	0%	440
SARC	82%	3%	14%	0%	416
SDRC	78%	5%	16%	0%	404
SGPRC	80%	8%	12%	0%	405
SCLARC	86%	1%	13%	0%	419
TCRC	82%	6%	12%	0%	409
VMRC	78%	8%	14%	0%	433
WRC	82%	6%	12%	0%	418
CA	81%	5%	14%	0%	8817
NCI-IDD	77%	12%	10%	1%	24933

The NCI-IDD average is weighted.

Table 28. Support needed to manage self-injurious behavior

Regional Center	None	Some	Extensive	Don't Know	N
ACRC	75%	22%	2%	0%	414
CVRC	75%	24%	1%	0%	411
ELARC	78%	19%	2%	0%	413
FNRC	79%	20%	1%	0%	414
FDLRC	78%	20%	2%	0%	410
GGRC	71%	24%	4%	1%	410
HRC	80%	17%	2%	0%	412
IRC	75%	21%	4%	0%	512
KRC	81%	16%	3%	0%	407
NBRC	80%	19%	1%	0%	411
NLACRC	81%	16%	3%	0%	407
RCRC	83%	14%	3%	0%	426
RCEB	80%	18%	2%	0%	412
RCOC	75%	22%	3%	0%	439
SARC	77%	20%	3%	0%	416
SDRC	78%	20%	2%	0%	403
SGPRC	79%	18%	3%	0%	404
SCLARC	85%	13%	2%	0%	419
TCRC	78%	19%	2%	0%	409
VMRC	76%	20%	4%	1%	433
WRC	82%	16%	2%	0%	417
CA	78%	19%	2%	0%	8799
NCI-IDD	75%	17%	5%	3%	24296

The NCI-IDD average is weighted.

Table 29. Support needed to manage disruptive behavior

Regional Center	None	Some	Extensive	Don't Know	N
ACRC	52%	31%	17%	0%	416
CVRC	38%	30%	32%	0%	412
ELARC	44%	30%	26%	0%	413
FNRC	38%	43%	19%	0%	414
FDLRC	50%	32%	18%	0%	410
GGRC	37%	30%	32%	1%	410
HRC	49%	31%	20%	0%	412
IRC	45%	22%	33%	0%	512
KRC	45%	35%	20%	0%	407
NBRC	56%	30%	14%	0%	410
NLACRC	54%	26%	20%	0%	407
RCRC	61%	28%	11%	0%	427
RCEB	53%	30%	16%	0%	412
RCOC	45%	30%	25%	0%	439
SARC	52%	29%	19%	0%	416
SDRC	51%	26%	23%	0%	403
SGPRC	50%	29%	21%	0%	405
SCLARC	73%	17%	10%	0%	419
TCRC	44%	37%	20%	0%	409
VMRC	50%	29%	21%	1%	431
WRC	50%	28%	22%	0%	417
CA	49%	28%	22%	0%	8801
NCI-IDD	57%	25%	10%	8%	24384

The NCI-IDD average is weighted.

Table 30. Support needed to manage destructive behavior

At least 25% of CA responses were missing or “Don’t Know.”

Regional Center	None	Some	Don’t Know	Extensive	N
ACRC	n/a	n/a	n/a	n/a	n/a
CVRC	n/a	n/a	n/a	n/a	n/a
ELARC	n/a	n/a	n/a	n/a	n/a
FNRC	n/a	n/a	n/a	n/a	n/a
FDLRC	n/a	n/a	n/a	n/a	n/a
GGRC	n/a	n/a	n/a	n/a	n/a
HRC	n/a	n/a	n/a	n/a	n/a
IRC	79%	14%	2%	5%	63
KRC	82%	13%	2%	4%	250
NBRC	n/a	n/a	n/a	n/a	n/a
NLACRC	77%	17%	2%	4%	53
RCRC	n/a	n/a	n/a	n/a	n/a
RCEB	n/a	n/a	n/a	n/a	n/a
RCOC	n/a	n/a	n/a	n/a	n/a
SARC	n/a	n/a	n/a	n/a	n/a
SDRC	n/a	n/a	n/a	n/a	n/a
SGPRC	n/a	n/a	n/a	n/a	n/a
SCLARC	n/a	n/a	n/a	n/a	n/a
TCRC	82%	14%	1%	3%	158
VMRC	n/a	n/a	n/a	n/a	n/a
WRC	n/a	n/a	n/a	n/a	n/a
CA	79%	14%	4%	3%	631
NCI-IDD	68%	17%	10%	5%	16215

The NCI-IDD average is weighted.

Table 31. Level of guardianship/conservatorship

Regional Center	None	Limited guardianship/conservatorship	Has guardian/conservator but unable to distinguish level	Don't Know	Full guardianship/conservatorship	N
ACRC	73%	26%	0%	1%	0%	417
CVRC	78%	22%	0%	0%	0%	413
ELARC	51%	48%	0%	1%	0%	414
FNRC	63%	37%	0%	0%	0%	414
FDLRC	60%	38%	0%	2%	0%	410
GGRC	67%	31%	0%	1%	0%	410
HRC	61%	39%	0%	0%	0%	412
IRC	64%	36%	0%	1%	0%	525
KRC	73%	25%	0%	1%	0%	407
NBRC	79%	20%	0%	0%	0%	411
NLACRC	60%	40%	0%	0%	0%	407
RCRC	66%	33%	0%	1%	0%	427
RCEB	64%	35%	0%	1%	0%	415
RCOC	70%	30%	0%	0%	0%	441
SARC	55%	45%	0%	0%	0%	416
SDRC	60%	40%	0%	0%	0%	405
SGPRC	63%	37%	0%	0%	0%	405
SCLARC	72%	26%	0%	2%	0%	419
TCRC	72%	27%	0%	0%	0%	409
VMRC	79%	19%	0%	3%	0%	434
WRC	64%	36%	0%	0%	0%	418
CA	66%	33%	0%	1%	0%	8829
NCI-IDD	51%	10%	11%	3%	26%	25049

The NCI-IDD average is weighted.

Table 32. Guardian's/Conservator's relationship to person*At least 25% of CA responses were missing or "Don't Know."*

Regional Center	Family	Friend	Public guardian/ conservator or public administrator	Financial institution	N
ACRC	19%	n/a	79%	n/a	112
CVRC	45%	n/a	53%	n/a	90
ELARC	69%	n/a	29%	n/a	201
FNRC	28%	n/a	72%	n/a	151
FDLRC	26%	n/a	69%	n/a	159
GGRC	37%	n/a	60%	n/a	130
HRC	24%	n/a	75%	n/a	155
IRC	75%	n/a	23%	n/a	186
KRC	50%	n/a	43%	n/a	104
NBRC	16%	n/a	83%	n/a	83
NLACRC	64%	n/a	35%	n/a	158
RCRC	61%	n/a	37%	n/a	141
RCEB	64%	n/a	35%	n/a	148
RCOC	1%	n/a	99%	n/a	129
SARC	62%	n/a	37%	n/a	184
SDRC	23%	n/a	77%	n/a	158
SGPRC	32%	n/a	68%	n/a	147
SCLARC	3%	n/a	91%	n/a	111
TCRC	35%	n/a	63%	n/a	111
VMRC	57%	n/a	31%	n/a	88
WRC	26%	n/a	73%	n/a	137
CA	42%	n/a	56%	n/a	2883
NCI-IDD	68%	1%	17%	0%	10976

Table note: The option of "Friend" and "Financial Institution" are valid response options in the national report but not in the CA IPS, and are noted as N/A for each regional center and the CA statewide average. Data for this table has been corrected to remove 34 cases that indicated no legal guardian (BI-5) but provided guardian relationship information (BI-6). This correction ensures data accuracy and consistency with validation requirements.

The NCI-IDD average is weighted.

Table 33. Guardian's/Conservator's relationship to person (continued)

At least 25% of CA responses were missing or "Don't Know."

Regional Center	Non-profit guardianship agency	For-profit guardianship agency	Don't Know	Other	N
ACRC	0%	n/a	0%	2%	112
CVRC	0%	n/a	0%	2%	90
ELARC	0%	n/a	0%	2%	201
FNRC	0%	n/a	0%	1%	151
FDLRC	0%	n/a	0%	5%	159
GGRC	0%	n/a	0%	3%	130
HRC	0%	n/a	0%	1%	155
IRC	1%	n/a	0%	1%	186
KRC	1%	n/a	1%	5%	104
NBRC	0%	n/a	0%	1%	83
NLACRC	0%	n/a	0%	1%	158
RCRC	0%	n/a	0%	1%	141
RCEB	0%	n/a	0%	1%	148
RCOC	0%	n/a	0%	0%	129
SARC	0%	n/a	0%	1%	184
SDRC	0%	n/a	0%	0%	158
SGPRC	0%	n/a	0%	1%	147
SCLARC	0%	n/a	0%	6%	111
TCRC	0%	n/a	0%	2%	111
VMRC	0%	n/a	0%	13%	88
WRC	0%	n/a	0%	1%	137
CA	0%	n/a	0%	2%	2883
NCI-IDD	1%	0%	9%	3%	10976

Table note: The option of "For-Profit Guardianship Agency" is a valid response options in the national report but not in the CA IPS, and is noted as N/A for each regional center and the CA statewide average. Data for this table has been corrected to remove 34 cases that indicated no legal guardian (BI-5) but provided guardian relationship information (BI-6). This correction ensures data accuracy and consistency with validation requirements.

The NCI-IDD average is weighted.

Table 34. Funding source

Categories are not mutually exclusive, therefore, N is not shown. At least 25% of CA responses were missing or “Don’t Know.”

Regional Center	ICF/IID	Medicaid HCBS Waiver Funded Services	Medicaid State Plan Funded	LTC Exclusively Supported by State Funds and no Medicaid	LTC Exclusively Supported by State Funds, Person has Medicaid for Health	Don't Know
ACRC	n/a	n/a	n/a	n/a	n/a	n/a
CVRC	n/a	n/a	n/a	n/a	n/a	n/a
ELARC	n/a	n/a	n/a	n/a	n/a	n/a
FNRC	n/a	n/a	n/a	n/a	n/a	n/a
FDLRC	n/a	n/a	n/a	n/a	n/a	n/a
GGRC	n/a	n/a	n/a	n/a	n/a	n/a
HRC	n/a	n/a	n/a	n/a	n/a	n/a
IRC	19%	10%	10%	5%	50%	16%
KRC	44%	0%	1%	0%	0%	55%
NBRC	n/a	n/a	n/a	n/a	n/a	n/a
NLACRC	22%	2%	6%	51%	12%	14%
RCRC	n/a	n/a	n/a	n/a	n/a	n/a
RCEB	n/a	n/a	n/a	n/a	n/a	n/a
RCOC	n/a	n/a	n/a	n/a	n/a	n/a
SARC	n/a	n/a	n/a	n/a	n/a	n/a
SDRC	n/a	n/a	n/a	n/a	n/a	n/a
SGPRC	n/a	n/a	n/a	n/a	n/a	n/a
SCLARC	n/a	n/a	n/a	n/a	n/a	n/a
TCRC	14%	16%	8%	0%	4%	60%
VMRC	2%	0%	0%	0%	0%	98%
WRC	n/a	n/a	n/a	n/a	n/a	n/a
CA	20%	7%	8%	10%	15%	44%
NCI-IDD	3%	86%	41%	0%	1%	3%

The NCI-IDD average is weighted.

Table 35. Person receives Medicare

At least 25% of CA responses were missing or “Don’t Know.”

Regional Center	Yes	No	Don’t Know	N
ACRC	n/a	n/a	n/a	n/a
CVRC	n/a	n/a	n/a	n/a
ELARC	n/a	n/a	n/a	n/a
FNRC	n/a	n/a	n/a	n/a
FDLRC	n/a	n/a	n/a	n/a
GGRC	n/a	n/a	n/a	n/a
HRC	n/a	n/a	n/a	n/a
IRC	46%	51%	3%	65
KRC	36%	53%	11%	225
NBRC	n/a	n/a	n/a	n/a
NLACRC	33%	63%	4%	52
RCRC	n/a	n/a	n/a	n/a
RCEB	n/a	n/a	n/a	n/a
RCOC	n/a	n/a	n/a	n/a
SARC	n/a	n/a	n/a	n/a
SDRC	n/a	n/a	n/a	n/a
SGPRC	n/a	n/a	n/a	n/a
SCLARC	n/a	n/a	n/a	n/a
TCRC	43%	55%	2%	161
VMRC	8%	2%	90%	50
WRC	n/a	n/a	n/a	n/a
CA	41%	48%	11%	642
NCI-IDD	47%	47%	6%	16661

The NCI-IDD average is weighted.

Table 36. Amount of daily support received at home

At least 25% of CA responses were missing or “Don’t Know.”

Regional Center	24-hour on-site support or supervision	Daily on-site support	Scheduled less frequent than daily support	As-needed visitation and phone contact	None of these options	Don't Know	N
ACRC	n/a	n/a	n/a	n/a	n/a	n/a	n/a
CVRC	n/a	n/a	n/a	n/a	n/a	n/a	n/a
ELARC	n/a	n/a	n/a	n/a	n/a	n/a	n/a
FNRC	n/a	n/a	n/a	n/a	n/a	n/a	n/a
FDLRC	n/a	n/a	n/a	n/a	n/a	n/a	n/a
GGRC	n/a	n/a	n/a	n/a	n/a	n/a	n/a
HRC	n/a	n/a	n/a	n/a	n/a	n/a	n/a
IRC	27%	32%	3%	3%	30%	5%	63
KRC	30%	15%	5%	2%	46%	2%	237
NBRC	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NLACRC	31%	12%	14%	6%	35%	2%	51
RCRC	n/a	n/a	n/a	n/a	n/a	n/a	n/a
RCEB	n/a	n/a	n/a	n/a	n/a	n/a	n/a
RCOC	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SARC	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SDRC	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SGPRC	n/a	n/a	n/a	n/a	n/a	n/a	n/a
SCLARC	n/a	n/a	n/a	n/a	n/a	n/a	n/a
TCRC	45%	10%	8%	4%	28%	4%	158
VMRC	n/a	n/a	n/a	n/a	n/a	n/a	n/a
WRC	n/a	n/a	n/a	n/a	n/a	n/a	n/a
CA	33%	16%	8%	3%	35%	4%	612
NCI-IDD	45%	18%	17%	2%	9%	9%	16269

The NCI-IDD average is weighted.

Table 37. Has remote supports

Remote supports combine technology and direct care to provide supports such as home-based sensors, cameras, and other devices. At least 25% of CA responses were missing or “Don’t Know.”

Regional Center	No, none	Yes, 24-hour remote supports	Yes, less than 24-hour remote supports	Don't Know	N
ACRC	86%	5%	0%	10%	21
CVRC	n/a	n/a	n/a	n/a	n/a
ELARC	n/a	n/a	n/a	n/a	n/a
FNRC	n/a	n/a	n/a	n/a	n/a
FDLRC	n/a	n/a	n/a	n/a	n/a
GGRC	n/a	n/a	n/a	n/a	n/a
HRC	n/a	n/a	n/a	n/a	n/a
IRC	83%	13%	0%	5%	63
KRC	95%	3%	0%	2%	237
NBRC	n/a	n/a	n/a	n/a	n/a
NLACRC	90%	4%	4%	2%	52
RCRC	n/a	n/a	n/a	n/a	n/a
RCEB	n/a	n/a	n/a	n/a	n/a
RCOC	n/a	n/a	n/a	n/a	n/a
SARC	n/a	n/a	n/a	n/a	n/a
SDRC	n/a	n/a	n/a	n/a	n/a
SGPRC	n/a	n/a	n/a	n/a	n/a
SCLARC	n/a	n/a	n/a	n/a	n/a
TCRC	91%	1%	3%	5%	158
VMRC	n/a	n/a	n/a	n/a	n/a
WRC	n/a	n/a	n/a	n/a	n/a
CA	89%	5%	2%	4%	611
NCI-IDD	80%	3%	2%	15%	15862

The NCI-IDD average is weighted.

Table 38. Has ever been diagnosed or presumed diagnosed with COVID-19

At least 25% of CA responses were missing or “Don’t Know.”

Regional Center	Yes	No	Don’t Know	N
ACRC	43%	46%	11%	416
CVRC	45%	44%	11%	413
ELARC	37%	36%	27%	414
FNRC	30%	34%	36%	414
FDLRC	40%	38%	22%	410
GGRC	37%	37%	26%	411
HRC	26%	33%	41%	412
IRC	30%	39%	31%	525
KRC	29%	36%	34%	407
NBRC	26%	34%	40%	411
NLACRC	23%	36%	42%	407
RCRC	29%	43%	28%	427
RCEB	25%	45%	30%	415
RCOC	32%	46%	22%	441
SARC	31%	34%	35%	416
SDRC	35%	46%	19%	405
SGPRC	24%	24%	52%	405
SCLARC	32%	38%	30%	419
TCRC	43%	45%	12%	409
VMRC	51%	44%	5%	434
WRC	30%	36%	34%	418
CA	33%	40%	27%	8829
NCI-IDD	35%	49%	16%	22439

The NCI-IDD average is weighted.

Table 39. Has ever required in-patient hospitalization due to COVID-19 (of those who had COVID-19)

At least 25% of CA responses were missing or “Don’t Know.”

Regional Center	Yes	No	Don’t Know	N
ACRC	8%	92%	1%	173
CVRC	7%	93%	1%	184
ELARC	10%	90%	1%	153
FNRC	6%	89%	6%	122
FDLRC	8%	87%	5%	165
GGRC	7%	89%	5%	151
HRC	4%	94%	2%	101
IRC	5%	95%	0%	128
KRC	8%	90%	2%	103
NBRC	7%	91%	2%	89
NLACRC	9%	89%	2%	93
RCRC	3%	94%	2%	123
RCEB	7%	93%	0%	92
RCOC	8%	86%	6%	140
SARC	5%	93%	2%	114
SDRC	6%	91%	3%	140
SGPRC	1%	92%	6%	78
SCLARC	5%	95%	1%	132
TCRC	3%	95%	1%	145
VMRC	9%	89%	1%	215
WRC	2%	93%	5%	117
CA	6%	92%	2%	2758
NCI-IDD	9%	89%	2%	7483

The NCI-IDD average is weighted.

Table 40. Has gotten the COVID-19 vaccine

Regional Center	Yes fully vaccinated and has received at least one booster	Yes fully vaccinated	Partially vaccinated--received one of two doses of Pfizer-BioNTech or Moderna	Not vaccinated at all	Don't Know	N
ACRC	34%	45%	3%	17%	1%	417
CVRC	16%	60%	8%	13%	3%	413
ELARC	36%	37%	3%	9%	15%	414
FNRC	28%	49%	3%	9%	10%	414
FDLRC	32%	46%	4%	7%	11%	410
GGRC	28%	52%	4%	5%	11%	411
HRC	19%	55%	2%	7%	17%	412
IRC	29%	33%	6%	9%	23%	525
KRC	12%	60%	2%	14%	13%	407
NBRC	26%	56%	2%	5%	11%	411
NLACRC	24%	42%	4%	7%	24%	407
RCRC	21%	44%	7%	16%	13%	427
RCEB	29%	46%	6%	3%	16%	415
RCOC	45%	40%	1%	5%	8%	441
SARC	30%	35%	5%	4%	26%	416
SDRC	44%	41%	2%	10%	3%	405
SGPRC	9%	69%	6%	16%	1%	405
SCLARC	19%	42%	12%	16%	11%	419
TCRC	32%	52%	3%	11%	3%	409
VMRC	23%	59%	4%	13%	1%	434
WRC	31%	41%	7%	4%	17%	418
CA	29%	46%	5%	9%	12%	8830
NCI-IDD	49%	26%	3%	10%	11%	22410


The NCI-IDD average is weighted.

Community Inclusion and Belonging

Value statement: People do things in their community they want to do. People feel like they belong to the communities/groups of their choosing.

The NCI-IDD average is weighted.

**Gets to go out and do the things likes to do in
the community as much as wants to**




The NCI-IDD average is weighted.

Table 41. Gets to go out and do the things likes to do in the community as much as wants to

Regional Center	Yes	No	N
ACRC	72%	28%	264
CVRC	81%	19%	306
ELARC	70%	30%	256
FNRC	70%	30%	296
FDLRC	68%	32%	234
GGRC	76%	24%	237
HRC	71%	29%	238
IRC	74%	26%	292
KRC	67%	33%	227
NBRC	69%	31%	255
NLACRC	64%	36%	231
RCRC	72%	28%	333
RCEB	73%	27%	215
RCOC	74%	26%	229
SARC	67%	33%	224
SDRC	73%	27%	221
SGPRC	53%	47%	227
SCLARC	70%	30%	228
TCRC	74%	26%	270
VMRC	69%	31%	239
WRC	57%	43%	257
CA	71%	29%	5279
NCI-IDD	71%	29%	14374

The NCI-IDD average is weighted.

Does things in the community with the people they want




The NCI-IDD average is weighted.

Table 42. Does things in the community with the people they want

Regional Center	Yes	No	N
ACRC	85%	15%	263
CVRC	84%	16%	312
ELARC	87%	13%	252
FNRC	82%	18%	294
FDLRC	83%	17%	229
GGRC	80%	20%	235
HRC	82%	18%	225
IRC	75%	25%	292
KRC	75%	25%	224
NBRC	77%	23%	253
NLACRC	82%	18%	227
RCRC	78%	22%	333
RCEB	77%	23%	210
RCOC	83%	17%	229
SARC	79%	21%	223
SDRC	80%	20%	215
SGPRC	72%	28%	220
SCLARC	83%	17%	225
TCRC	85%	15%	262
VMRC	76%	24%	233
WRC	79%	21%	253
CA	80%	20%	5209
NCI-IDD	81%	19%	14197

The NCI-IDD average is weighted.

**Can be themselves when with others in groups,
organizations, or communities the person
takes part in (if person takes part in groups,
organizations, or communities)**



The NCI-IDD average is weighted.


Table 43. Can be themselves when with others in groups, organizations, or communities the person takes part in (if person takes part in groups, organizations, or communities)

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	88%	12%	91
CVRC	70%	30%	60
ELARC	94%	6%	50
FNRC	92%	8%	87
FDLRC	90%	10%	91
GGRC	93%	7%	71
HRC	91%	9%	86
IRC	79%	21%	76
KRC	84%	16%	31
NBRC	92%	8%	85
NLACRC	92%	8%	86
RCRC	95%	5%	113
RCEB	91%	9%	77
RCOC	92%	8%	72
SARC	92%	8%	60
SDRC	99%	1%	79
SGPRC	89%	11%	44
SCLARC	90%	10%	60
TCRC	96%	4%	56
VMRC	86%	14%	64
WRC	80%	20%	93
CA	89%	11%	1532
NCI-IDD	92%	8%	5551

The NCI-IDD average is weighted.

Others include them as part of the group in groups, organizations, or communities the person takes part in (if person takes part in groups, organizations, or communities)




The NCI-IDD average is weighted.

Table 44. Others include them as part of the group in groups, organizations, or communities the person takes part in (if person takes part in groups, organizations, or communities)

Regional Center	Yes	No	N
ACRC	89%	11%	90
CVRC	68%	32%	59
ELARC	96%	4%	48
FNRC	91%	9%	87
FDLRC	97%	3%	92
GGRC	93%	7%	70
HRC	93%	7%	85
IRC	84%	16%	80
KRC	82%	18%	33
NBRC	91%	9%	86
NLACRC	93%	7%	85
RCRC	88%	12%	112
RCEB	91%	9%	78
RCOC	90%	10%	72
SARC	95%	5%	61
SDRC	95%	5%	79
SGPRC	87%	13%	45
SCLARC	92%	8%	59
TCRC	95%	5%	55
VMRC	92%	8%	63
WRC	80%	20%	92
CA	90%	10%	1531
NCI-IDD	92%	8%	5523

The NCI-IDD average is weighted.

Gets help to learn new things



The NCI-IDD average is weighted.

Table 45. Gets help to learn new things

Regional Center	Yes	No	N
ACRC	70%	30%	264
CVRC	77%	23%	322
ELARC	71%	29%	251
FNRC	67%	33%	301
FDLRC	69%	31%	206
GGRC	69%	31%	232
HRC	68%	32%	238
IRC	69%	31%	286
KRC	62%	38%	234
NBRC	67%	33%	255
NLACRC	67%	33%	239
RCRC	62%	38%	328
RCEB	69%	31%	216
RCOC	75%	25%	226
SARC	72%	28%	225
SDRC	82%	18%	218
SGPRC	52%	48%	211
SCLARC	72%	28%	220
TCRC	63%	37%	278
VMRC	71%	29%	253
WRC	69%	31%	250
CA	70%	30%	5253
NCI-IDD	76%	24%	14422


The NCI-IDD average is weighted.

Choice and Decision Making

Value Statement: People are supported to make everyday choices and life decisions. Support for decision-making includes necessary information and experiences.

The NCI-IDD average is weighted.

Chose or had some input in choosing where they live if not living in the family home



The NCI-IDD average is weighted.


Table 46. Chose or had some input in choosing where they live if not living in the family home

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	52%	48%	168
CVRC	78%	22%	173
ELARC	39%	61%	109
FNRC	72%	28%	272
FDLRC	34%	66%	179
GGRC	49%	51%	241
HRC	47%	53%	131
IRC	35%	65%	165
KRC	51%	49%	144
NBRC	61%	39%	210
NLACRC	56%	44%	117
RCRC	73%	28%	200
RCEB	45%	55%	210
RCOC	31%	69%	203
SARC	48%	52%	186
SDRC	53%	47%	137
SGPRC	41%	59%	142
SCLARC	41%	59%	102
TCRC	55%	45%	194
VMRC	70%	30%	237
WRC	53%	47%	144
CA	51%	49%	3664
NCI-IDD	54%	46%	12288

The NCI-IDD average is weighted.

**Chose or had some input in choosing their
housemates if not living in the family home, or
chose to live alone**



The NCI-IDD average is weighted.


Table 47. Chose or had some input in choosing their housemates if not living in the family home, or chose to live alone

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	66%	34%	170
CVRC	75%	25%	167
ELARC	44%	56%	109
FNRC	52%	48%	273
FDLRC	26%	74%	179
GGRC	37%	63%	242
HRC	32%	68%	134
IRC	20%	80%	169
KRC	46%	54%	150
NBRC	47%	53%	212
NLACRC	47%	53%	116
RCRC	74%	26%	195
RCEB	30%	70%	210
RCOC	27%	73%	204
SARC	37%	63%	184
SDRC	44%	56%	138
SGPRC	13%	87%	142
SCLARC	18%	82%	104
TCRC	42%	58%	196
VMRC	70%	30%	239
WRC	34%	66%	140
CA	41%	59%	3673
NCI-IDD	43%	57%	12285

The NCI-IDD average is weighted.

Decides or has help deciding their daily schedule



The NCI-IDD average is weighted.


Table 48. Decides or has help deciding their daily schedule

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	90%	10%	412
CVRC	92%	8%	408
ELARC	90%	10%	410
FNRC	94%	6%	410
FDLRC	86%	14%	408
GGRC	89%	11%	410
HRC	80%	20%	410
IRC	76%	24%	517
KRC	89%	11%	400
NBRC	87%	13%	404
NLACRC	83%	17%	400
RCRC	96%	4%	422
RCEB	85%	15%	410
RCOC	89%	11%	441
SARC	83%	17%	412
SDRC	90%	10%	405
SGPRC	88%	12%	404
SCLARC	87%	13%	415
TCRC	87%	13%	400
VMRC	91%	9%	427
WRC	82%	18%	417
CA	86%	14%	8742
NCI-IDD	86%	14%	24941

The NCI-IDD average is weighted.

Decides or has help deciding how to spend free time



The NCI-IDD average is weighted.


Table 49. Decides or has help deciding how to spend free time

Proxy respondents were allowed for this question; This is asking about who chooses how the person spends their time when they are not working, attending a day program, or doing other regular daily activity with or without supports.

Regional Center	Yes	No	N
ACRC	96%	4%	409
CVRC	96%	4%	410
ELARC	93%	7%	412
FNRC	98%	2%	408
FDLRC	91%	9%	406
GGRC	94%	6%	409
HRC	89%	11%	410
IRC	86%	14%	520
KRC	94%	6%	402
NBRC	95%	5%	406
NLACRC	91%	9%	401
RCRC	99%	1%	424
RCEB	93%	7%	404
RCOC	92%	8%	439
SARC	90%	10%	409
SDRC	95%	5%	404
SGPRC	93%	7%	403
SCLARC	93%	7%	415
TCRC	92%	8%	402
VMRC	96%	4%	422
WRC	92%	8%	413
CA	93%	7%	8728
NCI-IDD	93%	7%	24903

The NCI-IDD average is weighted.

Has enough choice about what to do in free time



The NCI-IDD average is weighted.


Table 50. Has enough choice about what to do in free time

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	93%	7%	396
CVRC	96%	4%	405
ELARC	90%	10%	406
FNRC	92%	8%	402
FDLRC	95%	5%	402
GGRC	93%	7%	402
HRC	93%	7%	405
IRC	94%	6%	512
KRC	94%	6%	396
NBRC	94%	6%	399
NLACRC	92%	8%	387
RCRC	94%	6%	417
RCEB	96%	4%	389
RCOC	94%	6%	432
SARC	92%	8%	400
SDRC	96%	4%	398
SGPRC	96%	4%	393
SCLARC	93%	7%	400
TCRC	97%	3%	392
VMRC	91%	9%	417
WRC	91%	9%	402
CA	94%	6%	8552
NCI-IDD	94%	6%	24293

The NCI-IDD average is weighted.

Chose or had some help in choosing where they work (among those with a paid community job)



The NCI-IDD average is weighted.


Table 51. Chose or had some help in choosing where they work (among those with a paid community job)

Proxy respondents were allowed for this question; Reported for those determined to have a paid community job based on Background Information section.

Regional Center	Yes	No	N
ACRC	n/a	n/a	n/a
CVRC	n/a	n/a	n/a
ELARC	n/a	n/a	n/a
FNRC	n/a	n/a	n/a
FDLRC	n/a	n/a	n/a
GGRC	n/a	n/a	n/a
HRC	n/a	n/a	n/a
IRC	n/a	n/a	n/a
KRC	86%	14%	22
NBRC	n/a	n/a	n/a
NLACRC	n/a	n/a	n/a
RCRC	n/a	n/a	n/a
RCEB	n/a	n/a	n/a
RCOC	n/a	n/a	n/a
SARC	n/a	n/a	n/a
SDRC	n/a	n/a	n/a
SGPRC	n/a	n/a	n/a
SCLARC	n/a	n/a	n/a
TCRC	95%	5%	22
VMRC	n/a	n/a	n/a
WRC	n/a	n/a	n/a
CA	86%	14%	111
NCI-IDD	86%	14%	2201

The NCI-IDD average is weighted.

Chose or had some input in choosing day program or work program



The NCI-IDD average is weighted.


Table 52. Chose or had some input in choosing day program or work program

Proxy respondents were allowed for this question; only includes those respondents determined to have an unpaid community activity, unpaid paid facility-based activity or paid facility-based activity in the Background Information section

Regional Center	Yes	No	N
ACRC	n/a	n/a	n/a
CVRC	n/a	n/a	n/a
ELARC	n/a	n/a	n/a
FNRC	n/a	n/a	n/a
FDLRC	22%	78%	69
GGRC	n/a	n/a	n/a
HRC	n/a	n/a	n/a
IRC	25%	75%	20
KRC	71%	29%	66
NBRC	n/a	n/a	n/a
NLACRC	n/a	n/a	n/a
RCRC	n/a	n/a	n/a
RCEB	n/a	n/a	n/a
RCOC	n/a	n/a	n/a
SARC	n/a	n/a	n/a
SDRC	n/a	n/a	n/a
SGPRC	n/a	n/a	n/a
SCLARC	23%	77%	22
TCRC	72%	28%	32
VMRC	96%	4%	27
WRC	n/a	n/a	n/a
CA	48%	52%	280
NCI-IDD	59%	41%	6039

The NCI-IDD average is weighted.

**Has input in choosing their regular day activities
(in addition to or instead of a paid community job
and/or day program/work program)**



The NCI-IDD average is weighted.


Table 53. Has input in choosing their regular day activities (in addition to or instead of a paid community job and/or day program/work program)

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	89%	11%	174
CVRC	92%	8%	220
ELARC	85%	15%	225
FNRC	90%	10%	230
FDLRC	80%	20%	148
GGRC	82%	18%	218
HRC	71%	29%	186
IRC	60%	40%	197
KRC	87%	13%	141
NBRC	88%	12%	250
NLACRC	77%	23%	186
RCRC	93%	7%	229
RCEB	75%	25%	199
RCOC	87%	13%	200
SARC	80%	20%	245
SDRC	84%	16%	236
SGPRC	82%	18%	157
SCLARC	75%	25%	133
TCRC	80%	20%	169
VMRC	83%	17%	145
WRC	77%	23%	217
CA	81%	19%	4105
NCI-IDD	83%	17%	14081

The NCI-IDD average is weighted.

Chooses or has help deciding what to buy or has set limits on what to buy with their spending money



The NCI-IDD average is weighted.


Table 54. Chooses or has help deciding what to buy or has set limits on what to buy with their spending money

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	90%	10%	387
CVRC	98%	2%	403
ELARC	89%	12%	400
FNRC	92%	8%	400
FDLRC	92%	8%	355
GGRC	87%	13%	395
HRC	88%	12%	382
IRC	89%	11%	429
KRC	92%	8%	376
NBRC	89%	11%	376
NLACRC	85%	15%	352
RCRC	97%	3%	417
RCEB	91%	9%	380
RCOC	89%	11%	411
SARC	92%	8%	326
SDRC	92%	8%	379
SGPRC	90%	10%	381
SCLARC	91%	9%	377
TCRC	94%	6%	361
VMRC	89%	11%	400
WRC	90%	10%	388
CA	90%	10%	8075
NCI-IDD	89%	11%	23858

The NCI-IDD average is weighted.

Chose staff or were aware they could request to change staff



The NCI-IDD average is weighted.


Table 55. Chose staff or were aware they could request to change staff

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	79%	21%	290
CVRC	70%	30%	229
ELARC	68%	32%	318
FNRC	64%	36%	256
FDLRC	49%	51%	313
GGRC	65%	35%	325
HRC	45%	55%	265
IRC	37%	63%	324
KRC	71%	29%	222
NBRC	54%	46%	301
NLACRC	59%	41%	309
RCRC	80%	20%	305
RCEB	56%	44%	294
RCOC	56%	44%	349
SARC	60%	40%	321
SDRC	66%	34%	307
SGPRC	53%	47%	279
SCLARC	54%	46%	291
TCRC	52%	48%	262
VMRC	75%	25%	320
WRC	57%	43%	283
CA	59%	41%	6163
NCI-IDD	59%	41%	19901

The NCI-IDD average is weighted.

Can change their case manager/service coordinator if wants to



The NCI-IDD average is weighted.

Table 56. Can change their case manager/service coordinator if wants to

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	77%	23%	365
CVRC	68%	32%	370
ELARC	69%	31%	392
FNRC	75%	25%	392
FDLRC	73%	27%	323
GGRC	67%	33%	376
HRC	78%	23%	360
IRC	77%	23%	486
KRC	68%	32%	368
NBRC	67%	33%	385
NLACRC	73%	27%	332
RCRC	75%	25%	393
RCEB	62%	38%	387
RCOC	65%	35%	422
SARC	68%	32%	385
SDRC	72%	28%	386
SGPRC	78%	22%	366
SCLARC	71%	29%	355
TCRC	67%	33%	377
VMRC	85%	15%	398
WRC	60%	40%	368
CA	71%	29%	7986
NCI-IDD	76%	24%	23018


The NCI-IDD average is weighted.

Community Participation

Value statement: People participate in activities in their communities.

The NCI-IDD average is weighted.

**Went out shopping at least once in the past month
(Examples: groceries, clothing)**



The NCI-IDD average is weighted.


Table 57. Went out shopping at least once in the past month (Examples: groceries, clothing)

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	85%	15%	408
CVRC	91%	9%	409
ELARC	83%	17%	409
FNRC	86%	14%	405
FDLRC	81%	19%	404
GGRC	80%	20%	411
HRC	84%	16%	407
IRC	84%	16%	517
KRC	81%	19%	406
NBRC	84%	16%	404
NLACRC	86%	15%	400
RCRC	91%	9%	422
RCEB	85%	15%	410
RCOC	84%	16%	441
SARC	86%	14%	410
SDRC	88%	12%	402
SGPRC	84%	16%	403
SCLARC	85%	15%	415
TCRC	82%	18%	405
VMRC	84%	16%	429
WRC	87%	13%	413
CA	85%	15%	8730
NCI-IDD	87%	13%	24808

The NCI-IDD average is weighted.

Went out on errands at least once in the past month (Examples: banks, post office, hairdressers or barber)



The NCI-IDD average is weighted.


Table 58. Went out on errands at least once in the past month (Examples: banks, post office, hairdressers or barber)

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	66%	34%	396
CVRC	89%	11%	408
ELARC	72%	28%	408
FNRC	80%	20%	398
FDLRC	70%	30%	401
GGRC	69%	31%	410
HRC	78%	22%	405
IRC	75%	25%	512
KRC	65%	35%	401
NBRC	80%	20%	398
NLACRC	73%	27%	398
RCRC	85%	15%	419
RCEB	76%	24%	399
RCOC	72%	28%	440
SARC	78%	22%	408
SDRC	71%	29%	401
SGPRC	76%	24%	401
SCLARC	69%	31%	413
TCRC	83%	17%	395
VMRC	70%	30%	418
WRC	72%	28%	411
CA	74%	26%	8640
NCI-IDD	81%	19%	24489

The NCI-IDD average is weighted.

Went out for entertainment at least once in the past month (Examples: go to the movies or attend plays, concerts, sporting events, going out dancing)



The NCI-IDD average is weighted.


Table 59. Went out for entertainment at least once in the past month (Examples: go to the movies or attend plays, concerts, sporting events, going out dancing)

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	68%	32%	404
CVRC	85%	15%	407
ELARC	70%	30%	410
FNRC	57%	43%	402
FDLRC	57%	43%	405
GGRC	62%	38%	411
HRC	58%	42%	407
IRC	66%	34%	512
KRC	64%	36%	401
NBRC	65%	35%	404
NLACRC	62%	38%	403
RCRC	65%	35%	424
RCEB	58%	42%	412
RCOC	66%	34%	440
SARC	62%	38%	412
SDRC	71%	29%	400
SGPRC	62%	38%	404
SCLARC	56%	44%	414
TCRC	61%	39%	402
VMRC	64%	36%	421
WRC	59%	41%	412
CA	65%	35%	8707
NCI-IDD	70%	30%	24755

The NCI-IDD average is weighted.

Went out to a restaurant or coffee shop at least once in the past month



The NCI-IDD average is weighted.


Table 60. Went out to a restaurant or coffee shop at least once in the past month

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	78%	22%	412
CVRC	90%	10%	409
ELARC	78%	22%	409
FNRC	77%	23%	407
FDLRC	76%	24%	406
GGRC	72%	28%	408
HRC	77%	23%	411
IRC	76%	24%	517
KRC	79%	21%	404
NBRC	77%	23%	405
NLACRC	83%	17%	404
RCRC	78%	22%	423
RCEB	75%	25%	406
RCOC	77%	23%	440
SARC	81%	19%	412
SDRC	81%	19%	404
SGPRC	79%	21%	400
SCLARC	80%	20%	415
TCRC	78%	22%	404
VMRC	81%	19%	427
WRC	79%	21%	417
CA	79%	21%	8740
NCI-IDD	82%	18%	24813

The NCI-IDD average is weighted.

**Went out to religious service or spiritual practice at least once in the past month
(Examples: church, synagogue, study, or other place of worship)**



The NCI-IDD average is weighted.


**Table 61. Went out to religious service or spiritual practice at least once in the past month
(Examples: church, synagogue, study, or other place of worship)**

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	31%	69%	411
CVRC	42%	58%	410
ELARC	40%	60%	410
FNRC	27%	73%	410
FDLRC	32%	68%	406
GGRC	24%	76%	410
HRC	30%	70%	409
IRC	42%	58%	517
KRC	38%	62%	400
NBRC	32%	68%	394
NLACRC	35%	65%	405
RCRC	23%	77%	422
RCEB	30%	70%	407
RCOC	41%	59%	438
SARC	39%	61%	402
SDRC	33%	67%	403
SGPRC	38%	63%	400
SCLARC	39%	61%	415
TCRC	32%	68%	404
VMRC	36%	64%	427
WRC	36%	64%	414
CA	35%	65%	8714
NCI-IDD	37%	63%	24666

The NCI-IDD average is weighted.

Takes part in groups, organizations or communities (in-person or virtually)



The NCI-IDD average is weighted.


Table 62. Takes part in groups, organizations or communities (in-person or virtually)

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	23%	77%	401
CVRC	16%	84%	396
ELARC	12%	88%	409
FNRC	22%	78%	404
FDLRC	24%	76%	394
GGRC	17%	83%	407
HRC	22%	78%	408
IRC	16%	84%	514
KRC	8%	92%	401
NBRC	23%	77%	392
NLACRC	22%	78%	400
RCRC	27%	73%	426
RCEB	20%	80%	402
RCOC	17%	83%	439
SARC	16%	85%	400
SDRC	20%	80%	403
SGPRC	12%	88%	401
SCLARC	15%	85%	408
TCRC	15%	85%	405
VMRC	16%	84%	426
WRC	23%	77%	409
CA	18%	82%	8645
NCI-IDD	25%	75%	24646

The NCI-IDD average is weighted.

The groups, organizations or communities takes part in include people without disabilities



The NCI-IDD average is weighted.

Table 63. The groups, organizations or communities takes part in include people without disabilities

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	77%	23%	88
CVRC	82%	18%	61
ELARC	80%	20%	49
FNRC	62%	38%	84
FDLRC	55%	45%	87
GGRC	62%	38%	69
HRC	65%	35%	81
IRC	53%	47%	78
KRC	54%	46%	28
NBRC	55%	45%	84
NLACRC	41%	59%	78
RCRC	72%	28%	106
RCEB	53%	47%	76
RCOC	52%	48%	71
SARC	62%	38%	58
SDRC	59%	41%	80
SGPRC	64%	36%	44
SCLARC	52%	48%	56
TCRC	67%	33%	58
VMRC	66%	34%	64
WRC	59%	41%	87
CA	60%	40%	1487
NCI-IDD	60%	40%	5450


The NCI-IDD average is weighted.

Relationships

Value Statement: People are supported to build and maintain relationships that are important to them.

The NCI-IDD average is weighted.

Has friends who are not staff or family members




The NCI-IDD average is weighted.

Table 64. Has friends who are not staff or family members

Regional Center	Yes	No	N
ACRC	66%	34%	273
CVRC	64%	36%	324
ELARC	75%	25%	260
FNRC	81%	19%	308
FDLRC	78%	22%	246
GGRC	72%	28%	253
HRC	75%	25%	254
IRC	72%	28%	302
KRC	74%	26%	240
NBRC	76%	24%	269
NLACRC	67%	33%	260
RCRC	76%	24%	346
RCEB	62%	38%	238
RCOC	70%	30%	248
SARC	59%	41%	231
SDRC	73%	27%	244
SGPRC	72%	28%	250
SCLARC	69%	31%	244
TCRC	71%	29%	286
VMRC	76%	24%	259
WRC	83%	17%	266
CA	71%	29%	5601
NCI-IDD	77%	23%	15111

The NCI-IDD average is weighted.

Has best friend (may be staff or family)




The NCI-IDD average is weighted.

Table 65. Has best friend (may be staff or family)

Regional Center	Yes	No	N
ACRC	79%	21%	214
CVRC	93%	7%	264
ELARC	80%	20%	209
FNRC	82%	18%	260
FDLRC	73%	27%	202
GGRC	81%	19%	196
HRC	78%	22%	203
IRC	79%	21%	254
KRC	76%	24%	185
NBRC	76%	24%	222
NLACRC	69%	31%	203
RCRC	77%	23%	274
RCEB	72%	28%	181
RCOC	83%	17%	201
SARC	79%	21%	175
SDRC	85%	15%	197
SGPRC	78%	22%	199
SCLARC	68%	32%	187
TCRC	76%	24%	237
VMRC	80%	20%	215
WRC	77%	23%	222
CA	79%	21%	4500
NCI-IDD	80%	20%	12747

The NCI-IDD average is weighted.

Wants help to make or keep in contact with friends



The NCI-IDD average is weighted.


Table 66. Wants help to make or keep in contact with friends

“Yes” and “Maybe” responses combined.

Regional Center	Yes	No	N
ACRC	46%	54%	252
CVRC	84%	16%	320
ELARC	57%	43%	259
FNRC	56%	44%	306
FDLRC	60%	40%	218
GGRC	46%	54%	245
HRC	45%	55%	241
IRC	58%	42%	296
KRC	56%	44%	234
NBRC	58%	42%	260
NLACRC	62%	38%	248
RCRC	51%	49%	326
RCEB	59%	41%	219
RCOC	48%	52%	227
SARC	67%	33%	228
SDRC	52%	48%	226
SGPRC	48%	52%	209
SCLARC	52%	48%	221
TCRC	46%	54%	281
VMRC	48%	52%	249
WRC	57%	43%	250
CA	56%	44%	5315
NCI-IDD	56%	44%	14506

The NCI-IDD average is weighted.

**Has friends (may be staff or family) and can meet
with their friends in person when they want**




The NCI-IDD average is weighted.

Table 67. Has friends (may be staff or family) and can meet with their friends in person when they want

Regional Center	Yes	No	N
ACRC	65%	35%	219
CVRC	84%	16%	269
ELARC	67%	33%	209
FNRC	75%	25%	259
FDLRC	64%	36%	191
GGRC	75%	25%	196
HRC	66%	34%	207
IRC	68%	32%	247
KRC	63%	37%	182
NBRC	65%	35%	219
NLACRC	65%	35%	197
RCRC	68%	32%	276
RCEB	70%	30%	174
RCOC	70%	30%	188
SARC	64%	36%	174
SDRC	72%	28%	191
SGPRC	54%	46%	192
SCLARC	64%	36%	179
TCRC	66%	34%	232
VMRC	60%	40%	209
WRC	59%	41%	216
CA	68%	32%	4426
NCI-IDD	68%	32%	12638

The NCI-IDD average is weighted.

Has other ways of talking, chatting, or communicating with friends when cannot see them in person




The NCI-IDD average is weighted.

Table 68. Has other ways of talking, chatting, or communicating with friends when cannot see them in person

Regional Center	Yes	No	N
ACRC	85%	15%	215
CVRC	84%	16%	267
ELARC	78%	22%	212
FNRC	82%	18%	257
FDLRC	77%	23%	192
GGRC	81%	19%	199
HRC	81%	19%	202
IRC	80%	20%	253
KRC	79%	21%	184
NBRC	83%	17%	220
NLACRC	87%	13%	202
RCRC	76%	24%	279
RCEB	76%	24%	173
RCOC	76%	24%	186
SARC	76%	24%	179
SDRC	80%	20%	192
SGPRC	73%	27%	199
SCLARC	71%	29%	181
TCRC	77%	23%	232
VMRC	82%	18%	210
WRC	86%	14%	220
CA	80%	20%	4454
NCI-IDD	79%	21%	12723

The NCI-IDD average is weighted.

Can see and/or talk with their family when they want (among those who do not live in the family home)



The NCI-IDD average is weighted.


Table 69. Can see and/or talk with their family when they want (among those who do not live in the family home)

“Yes” and “Maybe” responses combined.

Regional Center	Yes	No	N
ACRC	83%	17%	127
CVRC	82%	18%	136
ELARC	92%	8%	61
FNRC	91%	9%	214
FDLRC	84%	16%	99
GGRC	87%	13%	132
HRC	87%	13%	83
IRC	83%	17%	103
KRC	79%	21%	110
NBRC	86%	14%	139
NLACRC	80%	20%	90
RCRC	84%	16%	178
RCEB	83%	17%	122
RCOC	87%	13%	105
SARC	84%	16%	108
SDRC	88%	12%	83
SGPRC	79%	21%	84
SCLARC	80%	20%	64
TCRC	92%	8%	145
VMRC	77%	23%	154
WRC	85%	15%	93
CA	84%	16%	2430
NCI-IDD	84%	16%	7725

The NCI-IDD average is weighted.

Often feels lonely




The NCI-IDD average is weighted.

Table 70. Often feels lonely

Regional Center	Yes	No	N
ACRC	14%	86%	262
CVRC	30%	70%	314
ELARC	9%	91%	256
FNRC	17%	83%	309
FDLRC	11%	89%	237
GGRC	9%	91%	249
HRC	10%	90%	244
IRC	13%	87%	288
KRC	13%	87%	237
NBRC	11%	89%	265
NLACRC	17%	83%	255
RCRC	18%	82%	339
RCEB	11%	89%	222
RCOC	8%	92%	233
SARC	11%	89%	235
SDRC	6%	94%	236
SGPRC	9%	91%	233
SCLARC	9%	91%	234
TCRC	11%	89%	285
VMRC	12%	88%	254
WRC	16%	84%	261
CA	13%	87%	5448
NCI-IDD	13%	87%	14670

The NCI-IDD average is weighted.

Can go on a date or is married or living with partner



The NCI-IDD average is weighted.

Table 71. Can go on a date or is married or living with partner

Regional Center	Yes	No	N
ACRC	81%	19%	221
CVRC	87%	13%	209
ELARC	83%	17%	180
FNRC	86%	14%	253
FDLRC	74%	26%	138
GGRC	91%	9%	170
HRC	76%	25%	200
IRC	78%	22%	209
KRC	78%	22%	197
NBRC	84%	16%	201
NLACRC	68%	32%	183
RCRC	87%	13%	260
RCEB	75%	25%	158
RCOC	89%	11%	171
SARC	76%	24%	172
SDRC	93%	7%	153
SGPRC	76%	24%	152
SCLARC	70%	30%	149
TCRC	78%	22%	226
VMRC	74%	26%	225
WRC	81%	19%	196
CA	80%	20%	4023
NCI-IDD	78%	22%	11437


The NCI-IDD average is weighted.

Satisfaction

Value statement: People are satisfied with their everyday lives – where they live, work, the supports they receive, and what they do during the day.

The NCI-IDD average is weighted.

Likes home or where lives




The NCI-IDD average is weighted.

Table 72. Likes home or where lives

Regional Center	Yes	No	N
ACRC	90%	10%	284
CVRC	93%	7%	332
ELARC	94%	6%	289
FNRC	85%	15%	316
FDLRC	87%	13%	280
GGRC	91%	9%	282
HRC	92%	8%	276
IRC	90%	10%	305
KRC	88%	12%	253
NBRC	88%	12%	288
NLACRC	88%	12%	289
RCRC	87%	13%	371
RCEB	91%	9%	270
RCOC	95%	5%	275
SARC	91%	9%	256
SDRC	92%	8%	272
SGPRC	94%	6%	274
SCLARC	89%	11%	257
TCRC	86%	14%	290
VMRC	84%	16%	269
WRC	89%	11%	289
CA	90%	10%	6017
NCI-IDD	89%	11%	15671

The NCI-IDD average is weighted.

Wants to live somewhere else




The NCI-IDD average is weighted.

Table 73. Wants to live somewhere else

Regional Center	Yes	No	N
ACRC	31%	69%	273
CVRC	39%	61%	309
ELARC	22%	78%	279
FNRC	37%	63%	311
FDLRC	29%	71%	250
GGRC	32%	68%	266
HRC	33%	67%	260
IRC	26%	74%	301
KRC	35%	65%	244
NBRC	32%	68%	276
NLACRC	35%	65%	273
RCRC	34%	66%	345
RCEB	24%	76%	242
RCOC	24%	76%	254
SARC	35%	65%	244
SDRC	31%	69%	250
SGPRC	19%	81%	256
SCLARC	28%	72%	243
TCRC	30%	70%	280
VMRC	32%	68%	265
WRC	34%	66%	277
CA	30%	70%	5698
NCI-IDD	28%	72%	15126

The NCI-IDD average is weighted.

Has enough things they like to do at home




The NCI-IDD average is weighted.

Table 74. Has enough things they like to do at home

Regional Center	Yes	No	N
ACRC	83%	17%	273
CVRC	85%	15%	322
ELARC	83%	17%	255
FNRC	79%	21%	307
FDLRC	84%	16%	234
GGRC	87%	13%	251
HRC	81%	19%	248
IRC	90%	10%	297
KRC	74%	26%	236
NBRC	77%	23%	266
NLACRC	77%	23%	248
RCRC	82%	18%	336
RCEB	83%	17%	233
RCOC	87%	13%	235
SARC	75%	25%	228
SDRC	87%	13%	241
SGPRC	82%	18%	239
SCLARC	82%	18%	236
TCRC	86%	14%	279
VMRC	78%	22%	255
WRC	81%	19%	259
CA	83%	17%	5478
NCI-IDD	84%	16%	14832

The NCI-IDD average is weighted.

Likes paid community job (if working in a paid community job)



The NCI-IDD average is weighted.


Table 75. Likes paid community job (if working in a paid community job)

Based on those reported to have a paid community job (from the Background Information Section)

Regional Center	Yes	No	N
ACRC	83%	17%	60
CVRC	n/a	n/a	n/a
ELARC	88%	12%	42
FNRC	95%	5%	84
FDLRC	80%	20%	50
GGRC	93%	7%	73
HRC	84%	16%	73
IRC	92%	8%	63
KRC	86%	14%	42
NBRC	80%	20%	91
NLACRC	90%	10%	59
RCRC	92%	8%	84
RCEB	77%	23%	44
RCOC	88%	12%	60
SARC	90%	10%	50
SDRC	88%	12%	60
SGPRC	86%	14%	51
SCLARC	95%	5%	44
TCRC	93%	7%	60
VMRC	90%	10%	40
WRC	80%	20%	75
CA	88%	12%	1224
NCI-IDD	90%	10%	3803

The NCI-IDD average is weighted.

Wants to go out shopping more, less or the same amount as last month



The NCI-IDD average is weighted.


Table 76. Wants to go out shopping more, less or the same amount as last month

Proxy respondents were allowed for this question

Regional Center	More	Less	The Same Amount	N
ACRC	32%	7%	62%	404
CVRC	53%	3%	44%	402
ELARC	24%	6%	69%	401
FNRC	41%	7%	52%	402
FDLRC	42%	8%	51%	390
GGRC	37%	5%	58%	405
HRC	36%	7%	57%	402
IRC	35%	11%	54%	511
KRC	38%	8%	53%	399
NBRC	33%	7%	60%	397
NLACRC	45%	10%	45%	396
RCRC	29%	7%	65%	415
RCEB	29%	5%	66%	403
RCOC	32%	5%	64%	436
SARC	35%	8%	57%	408
SDRC	28%	6%	66%	399
SGPRC	39%	3%	58%	395
SCLARC	39%	6%	55%	409
TCRC	37%	8%	55%	401
VMRC	43%	5%	52%	409
WRC	38%	6%	57%	411
CA	36%	7%	57%	8595
NCI-IDD	35%	6%	59%	24373

The NCI-IDD average is weighted.

Wants to go out for entertainment more, less or the same amount as last month



The NCI-IDD average is weighted.


Table 77. Wants to go out for entertainment more, less or the same amount as last month

Proxy respondents were allowed for this question

Regional Center	More	Less	The Same Amount	N
ACRC	46%	3%	51%	397
CVRC	51%	3%	46%	404
ELARC	34%	2%	63%	402
FNRC	53%	4%	43%	403
FDLRC	48%	1%	51%	390
GGRC	42%	2%	56%	405
HRC	47%	3%	50%	389
IRC	47%	4%	50%	508
KRC	50%	6%	44%	393
NBRC	47%	3%	50%	394
NLACRC	57%	3%	40%	391
RCRC	47%	1%	51%	419
RCEB	47%	2%	51%	397
RCOC	45%	2%	53%	437
SARC	50%	1%	49%	406
SDRC	40%	2%	58%	398
SGPRC	53%	1%	46%	389
SCLARC	44%	3%	54%	397
TCRC	48%	4%	47%	392
VMRC	54%	1%	45%	404
WRC	56%	2%	42%	405
CA	47%	3%	50%	8520
NCI-IDD	47%	2%	51%	24176

The NCI-IDD average is weighted.

**Wants to go out to a restaurant or coffee shop
more, less or the same amount as last month**



The NCI-IDD average is weighted.


Table 78. Wants to go out to a restaurant or coffee shop more, less or the same amount as last month

Proxy respondents were allowed for this question

Regional Center	More	Less	The Same Amount	N
ACRC	38%	6%	56%	402
CVRC	48%	3%	49%	402
ELARC	32%	3%	65%	402
FNRC	52%	6%	42%	402
FDLRC	47%	4%	49%	392
GGRC	38%	4%	58%	405
HRC	39%	6%	55%	400
IRC	42%	4%	54%	508
KRC	49%	6%	45%	400
NBRC	38%	5%	58%	398
NLACRC	54%	5%	41%	394
RCRC	38%	4%	58%	418
RCEB	40%	5%	55%	403
RCOC	42%	2%	56%	434
SARC	42%	4%	55%	411
SDRC	35%	3%	62%	402
SGPRC	45%	3%	52%	394
SCLARC	46%	4%	49%	407
TCRC	51%	5%	45%	400
VMRC	47%	4%	49%	413
WRC	53%	4%	43%	411
CA	43%	4%	53%	8598
NCI-IDD	44%	4%	53%	24427

The NCI-IDD average is weighted.

**Wants to go out to a religious service or
spiritual practice more, less or the same amount
as last month**



The NCI-IDD average is weighted.


Table 79. Wants to go out to a religious service or spiritual practice more, less or the same amount as last month

Proxy respondents were allowed for this question

Regional Center	More	Less	The Same Amount	N
ACRC	24%	3%	73%	383
CVRC	30%	3%	67%	381
ELARC	16%	3%	82%	391
FNRC	23%	5%	72%	401
FDLRC	20%	3%	78%	363
GGRC	15%	1%	85%	396
HRC	26%	3%	71%	378
IRC	23%	4%	73%	485
KRC	30%	11%	59%	386
NBRC	22%	3%	74%	370
NLACRC	25%	5%	70%	373
RCRC	14%	2%	84%	409
RCEB	19%	3%	78%	381
RCOC	17%	1%	81%	429
SARC	26%	4%	70%	371
SDRC	18%	1%	82%	393
SGPRC	22%	2%	77%	361
SCLARC	22%	3%	75%	393
TCRC	23%	5%	73%	386
VMRC	26%	2%	72%	384
WRC	26%	2%	73%	387
CA	22%	3%	75%	8201
NCI-IDD	23%	3%	75%	23272

The NCI-IDD average is weighted.

Person wants to be a part of more community groups



The NCI-IDD average is weighted.


Table 80. Person wants to be a part of more community groups

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	38%	62%	380
CVRC	28%	72%	370
ELARC	45%	55%	377
FNRC	45%	55%	391
FDLRC	43%	57%	320
GGRC	40%	60%	382
HRC	41%	59%	372
IRC	41%	59%	500
KRC	29%	71%	363
NBRC	44%	56%	369
NLACRC	45%	55%	361
RCRC	40%	60%	384
RCEB	36%	64%	357
RCOC	33%	67%	400
SARC	44%	56%	369
SDRC	38%	62%	387
SGPRC	29%	71%	346
SCLARC	37%	63%	350
TCRC	37%	63%	379
VMRC	33%	67%	372
WRC	44%	56%	386
CA	38%	62%	7915
NCI-IDD	37%	63%	22877

The NCI-IDD average is weighted.

Likes how they usually spend time during the day




The NCI-IDD average is weighted.

Table 81. Likes how they usually spend time during the day

Regional Center	Yes	No	N
ACRC	78%	22%	269
CVRC	79%	21%	319
ELARC	81%	19%	255
FNRC	76%	24%	304
FDLRC	79%	21%	232
GGRC	84%	16%	248
HRC	84%	16%	246
IRC	84%	16%	294
KRC	69%	31%	228
NBRC	76%	24%	265
NLACRC	75%	25%	244
RCRC	75%	25%	341
RCEB	83%	17%	225
RCOC	85%	15%	232
SARC	77%	23%	226
SDRC	81%	19%	235
SGPRC	77%	23%	232
SCLARC	77%	23%	236
TCRC	79%	21%	281
VMRC	78%	22%	252
WRC	72%	28%	257
CA	79%	21%	5421
NCI-IDD	81%	19%	14785

The NCI-IDD average is weighted.

Has used telehealth for healthcare services and like using it



The NCI-IDD average is weighted.


Table 82. Has used telehealth for healthcare services and like using it

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	64%	36%	229
CVRC	72%	28%	145
ELARC	62%	38%	178
FNRC	52%	48%	181
FDLRC	80%	20%	181
GGRC	66%	34%	261
HRC	51%	49%	185
IRC	54%	46%	285
KRC	50%	50%	205
NBRC	50%	50%	215
NLACRC	66%	34%	163
RCRC	63%	37%	216
RCEB	57%	43%	243
RCOC	60%	40%	230
SARC	56%	44%	229
SDRC	56%	44%	240
SGPRC	37%	63%	178
SCLARC	62%	38%	150
TCRC	63%	37%	202
VMRC	55%	45%	217
WRC	59%	41%	207
CA	59%	41%	4340
NCI-IDD	57%	43%	12388

The NCI-IDD average is weighted.

Has accessed services and support using video conference technology and like using it



The NCI-IDD average is weighted.


Table 83. Has accessed services and support using video conference technology and like using it

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	63%	37%	235
CVRC	64%	36%	137
ELARC	64%	36%	147
FNRC	55%	45%	140
FDLRC	74%	26%	203
GGRC	65%	35%	216
HRC	51%	49%	251
IRC	56%	44%	208
KRC	41%	59%	95
NBRC	53%	47%	217
NLACRC	58%	42%	161
RCRC	53%	47%	144
RCEB	57%	43%	242
RCOC	58%	42%	153
SARC	59%	41%	206
SDRC	66%	34%	163
SGPRC	40%	60%	159
SCLARC	62%	38%	173
TCRC	58%	42%	116
VMRC	52%	48%	190
WRC	58%	42%	226
CA	58%	42%	3782
NCI-IDD	61%	39%	7316

The NCI-IDD average is weighted.

Have talked with their case manager/service coordinator using video conference technology and like using it



The NCI-IDD average is weighted.

Table 84. Have talked with their case manager/service coordinator using video conference technology and like using it

Proxy respondents were allowed for this question


Regional Center	Yes	No	N
ACRC	71%	29%	181
CVRC	72%	28%	144
ELARC	67%	33%	181
FNRC	59%	41%	153
FDLRC	86%	14%	134
GGRC	71%	29%	267
HRC	55%	45%	242
IRC	69%	31%	165
KRC	61%	39%	97
NBRC	52%	48%	191
NLACRC	67%	33%	112
RCRC	63%	37%	114
RCEB	60%	40%	261
RCOC	61%	39%	231
SARC	63%	37%	237
SDRC	63%	37%	232
SGPRC	46%	54%	201
SCLARC	58%	42%	125
TCRC	58%	42%	162
VMRC	59%	41%	261
WRC	69%	31%	242
CA	63%	37%	3933
NCI-IDD	60%	40%	11474

The NCI-IDD average is weighted.

Service Coordination

Value statement: Case managers/service coordinators are accessible and responsive to people. Case managers/service coordinators are knowledgeable about people's needs and the services/supports available to address those needs. Individual Program Plans (IPPs) reflect people's goals and needs and are modified as changes occur. People actively engage in the service planning process.

Has met or spoken with case manager/service coordinator




The NCI-IDD average is weighted.

Table 85. Has met or spoken with case manager/service coordinator

Regional Center	Yes	No	N
ACRC	79%	21%	262
CVRC	88%	12%	322
ELARC	91%	9%	247
FNRC	93%	7%	297
FDLRC	81%	19%	204
GGRC	79%	21%	229
HRC	86%	14%	237
IRC	86%	14%	285
KRC	67%	33%	225
NBRC	86%	14%	261
NLACRC	71%	29%	231
RCRC	84%	16%	327
RCEB	81%	19%	215
RCOC	87%	13%	218
SARC	83%	17%	224
SDRC	86%	14%	222
SGPRC	80%	20%	215
SCLARC	77%	23%	217
TCRC	87%	13%	275
VMRC	92%	8%	248
WRC	92%	8%	250
CA	84%	16%	5211
NCI-IDD	91%	9%	14374

The NCI-IDD average is weighted.

Case manager/service coordinator knows what is important to person




The NCI-IDD average is weighted.

Table 86. Case manager/service coordinator knows what is important to person

Regional Center	Yes	No	N
ACRC	88%	12%	195
CVRC	94%	6%	275
ELARC	82%	18%	208
FNRC	89%	11%	269
FDLRC	86%	14%	145
GGRC	89%	11%	168
HRC	83%	17%	192
IRC	88%	12%	233
KRC	76%	24%	138
NBRC	82%	18%	210
NLACRC	85%	15%	142
RCRC	82%	18%	262
RCEB	79%	21%	156
RCOC	85%	15%	181
SARC	84%	16%	174
SDRC	85%	15%	178
SGPRC	77%	23%	160
SCLARC	84%	16%	152
TCRC	90%	10%	223
VMRC	84%	16%	217
WRC	83%	17%	213
CA	86%	14%	4091
NCI-IDD	90%	10%	12223

The NCI-IDD average is weighted.

Able to contact case manager/service coordinator when wants




The NCI-IDD average is weighted.

Table 87. Able to contact case manager/service coordinator when wants

Regional Center	Yes	No	N
ACRC	81%	19%	193
CVRC	89%	11%	275
ELARC	75%	25%	209
FNRC	82%	18%	271
FDLRC	71%	29%	146
GGRC	79%	21%	164
HRC	79%	21%	189
IRC	84%	16%	229
KRC	64%	36%	138
NBRC	82%	18%	215
NLACRC	68%	32%	154
RCRC	79%	21%	262
RCEB	73%	27%	161
RCOC	77%	23%	185
SARC	72%	28%	175
SDRC	78%	22%	178
SGPRC	70%	30%	149
SCLARC	70%	30%	147
TCRC	84%	16%	226
VMRC	74%	26%	219
WRC	80%	20%	198
CA	78%	22%	4083
NCI-IDD	85%	15%	12217

The NCI-IDD average is weighted.

Case manager/service coordinator has talked to them about technology that may help them in their everyday life



The NCI-IDD average is weighted.


Table 88. Case manager/service coordinator has talked to them about technology that may help them in their everyday life

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	32%	68%	371
CVRC	39%	61%	374
ELARC	35%	65%	382
FNRC	31%	69%	376
FDLRC	22%	78%	347
GGRC	28%	72%	395
HRC	35%	65%	393
IRC	25%	75%	483
KRC	15%	85%	376
NBRC	27%	73%	357
NLACRC	18%	82%	377
RCRC	26%	74%	392
RCEB	26%	74%	372
RCOC	26%	74%	428
SARC	30%	70%	377
SDRC	26%	74%	387
SGPRC	17%	83%	356
SCLARC	18%	82%	380
TCRC	37%	63%	370
VMRC	41%	59%	360
WRC	30%	70%	377
CA	28%	72%	8030
NCI-IDD	30%	70%	22311

The NCI-IDD average is weighted.

Was at last IPP meeting, or had the opportunity to be but chose not to




The NCI-IDD average is weighted.

Table 89. Was at last IPP meeting, or had the opportunity to be but chose not to

Regional Center	Yes	No	N
ACRC	96%	4%	233
CVRC	99%	1%	293
ELARC	95%	5%	240
FNRC	95%	5%	275
FDLRC	91%	9%	164
GGRC	93%	7%	192
HRC	92%	8%	215
IRC	93%	7%	242
KRC	95%	5%	173
NBRC	95%	5%	228
NLACRC	90%	10%	183
RCRC	98%	2%	302
RCEB	94%	6%	177
RCOC	97%	3%	190
SARC	93%	7%	204
SDRC	92%	8%	194
SGPRC	98%	2%	187
SCLARC	91%	9%	181
TCRC	93%	7%	241
VMRC	98%	2%	232
WRC	96%	4%	228
CA	94%	6%	4574
NCI-IDD	96%	4%	13212

The NCI-IDD average is weighted.

Knew what was being talked about at last IPP meeting




The NCI-IDD average is weighted.

Table 90. Knew what was being talked about at last IPP meeting

Regional Center	Yes	No	N
ACRC	86%	14%	205
CVRC	90%	10%	275
ELARC	75%	25%	216
FNRC	86%	14%	250
FDLRC	74%	26%	137
GGRC	84%	16%	173
HRC	86%	14%	174
IRC	78%	22%	205
KRC	64%	36%	149
NBRC	86%	14%	194
NLACRC	75%	25%	157
RCRC	79%	21%	281
RCEB	80%	20%	147
RCOC	73%	27%	173
SARC	68%	32%	177
SDRC	75%	25%	164
SGPRC	71%	29%	163
SCLARC	74%	26%	140
TCRC	88%	12%	208
VMRC	83%	17%	208
WRC	85%	15%	206
CA	80%	20%	4002
NCI-IDD	81%	19%	11912

The NCI-IDD average is weighted.

Last IPP meeting included people person wanted to be there




The NCI-IDD average is weighted.

Table 91. Last IPP meeting included people person wanted to be there

Regional Center	Yes	No	N
ACRC	94%	6%	217
CVRC	91%	9%	288
ELARC	96%	4%	225
FNRC	91%	9%	269
FDLRC	94%	6%	148
GGRC	91%	9%	179
HRC	90%	10%	196
IRC	92%	8%	240
KRC	91%	9%	163
NBRC	92%	8%	217
NLACRC	92%	8%	168
RCRC	94%	6%	294
RCEB	88%	12%	171
RCOC	89%	11%	179
SARC	94%	6%	197
SDRC	90%	10%	185
SGPRC	98%	2%	177
SCLARC	92%	8%	167
TCRC	94%	6%	225
VMRC	88%	12%	216
WRC	95%	5%	214
CA	92%	8%	4335
NCI-IDD	93%	7%	12580

The NCI-IDD average is weighted.

Person helped make IPP



The NCI-IDD average is weighted.


Table 92. Person helped make IPP

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	75%	25%	385
CVRC	86%	14%	403
ELARC	67%	33%	407
FNRC	78%	22%	398
FDLRC	54%	46%	366
GGRC	66%	34%	389
HRC	63%	37%	379
IRC	61%	39%	500
KRC	66%	34%	361
NBRC	68%	32%	386
NLACRC	64%	36%	344
RCRC	79%	21%	409
RCEB	61%	39%	382
RCOC	65%	35%	426
SARC	59%	41%	406
SDRC	72%	28%	398
SGPRC	65%	35%	371
SCLARC	60%	40%	362
TCRC	67%	33%	365
VMRC	73%	27%	412
WRC	61%	39%	395
CA	67%	33%	8244
NCI-IDD	75%	25%	23789

The NCI-IDD average is weighted.

Case manager/service coordinator reviews their IPP with them throughout the year, when needed



The NCI-IDD average is weighted.


Table 93. Case manager/service coordinator reviews their IPP with them throughout the year, when needed

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	75%	25%	387
CVRC	90%	10%	404
ELARC	74%	26%	408
FNRC	86%	14%	400
FDLRC	73%	27%	362
GGRC	71%	29%	393
HRC	65%	35%	394
IRC	80%	20%	504
KRC	74%	26%	383
NBRC	73%	27%	388
NLACRC	64%	36%	362
RCRC	72%	28%	407
RCEB	69%	31%	381
RCOC	77%	23%	430
SARC	68%	32%	408
SDRC	76%	24%	399
SGPRC	68%	32%	374
SCLARC	59%	41%	377
TCRC	81%	19%	365
VMRC	85%	15%	412
WRC	72%	28%	398
CA	74%	26%	8336
NCI-IDD	87%	13%	23899

The NCI-IDD average is weighted.

IPP includes things that are important to person




The NCI-IDD average is weighted.

Table 94. IPP includes things that are important to person

Regional Center	Yes	No	N
ACRC	93%	7%	195
CVRC	89%	11%	264
ELARC	91%	9%	182
FNRC	97%	3%	222
FDLRC	90%	10%	100
GGRC	95%	5%	130
HRC	88%	12%	137
IRC	91%	9%	196
KRC	87%	13%	104
NBRC	95%	5%	166
NLACRC	89%	11%	125
RCRC	94%	6%	235
RCEB	93%	7%	119
RCOC	92%	8%	128
SARC	89%	11%	125
SDRC	93%	7%	131
SGPRC	84%	16%	145
SCLARC	87%	13%	119
TCRC	94%	6%	183
VMRC	94%	6%	202
WRC	91%	9%	173
CA	91%	9%	3381
NCI-IDD	93%	7%	10816

The NCI-IDD average is weighted.

Knows who to ask if wants to change something about services



The NCI-IDD average is weighted.

Table 95. Knows who to ask if wants to change something about services

Proxy respondents were allowed for this question


Regional Center	Yes	No	N
ACRC	73%	27%	398
CVRC	80%	20%	401
ELARC	65%	35%	401
FNRC	76%	24%	403
FDLRC	70%	30%	364
GGRC	71%	29%	407
HRC	81%	19%	395
IRC	72%	28%	506
KRC	70%	30%	393
NBRC	71%	29%	396
NLACRC	67%	33%	381
RCRC	78%	22%	418
RCEB	64%	36%	407
RCOC	72%	28%	434
SARC	72%	28%	409
SDRC	79%	21%	396
SGPRC	77%	23%	393
SCLARC	70%	30%	388
TCRC	65%	35%	390
VMRC	85%	15%	413
WRC	78%	22%	401
CA	73%	27%	8494
NCI-IDD	80%	20%	24264

The NCI-IDD average is weighted.

Workforce

Value statement: There is stable and sufficient direct support workforce to meet demand. People are supported by staff who demonstrate respect for what is important to the person in their day-to-day life. Staff have the right skills to support people.

Staff are respectful of person's culture




The NCI-IDD average is weighted.

Table 96. Staff are respectful of person's culture

Regional Center	Yes	No	N
ACRC	94%	6%	114
CVRC	97%	3%	178
ELARC	98%	2%	177
FNRC	95%	5%	134
FDLRC	97%	3%	115
GGRC	96%	4%	119
HRC	95%	5%	87
IRC	98%	2%	110
KRC	87%	13%	63
NBRC	96%	4%	140
NLACRC	95%	5%	132
RCRC	95%	5%	158
RCEB	91%	9%	68
RCOC	96%	4%	135
SARC	99%	1%	89
SDRC	98%	2%	144
SGPRC	97%	3%	102
SCLARC	96%	4%	98
TCRC	96%	4%	126
VMRC	92%	8%	133
WRC	92%	8%	126
CA	96%	4%	2548
NCI-IDD	94%	6%	7804

The NCI-IDD average is weighted.

Staff treat person with respect




The NCI-IDD average is weighted.

Table 97. Staff treat person with respect

Regional Center	Yes	No	N
ACRC	92%	8%	115
CVRC	97%	3%	180
ELARC	98%	2%	180
FNRC	96%	4%	137
FDLRC	96%	4%	118
GGRC	95%	5%	122
HRC	95%	5%	88
IRC	98%	2%	111
KRC	92%	8%	64
NBRC	93%	7%	143
NLACRC	97%	3%	135
RCRC	91%	9%	159
RCEB	90%	10%	69
RCOC	96%	4%	139
SARC	97%	3%	92
SDRC	97%	3%	149
SGPRC	100%	0%	111
SCLARC	97%	3%	100
TCRC	94%	6%	128
VMRC	91%	9%	139
WRC	92%	8%	129
CA	96%	4%	2608
NCI-IDD	93%	7%	7969

The NCI-IDD average is weighted.

Person can talk or communicate with staff in their preferred language




The NCI-IDD average is weighted.

Table 98. Person can talk or communicate with staff in their preferred language

Regional Center	Yes	No	N
ACRC	96%	4%	114
CVRC	97%	3%	181
ELARC	98%	2%	177
FNRC	99%	1%	137
FDLRC	97%	3%	117
GGRC	97%	3%	121
HRC	91%	9%	87
IRC	98%	2%	110
KRC	97%	3%	64
NBRC	97%	3%	144
NLACRC	96%	4%	135
RCRC	99%	1%	158
RCEB	92%	8%	71
RCOC	95%	5%	141
SARC	91%	9%	91
SDRC	97%	3%	150
SGPRC	100%	0%	115
SCLARC	99%	1%	101
TCRC	98%	2%	127
VMRC	94%	6%	139
WRC	97%	3%	133
CA	96%	4%	2613
NCI-IDD	97%	3%	7915

The NCI-IDD average is weighted.

Staff do things the way person wants them done




The NCI-IDD average is weighted.

Table 99. Staff do things the way person wants them done

Regional Center	Yes	No	N
ACRC	85%	15%	113
CVRC	90%	10%	174
ELARC	96%	4%	173
FNRC	89%	11%	136
FDLRC	94%	6%	113
GGRC	88%	12%	117
HRC	87%	13%	85
IRC	90%	10%	105
KRC	82%	18%	62
NBRC	83%	17%	137
NLACRC	87%	13%	128
RCRC	88%	12%	155
RCEB	86%	14%	63
RCOC	93%	7%	138
SARC	80%	20%	91
SDRC	97%	3%	143
SGPRC	91%	9%	106
SCLARC	93%	7%	96
TCRC	90%	10%	125
VMRC	83%	17%	132
WRC	80%	20%	130
CA	89%	11%	2522
NCI-IDD	86%	14%	7760

The NCI-IDD average is weighted.

When in the community, staff support person in the way they want




The NCI-IDD average is weighted.

Table 100. When in the community, staff support person in the way they want

Regional Center	Yes	No	N
ACRC	85%	15%	114
CVRC	92%	8%	177
ELARC	94%	6%	171
FNRC	90%	10%	135
FDLRC	96%	4%	115
GGRC	96%	4%	116
HRC	90%	10%	82
IRC	93%	7%	107
KRC	83%	17%	60
NBRC	90%	10%	137
NLACRC	90%	10%	125
RCRC	89%	11%	157
RCEB	89%	11%	65
RCOC	90%	10%	135
SARC	86%	14%	90
SDRC	96%	4%	139
SGPRC	98%	2%	98
SCLARC	92%	8%	96
TCRC	92%	8%	125
VMRC	83%	17%	129
WRC	88%	12%	128
CA	91%	9%	2501
NCI-IDD	90%	10%	7718

The NCI-IDD average is weighted.

Staff come and leave when they are supposed to




The NCI-IDD average is weighted.

Table 101. Staff come and leave when they are supposed to

Regional Center	Yes	No	N
ACRC	90%	10%	110
CVRC	86%	14%	129
ELARC	94%	6%	173
FNRC	95%	5%	134
FDLRC	92%	8%	113
GGRC	89%	11%	114
HRC	91%	9%	81
IRC	95%	5%	105
KRC	85%	15%	62
NBRC	93%	7%	134
NLACRC	91%	9%	124
RCRC	91%	9%	152
RCEB	88%	12%	59
RCOC	89%	11%	128
SARC	85%	15%	88
SDRC	88%	12%	139
SGPRC	91%	9%	105
SCLARC	91%	9%	93
TCRC	94%	6%	122
VMRC	84%	16%	125
WRC	79%	21%	130
CA	90%	10%	2420
NCI-IDD	90%	10%	7433

The NCI-IDD average is weighted.

Person's staff change too often?



The NCI-IDD average is weighted.


Table 102. Person's staff change too often

"Yes, staff do change too often" and "Sometimes or Some Staff" responses combined.

Regional Center	Yes	No	N
ACRC	35%	65%	107
CVRC	80%	20%	128
ELARC	25%	75%	171
FNRC	37%	63%	131
FDLRC	33%	67%	106
GGRC	41%	59%	114
HRC	31%	69%	83
IRC	45%	55%	103
KRC	35%	65%	63
NBRC	46%	54%	136
NLACRC	30%	70%	124
RCRC	37%	63%	154
RCEB	23%	77%	61
RCOC	39%	61%	129
SARC	52%	48%	88
SDRC	40%	60%	138
SGPRC	27%	73%	105
SCLARC	30%	70%	97
TCRC	35%	65%	124
VMRC	40%	60%	121
WRC	43%	57%	123
CA	40%	60%	2406
NCI-IDD	40%	60%	7490

The NCI-IDD average is weighted.

Staff have the right training to meet person's needs



The NCI-IDD average is weighted.

Table 103. Staff have the right training to meet persons needs

Proxy respondents (who were not staff) were allowed for this question

Regional Center	Yes	No	N
ACRC	83%	17%	252
CVRC	93%	7%	216
ELARC	92%	8%	263
FNRC	90%	10%	235
FDLRC	87%	13%	209
GGRC	87%	13%	198
HRC	87%	13%	191
IRC	89%	11%	254
KRC	92%	8%	189
NBRC	88%	12%	211
NLACRC	91%	9%	254
RCRC	87%	13%	251
RCEB	91%	9%	158
RCOC	89%	11%	232
SARC	88%	13%	192
SDRC	90%	10%	232
SGPRC	93%	7%	187
SCLARC	90%	10%	224
TCRC	90%	10%	227
VMRC	88%	12%	214
WRC	82%	18%	222
CA	89%	11%	4611
NCI-IDD	88%	12%	15218


The NCI-IDD average is weighted.

Access

Value statement: Services and supports are available, accessible, and responsive to people's needs. People know the options available to them for services and supports.

The NCI-IDD average is weighted.

**Able to get places when wants to do something
outside of home like going out to see friends, for
entertainment, or to do something fun**




The NCI-IDD average is weighted.

Table 104. Able to get places when wants to do something outside of home like going out to see friends, for entertainment, or to do something fun

Regional Center	Yes	No	N
ACRC	82%	18%	273
CVRC	78%	22%	320
ELARC	81%	19%	254
FNRC	82%	18%	309
FDLRC	78%	22%	231
GGRC	86%	14%	242
HRC	82%	18%	249
IRC	77%	23%	295
KRC	71%	29%	231
NBRC	79%	21%	261
NLACRC	79%	21%	247
RCRC	81%	19%	330
RCEB	78%	22%	223
RCOC	81%	19%	232
SARC	74%	26%	226
SDRC	83%	17%	230
SGPRC	76%	24%	233
SCLARC	81%	19%	236
TCRC	82%	18%	280
VMRC	72%	28%	253
WRC	83%	17%	260
CA	79%	21%	5415
NCI-IDD	80%	20%	14707

The NCI-IDD average is weighted.

Has a way to get places needs to go (like work, appointments, etc.)




The NCI-IDD average is weighted.

Table 105. Has a way to get places needs to go (like work, appointments, etc.)

Regional Center	Yes	No	N
ACRC	92%	8%	269
CVRC	85%	15%	320
ELARC	95%	5%	254
FNRC	94%	6%	308
FDLRC	94%	6%	236
GGRC	97%	3%	244
HRC	95%	5%	245
IRC	92%	8%	294
KRC	90%	10%	232
NBRC	89%	11%	262
NLACRC	87%	13%	247
RCRC	95%	5%	337
RCEB	89%	11%	227
RCOC	93%	7%	232
SARC	93%	7%	230
SDRC	92%	8%	235
SGPRC	88%	12%	238
SCLARC	94%	6%	236
TCRC	93%	7%	279
VMRC	92%	8%	252
WRC	95%	5%	263
CA	92%	8%	5440
NCI-IDD	92%	8%	14833

The NCI-IDD average is weighted.

Has access to the internet



The NCI-IDD average is weighted.


Table 106. Has access to the internet

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	94%	6%	413
CVRC	83%	17%	403
ELARC	86%	14%	411
FNRC	81%	19%	411
FDLRC	87%	13%	396
GGRC	89%	11%	411
HRC	90%	10%	412
IRC	83%	17%	523
KRC	76%	24%	404
NBRC	89%	11%	403
NLACRC	86%	14%	404
RCRC	91%	9%	421
RCEB	89%	11%	413
RCOC	84%	16%	439
SARC	91%	9%	413
SDRC	90%	10%	404
SGPRC	93%	7%	404
SCLARC	86%	14%	410
TCRC	85%	15%	407
VMRC	90%	10%	427
WRC	90%	10%	417
CA	87%	13%	8746
NCI-IDD	84%	16%	24840

The NCI-IDD average is weighted.

Internet always works at home




The NCI-IDD average is weighted.

Table 107. Internet always works at home*Proxy respondents were allowed for this question*

Regional Center	Yes	No	N
ACRC	89%	11%	332
CVRC	76%	24%	311
ELARC	86%	14%	325
FNRC	80%	20%	289
FDLRC	90%	10%	304
GGRC	90%	10%	338
HRC	86%	14%	334
IRC	88%	12%	357
KRC	88%	12%	272
NBRC	87%	13%	311
NLACRC	85%	15%	330
RCRC	77%	23%	357
RCEB	86%	14%	306
RCOC	92%	8%	359
SARC	85%	15%	341
SDRC	93%	7%	342
SGPRC	88%	12%	300
SCLARC	81%	19%	303
TCRC	94%	6%	283
VMRC	85%	15%	287
WRC	84%	16%	336
CA	87%	13%	6717
NCI-IDD	86%	14%	17297

The NCI-IDD average is weighted.

Frequency uses internet




The NCI-IDD average is weighted.

Table 108. Frequency uses internet*Proxy respondents were allowed for this question*

Regional Center	Everyday	Several times a week	Several times a month	Several times a year	Not at all	N
ACRC	67%	12%	6%	2%	13%	387
CVRC	69%	17%	5%	1%	8%	346
ELARC	78%	9%	3%	2%	8%	355
FNRC	74%	7%	3%	2%	14%	337
FDLRC	76%	8%	3%	0%	12%	348
GGRC	73%	13%	5%	2%	8%	369
HRC	76%	9%	5%	2%	9%	372
IRC	75%	6%	2%	1%	17%	440
KRC	76%	11%	3%	1%	9%	308
NBRC	66%	14%	5%	2%	13%	362
NLACRC	79%	12%	3%	1%	6%	352
RCRC	75%	11%	5%	1%	8%	389
RCEB	60%	14%	5%	4%	16%	371
RCOC	78%	14%	2%	2%	4%	375
SARC	73%	13%	5%	2%	7%	374
SDRC	74%	14%	3%	2%	6%	366
SGPRC	54%	19%	5%	1%	21%	380
SCLARC	66%	15%	5%	1%	13%	354
TCRC	68%	12%	4%	1%	14%	339
VMRC	57%	13%	5%	3%	23%	383
WRC	70%	14%	2%	3%	11%	381
CA	71%	12%	4%	2%	11%	7688
NCI-IDD	63%	13%	5%	2%	17%	21128

The NCI-IDD average is weighted.

Uses technology in everyday life to help them do more things on their own



The NCI-IDD average is weighted.


Table 109. Uses technology in everyday life to help them do more things on their own

“Using technology in everyday life” refers to things like using a smartphone app to help get places, setting automatic alerts or reminders to do things like take medication, and using apps to show how to do things like preparing meals; proxy respondents were allowed for this question.

Regional Center	Yes	No	N
ACRC	27%	73%	407
CVRC	35%	65%	393
ELARC	36%	64%	403
FNRC	40%	60%	408
FDLRC	47%	53%	379
GGRC	41%	59%	410
HRC	42%	58%	405
IRC	35%	65%	508
KRC	34%	66%	394
NBRC	37%	63%	402
NLACRC	45%	55%	395
RCRC	44%	56%	420
RCEB	29%	71%	396
RCOC	32%	68%	436
SARC	33%	67%	405
SDRC	39%	61%	402
SGPRC	26%	74%	389
SCLARC	33%	67%	399
TCRC	44%	56%	399
VMRC	31%	69%	422
WRC	49%	51%	410
CA	36%	64%	8582
NCI-IDD	30%	70%	24391

The NCI-IDD average is weighted.

Has enough help to use the technology and devices that help them in their everyday life (if uses technology that helps them do more things on their own)



The NCI-IDD average is weighted.


Table 110. Has enough help to use the technology and devices that help them in their everyday life (if uses technology that helps them do more things on their own)

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	97%	3%	109
CVRC	81%	19%	140
ELARC	94%	6%	146
FNRC	89%	11%	161
FDLRC	89%	11%	175
GGRC	89%	11%	164
HRC	93%	7%	170
IRC	92%	8%	175
KRC	88%	12%	133
NBRC	86%	14%	148
NLACRC	84%	16%	176
RCRC	91%	9%	182
RCEB	88%	12%	115
RCOC	94%	6%	139
SARC	94%	6%	134
SDRC	93%	8%	160
SGPRC	84%	16%	102
SCLARC	89%	11%	131
TCRC	92%	8%	170
VMRC	89%	11%	130
WRC	86%	14%	197
CA	90%	10%	3157
NCI-IDD	91%	9%	7520

The NCI-IDD average is weighted.

Knows who to talk to if there are issues with the technology and devices that help them in their everyday life (if uses technology that helps them do more things on their own)



The NCI-IDD average is weighted.


Table 111. Knows who to talk to if there are issues with the technology and devices that help them in their everyday life (if uses technology that helps them do more things on their own)

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	94%	6%	107
CVRC	78%	22%	138
ELARC	92%	8%	146
FNRC	91%	9%	162
FDLRC	95%	5%	177
GGRC	95%	5%	168
HRC	95%	5%	166
IRC	93%	7%	174
KRC	87%	13%	134
NBRC	86%	14%	148
NLACRC	88%	12%	178
RCRC	96%	4%	182
RCEB	87%	13%	115
RCOC	95%	5%	139
SARC	88%	12%	133
SDRC	95%	5%	160
SGPRC	92%	8%	102
SCLARC	92%	8%	133
TCRC	97%	3%	172
VMRC	89%	11%	130
WRC	94%	6%	196
CA	91%	9%	3160
NCI-IDD	94%	6%	7537

The NCI-IDD average is weighted.

Has used telehealth to talk with a health professional



The NCI-IDD average is weighted.


Table 112. Has used telehealth to talk with a health professional

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	60%	40%	399
CVRC	38%	62%	405
ELARC	47%	53%	412
FNRC	47%	53%	406
FDLRC	46%	54%	401
GGRC	65%	35%	409
HRC	48%	52%	406
IRC	57%	43%	512
KRC	54%	46%	399
NBRC	56%	44%	401
NLACRC	42%	58%	394
RCRC	53%	47%	422
RCEB	62%	38%	407
RCOC	53%	47%	440
SARC	58%	42%	412
SDRC	60%	40%	404
SGPRC	47%	53%	399
SCLARC	38%	62%	414
TCRC	53%	47%	398
VMRC	56%	44%	423
WRC	52%	48%	412
CA	53%	47%	8675
NCI-IDD	54%	46%	24470

The NCI-IDD average is weighted.

Accessed services or supports using videoconference technology



The NCI-IDD average is weighted.


Table 113. Accessed services or supports using videoconference technology

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	59%	41%	406
CVRC	36%	65%	400
ELARC	37%	63%	410
FNRC	35%	65%	405
FDLRC	52%	48%	399
GGRC	54%	46%	408
HRC	63%	37%	410
IRC	41%	59%	522
KRC	24%	76%	401
NBRC	56%	44%	400
NLACRC	42%	58%	392
RCRC	34%	66%	419
RCEB	61%	39%	406
RCOC	35%	65%	440
SARC	52%	48%	411
SDRC	41%	59%	403
SGPRC	41%	59%	397
SCLARC	42%	58%	411
TCRC	30%	70%	405
VMRC	48%	52%	421
WRC	56%	44%	412
CA	45%	55%	8678
NCI-IDD	29%	71%	24402

The NCI-IDD average is weighted.

Has talked with their case manager/service coordinator using videoconference technology




The NCI-IDD average is weighted.

Table 114. Has talked with their case manager/service coordinator using videoconference technology

Regional Center	Yes	No	N
ACRC	47%	53%	398
CVRC	37%	63%	404
ELARC	47%	53%	408
FNRC	39%	61%	399
FDLRC	35%	65%	384
GGRC	68%	32%	407
HRC	63%	37%	404
IRC	33%	67%	516
KRC	25%	75%	395
NBRC	51%	49%	394
NLACRC	30%	70%	391
RCRC	28%	72%	415
RCEB	69%	31%	398
RCOC	53%	47%	436
SARC	59%	41%	412
SDRC	58%	42%	402
SGPRC	53%	47%	395
SCLARC	31%	69%	405
TCRC	45%	55%	393
VMRC	69%	31%	417
WRC	61%	39%	412
CA	48%	52%	8585
NCI-IDD	50%	50%	24264

The NCI-IDD average is weighted.

Has a cell phone or smartphone




The NCI-IDD average is weighted.

Table 115. Has a cell phone or smartphone

Regional Center	Yes	No	N
ACRC	73%	27%	279
CVRC	57%	43%	327
ELARC	78%	22%	258
FNRC	69%	31%	311
FDLRC	74%	26%	240
GGRC	68%	32%	257
HRC	80%	20%	257
IRC	72%	28%	304
KRC	81%	19%	241
NBRC	75%	25%	266
NLACRC	83%	17%	252
RCRC	76%	24%	336
RCEB	67%	33%	243
RCOC	70%	30%	245
SARC	73%	27%	234
SDRC	76%	24%	250
SGPRC	67%	33%	246
SCLARC	78%	22%	240
TCRC	74%	26%	283
VMRC	65%	35%	260
WRC	83%	17%	270
CA	73%	27%	5599
NCI-IDD	69%	31%	15045

The NCI-IDD average is weighted.

Wants a cell phone or smartphone (if does not have one)




The NCI-IDD average is weighted.

Table 116. Wants a cell phone or smartphone (if does not have one)

Regional Center	Yes	No	N
ACRC	53%	47%	58
CVRC	52%	48%	101
ELARC	53%	47%	53
FNRC	55%	45%	91
FDLRC	48%	52%	46
GGRC	46%	54%	69
HRC	48%	52%	42
IRC	28%	72%	78
KRC	46%	54%	39
NBRC	42%	58%	62
NLACRC	70%	30%	37
RCRC	36%	64%	74
RCEB	46%	54%	65
RCOC	61%	39%	64
SARC	58%	42%	53
SDRC	50%	50%	52
SGPRC	37%	63%	62
SCLARC	46%	54%	41
TCRC	48%	52%	64
VMRC	57%	43%	83
WRC	61%	39%	38
CA	49%	51%	1272
NCI-IDD	47%	53%	4359

The NCI-IDD average is weighted.

Reasons does not have cell phone or smartphone




The NCI-IDD average is weighted.

Table 117. Reasons does not have cell phone or smartphone
Categories are not mutually exclusive; therefore, N is not shown.

Regional Center	Cost	Not allowed	Lost/broke my old phone	Other
ACRC	14%	0%	14%	76%
CVRC	27%	7%	0%	77%
ELARC	n/a	n/a	n/a	n/a
FNRC	50%	3%	15%	55%
FDLRC	n/a	n/a	n/a	n/a
GGRC	n/a	n/a	n/a	n/a
HRC	n/a	n/a	n/a	n/a
IRC	n/a	n/a	n/a	n/a
KRC	n/a	n/a	n/a	n/a
NBRC	n/a	n/a	n/a	n/a
NLACRC	33%	0%	29%	38%
RCRC	n/a	n/a	n/a	n/a
RCEB	n/a	n/a	n/a	n/a
RCOC	38%	0%	21%	45%
SARC	38%	0%	17%	50%
SDRC	n/a	n/a	n/a	n/a
SGPRC	n/a	n/a	n/a	n/a
SCLARC	n/a	n/a	n/a	n/a
TCRC	33%	0%	38%	33%
VMRC	34%	0%	10%	66%
WRC	n/a	n/a	n/a	n/a
CA	34%	3%	19%	50%
NCI-IDD	35%	11%	18%	42%

The NCI-IDD average is weighted.

Additional services needed



The NCI-IDD average is weighted.


Table 118a. Additional services needed

Categories are not mutually exclusive; therefore, N is not shown.

Regional Center	Help finding a new place to live	Changes modifications to home	Staff support to help at home	Help working on job skills
ACRC	13%	7%	14%	26%
CVRC	6%	5%	9%	9%
ELARC	11%	7%	15%	22%
FNRC	19%	9%	16%	25%
FDLRC	12%	6%	12%	21%
GGRC	16%	8%	13%	22%
HRC	14%	8%	15%	30%
IRC	8%	7%	11%	19%
KRC	7%	7%	14%	22%
NBRC	22%	10%	17%	29%
NLACRC	22%	14%	30%	40%
RCRC	17%	7%	13%	23%
RCEB	14%	6%	17%	23%
RCOC	10%	7%	14%	27%
SARC	19%	7%	16%	25%
SDRC	13%	11%	20%	28%
SGPRC	7%	3%	10%	17%
SCLARC	10%	8%	12%	18%
TCRC	12%	5%	9%	14%
VMRC	8%	5%	8%	19%
WRC	15%	8%	12%	22%
CA	13%	7%	14%	23%
NCI-IDD	12%	8%	15%	19%

The NCI-IDD average is weighted.

Additional services needed (continued)



The NCI-IDD average is weighted.


Table 118b. Additional services needed (continued)

Categories are not mutually exclusive; therefore, N is not shown.

Regional Center	Help finding or signing up for classes	Help finding something different to do during the day (not including paid community job)	Help finding more reliable transportation
ACRC	20%	21%	17%
CVRC	10%	8%	12%
ELARC	30%	25%	21%
FNRC	22%	21%	19%
FDLRC	21%	18%	14%
GGRC	26%	32%	17%
HRC	25%	28%	23%
IRC	26%	19%	20%
KRC	21%	13%	14%
NBRC	30%	30%	23%
NLACRC	38%	34%	30%
RCRC	21%	23%	18%
RCEB	20%	20%	13%
RCOC	28%	34%	14%
SARC	30%	29%	24%
SDRC	31%	32%	23%
SGPRC	18%	17%	14%
SCLARC	23%	18%	13%
TCRC	15%	12%	9%
VMRC	15%	13%	12%
WRC	22%	21%	16%
CA	24%	23%	18%
NCI-IDD	17%	19%	14%

The NCI-IDD average is weighted.

Additional services needed (continued)



The NCI-IDD average is weighted.


Table 118c. Additional services needed (continued)

Categories are not mutually exclusive; therefore, N is not shown.

Regional Center	Help getting or using tech to help in everyday life	Help with healthcare	Help understanding medication
ACRC	13%	10%	5%
CVRC	9%	6%	5%
ELARC	15%	11%	8%
FNRC	17%	13%	10%
FDLRC	12%	11%	8%
GGRC	17%	10%	9%
HRC	20%	13%	10%
IRC	14%	9%	5%
KRC	10%	11%	5%
NBRC	19%	12%	8%
NLACRC	31%	25%	22%
RCRC	16%	12%	10%
RCEB	10%	9%	7%
RCOC	20%	11%	7%
SARC	21%	17%	7%
SDRC	21%	11%	10%
SGPRC	8%	8%	4%
SCLARC	13%	7%	5%
TCRC	6%	5%	3%
VMRC	10%	9%	6%
WRC	15%	7%	3%
CA	16%	11%	7%
NCI-IDD	12%	9%	7%

The NCI-IDD average is weighted.

Additional services needed (continued)



The NCI-IDD average is weighted.

Table 118d. Additional services needed (continued)

Categories are not mutually exclusive; therefore, N is not shown.


Regional Center	Help finding, getting or setting up mental health or behavioral health	Anything else	Does not need additional supports	Don't know
ACRC	9%	13%	38%	1%
CVRC	6%	25%	57%	0%
ELARC	16%	30%	33%	1%
FNRC	12%	17%	37%	1%
FDLRC	16%	11%	50%	3%
GGRC	15%	16%	36%	0%
HRC	17%	19%	31%	0%
IRC	7%	22%	40%	1%
KRC	8%	27%	38%	1%
NBRC	16%	21%	29%	0%
NLACRC	30%	30%	22%	1%
RCRC	15%	15%	36%	1%
RCEB	10%	23%	42%	2%
RCOC	11%	17%	36%	0%
SARC	15%	21%	33%	0%
SDRC	17%	18%	34%	0%
SGPRC	8%	25%	48%	1%
SCLARC	12%	21%	44%	1%
TCRC	9%	19%	46%	1%
VMRC	7%	17%	51%	1%
WRC	12%	29%	38%	0%
CA	13%	21%	39%	1%
NCI-IDD	10%	15%	45%	2%

The NCI-IDD average is weighted.

Safety

Value Statement: People feel safe at home and outside of the home. People know whom to talk to if they don't feel safe.

Are there any places that you feel afraid or scared?




The NCI-IDD average is weighted.

Table 119. Are there any places that you feel afraid or scared?

Regional Center	Yes	No	N
ACRC	23%	77%	261
CVRC	25%	75%	300
ELARC	19%	81%	259
FNRC	30%	70%	307
FDLRC	28%	72%	236
GGRC	19%	81%	252
HRC	24%	76%	248
IRC	20%	80%	282
KRC	20%	80%	230
NBRC	24%	76%	261
NLACRC	30%	70%	251
RCRC	23%	77%	344
RCEB	24%	76%	223
RCOC	18%	82%	243
SARC	28%	72%	228
SDRC	12%	88%	245
SGPRC	17%	83%	236
SCLARC	18%	82%	232
TCRC	19%	81%	283
VMRC	37%	63%	247
WRC	24%	76%	259
CA	22%	78%	5427
NCI-IDD	21%	79%	14678

The NCI-IDD average is weighted.

Has someone to go to for help when they feel afraid



The NCI-IDD average is weighted.

Table 120. Has someone to go to for help when they feel afraid

Regional Center	Yes	No	N
ACRC	93%	7%	270
CVRC	91%	9%	323
ELARC	93%	7%	257
FNRC	94%	6%	307
FDLRC	90%	10%	230
GGRC	90%	10%	254
HRC	95%	5%	250
IRC	93%	7%	295
KRC	88%	12%	240
NBRC	85%	15%	267
NLACRC	92%	8%	252
RCRC	94%	6%	335
RCEB	88%	12%	230
RCOC	94%	6%	239
SARC	88%	12%	229
SDRC	98%	2%	246
SGPRC	95%	5%	232
SCLARC	93%	7%	235
TCRC	96%	4%	285
VMRC	93%	7%	252
WRC	96%	4%	251
CA	93%	7%	5479
NCI-IDD	93%	7%	14837


The NCI-IDD average is weighted.

Health

Value Statement: People have access to and get recommended health services at the recommended frequencies.

Important note on data: Several states had large amounts of missing data or data recorded as “don’t know.” Where 25% or more of a state’s sample had “don’t know” or missing responses, we used an asterisk (*) to indicate that state’s data should be interpreted with caution as it may not accurately represent the sample or service population.

Has a primary care doctor or practitioner




The NCI-IDD average is weighted.

Table 121. Has a primary care doctor or practitioner*Information may have been obtained through state records*

Regional Center	Yes	No	N
ACRC	97%	3%	406
CVRC	99%	1%	411
ELARC	97%	3%	410
FNRC	92%	8%	404
FDLRC	95%	5%	403
GGRC	97%	3%	411
HRC	94%	6%	408
IRC	97%	3%	518
KRC	89%	11%	399
NBRC	95%	5%	401
NLACRC	93%	7%	401
RCRC	91%	9%	422
RCEB	97%	3%	413
RCOC	98%	2%	441
SARC	95%	5%	414
SDRC	97%	3%	405
SGPRC	95%	5%	403
SCLARC	96%	4%	416
TCRC	98%	3%	400
VMRC	96%	4%	430
WRC	97%	3%	416
CA	96%	4%	8732
NCI-IDD	97%	3%	24572

The NCI-IDD average is weighted.

In poor health




The NCI-IDD average is weighted.

Table 122. In poor health*Proxy respondents were allowed for this question*

Regional Center	Yes	No	N
ACRC	3%	97%	414
CVRC	1%	99%	411
ELARC	3%	97%	412
FNRC	3%	97%	410
FDLRC	1%	99%	403
GGRC	2%	98%	410
HRC	2%	98%	407
IRC	1%	99%	521
KRC	3%	97%	402
NBRC	2%	98%	402
NLACRC	3%	97%	398
RCRC	3%	97%	424
RCEB	2%	98%	412
RCOC	1%	99%	441
SARC	2%	98%	412
SDRC	1%	99%	403
SGPRC	1%	99%	404
SCLARC	1%	99%	415
TCRC	2%	98%	408
VMRC	2%	98%	427
WRC	1%	99%	414
CA	2%	98%	8750
NCI-IDD	2%	98%	24920

The NCI-IDD average is weighted.

**Had a complete physical exam in the past year
(This refers to a routine exam, not a visit for a
specific problem or illness)**



The NCI-IDD average is weighted.


Table 123. Had a complete physical exam in the past year (This refers to a routine exam, not a visit for a specific problem or illness)

Information may have been obtained through state records

Regional Center	Yes	No	N
ACRC	81%	19%	397
CVRC	76%	24%	408
ELARC	85%	15%	409
FNRC	77%	23%	380
FDLRC	83%	17%	398
GGRC	86%	14%	401
HRC	85%	15%	402
IRC	84%	16%	499
KRC	77%	23%	390
NBRC	81%	19%	384
NLACRC	83%	17%	392
RCRC	77%	23%	413
RCEB	85%	15%	408
RCOC	90%	10%	436
SARC	81%	19%	406
SDRC	85%	15%	402
SGPRC	84%	16%	395
SCLARC	83%	17%	411
TCRC	84%	16%	386
VMRC	82%	18%	418
WRC	84%	16%	410
CA	83%	17%	8545
NCI-IDD	83%	17%	23463

The NCI-IDD average is weighted.

Had a routine dental exam in the past year



The NCI-IDD average is weighted.


Table 124. Had a routine dental exam in the past year

Information may have been obtained through state records

Regional Center	Yes	No	N
ACRC	76%	24%	399
CVRC	77%	23%	408
ELARC	74%	26%	408
FNRC	60%	40%	386
FDLRC	75%	25%	396
GGRC	73%	27%	400
HRC	76%	24%	398
IRC	72%	28%	500
KRC	69%	31%	380
NBRC	72%	28%	388
NLACRC	81%	19%	387
RCRC	73%	27%	419
RCEB	76%	24%	400
RCOC	83%	17%	439
SARC	78%	22%	407
SDRC	83%	17%	403
SGPRC	80%	20%	396
SCLARC	74%	26%	412
TCRC	83%	17%	385
VMRC	67%	33%	409
WRC	75%	25%	412
CA	76%	24%	8532
NCI-IDD	76%	24%	22553

The NCI-IDD average is weighted.

Had an eye exam/vision screening in the past year



The NCI-IDD average is weighted.


Table 125. Had an eye exam/vision screening in the past year

Information may have been obtained through state records

Regional Center	Yes	No	N
ACRC	54%	46%	388
CVRC	52%	48%	405
ELARC	60%	40%	405
FNRC	52%	48%	366
FDLRC	56%	44%	376
GGRC	50%	50%	386
HRC	45%	55%	385
IRC	52%	48%	486
KRC	46%	54%	379
NBRC	48%	52%	370
NLACRC	46%	54%	376
RCRC	44%	56%	401
RCEB	52%	48%	382
RCOC	53%	47%	425
SARC	42%	58%	383
SDRC	56%	44%	396
SGPRC	51%	49%	384
SCLARC	55%	45%	406
TCRC	57%	43%	373
VMRC	42%	58%	398
WRC	46%	54%	407
CA	51%	49%	8277
NCI-IDD	53%	47%	20921

The NCI-IDD average is weighted.

Had a hearing test in the past five years




The NCI-IDD average is weighted.

Table 126. Had a hearing test in the past five years*Information may have been obtained through state records*

Regional Center	Yes	No	N
ACRC	54%	46%	377
CVRC	70%	30%	387
ELARC	60%	40%	383
FNRC	36%	64%	341
FDLRC	49%	51%	350
GGRC	43%	57%	368
HRC	41%	59%	344
IRC	51%	49%	469
KRC	52%	48%	347
NBRC	48%	52%	347
NLACRC	47%	53%	365
RCRC	35%	65%	374
RCEB	44%	56%	359
RCOC	47%	53%	405
SARC	39%	61%	360
SDRC	49%	51%	391
SGPRC	50%	50%	357
SCLARC	60%	40%	375
TCRC	51%	49%	336
VMRC	45%	55%	368
WRC	43%	57%	385
CA	50%	50%	7788
NCI-IDD	47%	53%	17385

The NCI-IDD average is weighted.

Had a Pap test in the past three years (among women 21 and older)



The NCI-IDD average is weighted.


Table 127. Had a Pap test in the past three years (among women 21 and older)

Information may have been obtained through state records. At least 25% of CA responses were missing or “Don’t Know.”

Regional Center	Yes	No	N
ACRC	49%	51%	156
CVRC	29%	71%	156
ELARC	46%	54%	141
FNRC	42%	58%	126
FDLRC	34%	66%	96
GGRC	44%	56%	150
HRC	41%	59%	126
IRC	31%	69%	174
KRC	34%	66%	141
NBRC	57%	43%	119
NLACRC	30%	70%	138
RCRC	54%	46%	137
RCEB	48%	52%	133
RCOC	37%	63%	141
SARC	35%	65%	140
SDRC	37%	63%	146
SGPRC	38%	62%	138
SCLARC	46%	54%	134
TCRC	36%	64%	136
VMRC	41%	59%	117
WRC	43%	57%	143
CA	39%	61%	2888
NCI-IDD	49%	51%	6997

The NCI-IDD average is weighted.

Had a mammogram test in the past two years (among women age 50 and over)



The NCI-IDD average is weighted.


Table 128. Had a mammogram test in the past two years (among women age 50 and over)

Information may have been obtained through state records. At least 25% of CA responses were missing or “Don’t Know.”

Regional Center	Yes	No	N
ACRC	71%	29%	66
CVRC	72%	28%	46
ELARC	70%	30%	44
FNRC	76%	24%	49
FDLRC	74%	26%	38
GGRC	59%	41%	68
HRC	72%	28%	36
IRC	91%	9%	45
KRC	72%	28%	39
NBRC	71%	29%	48
NLACRC	70%	30%	23
RCRC	78%	22%	49
RCEB	59%	41%	61
RCOC	72%	28%	53
SARC	74%	26%	54
SDRC	64%	36%	42
SGPRC	76%	24%	37
SCLARC	74%	26%	34
TCRC	70%	30%	61
VMRC	40%	60%	47
WRC	74%	26%	43
CA	70%	30%	983
NCI-IDD	72%	28%	2605

The NCI-IDD average is weighted.

Last colorectal cancer screening (among people 45 to 75)



The NCI-IDD average is weighted.


Table 129. Last colorectal cancer screening (among people age 45 to 75)

Responses options are not mutually exclusive. Information may have been obtained through State records, “Don’t Know” included in denominator. At least 25% of CA responses were missing or “Don’t Know.”

Regional Center	Colonoscopy within the past 10 years	Sigmoidoscopy within the past 5 years	Fecal Occult Blood Test (FOBT) or Fecal Immunochemical Test (FIT) in the past year	Never had exam or screening	Don't know	N
ACRC	34%	2%	29%	23%	16%	130
CVRC	19%	2%	57%	16%	11%	127
ELARC	25%	0%	10%	58%	8%	118
FNRC	32%	2%	13%	38%	19%	173
FDLRC	23%	0%	10%	23%	45%	128
GGRC	32%	1%	33%	33%	11%	165
HRC	20%	0%	14%	46%	23%	100
IRC	32%	0%	22%	33%	13%	117
KRC	30%	2%	8%	45%	17%	103
NBRC	26%	2%	27%	28%	25%	130
NLACRC	32%	0%	7%	32%	28%	81
RCRC	30%	2%	17%	42%	14%	144
RCEB	26%	1%	25%	31%	19%	146
RCOC	33%	4%	22%	35%	15%	150
SARC	35%	2%	23%	29%	20%	133
SDRC	30%	2%	44%	24%	12%	103
SGPRC	34%	1%	11%	36%	19%	120
SCLARC	17%	1%	13%	36%	36%	87
TCRC	33%	1%	6%	42%	19%	141
VMRC	16%	1%	21%	38%	28%	156
WRC	37%	2%	10%	36%	16%	126
CA	29%	1%	23%	33%	19%	2678
NCI-IDD	32%	1%	9%	23%	36%	7758

The NCI-IDD average is weighted.

Had a flu vaccine in past 12 months



The NCI-IDD average is weighted.


Table 130. Had a flu vaccine in the past 12 months

Information may have been obtained through state records

Regional Center	Yes	No	N
ACRC	65%	35%	398
CVRC	70%	30%	405
ELARC	67%	33%	407
FNRC	61%	39%	391
FDLRC	70%	30%	390
GGRC	84%	16%	408
HRC	69%	31%	403
IRC	70%	30%	493
KRC	63%	37%	395
NBRC	71%	29%	398
NLACRC	63%	37%	393
RCRC	62%	38%	413
RCEB	81%	19%	404
RCOC	79%	21%	437
SARC	78%	22%	409
SDRC	72%	28%	401
SGPRC	64%	36%	397
SCLARC	62%	38%	415
TCRC	79%	21%	392
VMRC	72%	28%	421
WRC	70%	30%	414
CA	71%	29%	8584
NCI-IDD	71%	29%	21105

The NCI-IDD average is weighted.

Went to the emergency room for any reason to get care for themselves in the past 12 months



The NCI-IDD average is weighted.


Table 131. Went to the emergency room for any reason to get care for themselves in the past 12 months

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	20%	80%	410
CVRC	17%	83%	408
ELARC	19%	81%	412
FNRC	29%	71%	403
FDLRC	20%	80%	401
GGRC	18%	82%	410
HRC	16%	84%	406
IRC	18%	82%	515
KRC	22%	78%	403
NBRC	26%	74%	399
NLACRC	23%	77%	401
RCRC	27%	73%	422
RCEB	20%	80%	408
RCOC	15%	85%	441
SARC	23%	77%	410
SDRC	24%	76%	405
SGPRC	21%	79%	402
SCLARC	15%	85%	413
TCRC	25%	75%	402
VMRC	27%	73%	421
WRC	23%	77%	413
CA	20%	80%	8705
NCI-IDD	24%	76%	24697

The NCI-IDD average is weighted.

Fell and hurt themselves in the past six months



The NCI-IDD average is weighted.

Table 132. Fell and hurt themselves in the past six months

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	15%	85%	409
CVRC	7%	93%	410
ELARC	9%	91%	412
FNRC	17%	83%	409
FDLRC	11%	89%	402
GGRC	11%	89%	408
HRC	11%	89%	405
IRC	8%	92%	518
KRC	11%	89%	400
NBRC	13%	87%	403
NLACRC	13%	87%	403
RCRC	16%	84%	423
RCEB	12%	88%	409
RCOC	10%	90%	440
SARC	13%	87%	410
SDRC	8%	92%	404
SGPRC	13%	87%	404
SCLARC	8%	92%	410
TCRC	12%	88%	402
VMRC	13%	87%	422
WRC	15%	85%	410
CA	11%	89%	8713
NCI-IDD	13%	87%	24747


The NCI-IDD average is weighted.

Medications

Value Statement: Medications are used effectively and appropriately.

Important note on data Several states had large amounts of missing data or data recorded as “don’t know.” Where 25% or more of a state’s sample had “don’t know” or missing responses, we used an asterisk * to indicate that state’s data should be interpreted with caution as it may not accurately represent the sample or service population.

Takes medication for mood, anxiety, and/or psychotic disorders



The NCI-IDD average is weighted.


Table 133. Takes medication for mood, anxiety, and/or psychotic disorders

Information may have been obtained through state records

Regional Center	Yes	No	N
ACRC	41%	59%	416
CVRC	34%	66%	412
ELARC	19%	81%	412
FNRC	30%	70%	413
FDLRC	35%	65%	408
GGRC	34%	66%	409
HRC	25%	75%	412
IRC	28%	72%	525
KRC	34%	66%	406
NBRC	26%	74%	404
NLACRC	25%	75%	407
RCRC	32%	68%	425
RCEB	24%	76%	405
RCOC	28%	72%	437
SARC	24%	76%	406
SDRC	29%	72%	400
SGPRC	29%	71%	401
SCLARC	23%	77%	419
TCRC	37%	63%	408
VMRC	35%	65%	433
WRC	22%	78%	415
CA	29%	71%	8773
NCI-IDD	49%	51%	22888

The NCI-IDD average is weighted.

Number of medications taken for at least one of the following: mood disorders, anxiety, or psychotic disorders



The NCI-IDD average is weighted.


Table 134. Number of medications taken for at least one of the following: mood disorders, anxiety, or psychotic disorders

Information may have been obtained through state records. At least 25% of CA responses were missing or “Don’t Know.”

Regional Center	One or two medications	Three or four medications	Five to ten medications	Eleven or more medications	N
ACRC	n/a	n/a	n/a	n/a	n/a
CVRC	n/a	n/a	n/a	n/a	n/a
ELARC	n/a	n/a	n/a	n/a	n/a
FNRC	n/a	n/a	n/a	n/a	n/a
FDLRC	n/a	n/a	n/a	n/a	n/a
GGRC	n/a	n/a	n/a	n/a	n/a
HRC	n/a	n/a	n/a	n/a	n/a
IRC	48%	36%	8%	8%	25
KRC	66%	29%	6%	0%	87
NBRC	n/a	n/a	n/a	n/a	n/a
NLACRC	n/a	n/a	n/a	n/a	n/a
RCRC	n/a	n/a	n/a	n/a	n/a
RCEB	n/a	n/a	n/a	n/a	n/a
RCOC	n/a	n/a	n/a	n/a	n/a
SARC	n/a	n/a	n/a	n/a	n/a
SDRC	n/a	n/a	n/a	n/a	n/a
SGPRC	n/a	n/a	n/a	n/a	n/a
SCLARC	n/a	n/a	n/a	n/a	n/a
TCRC	33%	37%	18%	12%	60
VMRC	n/a	n/a	n/a	n/a	n/a
WRC	n/a	n/a	n/a	n/a	n/a
CA	50%	34%	11%	6%	208
NCI-IDD	68%	25%	6%	0%	7408

The NCI-IDD average is weighted.

Takes medication for behavioral challenges



The NCI-IDD average is weighted.


Table 135. Takes medication for behavioral challenges

Information may have been obtained through state records

Regional Center	Yes	No	N
ACRC	9%	91%	416
CVRC	4%	96%	412
ELARC	4%	96%	413
FNRC	5%	95%	412
FDLRC	6%	94%	409
GGRC	7%	93%	407
HRC	7%	93%	412
IRC	7%	93%	524
KRC	12%	88%	407
NBRC	5%	95%	406
NLACRC	8%	92%	406
RCRC	8%	92%	426
RCEB	5%	95%	409
RCOC	5%	95%	439
SARC	4%	96%	407
SDRC	7%	93%	401
SGPRC	5%	95%	402
SCLARC	5%	95%	419
TCRC	13%	87%	408
VMRC	5%	95%	433
WRC	8%	92%	416
CA	6%	94%	8784
NCI-IDD	23%	77%	22492

The NCI-IDD average is weighted.

Number of medications taken for behavioral challenges if taking at least one for this purpose




The NCI-IDD average is weighted.

Table 136. Number of medications taken for behavioral challenges if taking at least one for this purpose

Regional Center	One or two medications	Three or four medications	Five to ten medications	Eleven or more medications	N
ACRC	n/a	n/a	n/a	n/a	n/a
CVRC	n/a	n/a	n/a	n/a	n/a
ELARC	n/a	n/a	n/a	n/a	n/a
FNRC	n/a	n/a	n/a	n/a	n/a
FDLRC	n/a	n/a	n/a	n/a	n/a
GGRC	n/a	n/a	n/a	n/a	n/a
HRC	n/a	n/a	n/a	n/a	n/a
IRC	n/a	n/a	n/a	n/a	n/a
KRC	74%	23%	0%	3%	35
NBRC	n/a	n/a	n/a	n/a	n/a
NLACRC	n/a	n/a	n/a	n/a	n/a
RCRC	n/a	n/a	n/a	n/a	n/a
RCEB	n/a	n/a	n/a	n/a	n/a
RCOC	n/a	n/a	n/a	n/a	n/a
SARC	n/a	n/a	n/a	n/a	n/a
SDRC	n/a	n/a	n/a	n/a	n/a
SGPRC	n/a	n/a	n/a	n/a	n/a
SCLARC	n/a	n/a	n/a	n/a	n/a
TCRC	57%	29%	11%	4%	28
VMRC	n/a	n/a	n/a	n/a	n/a
WRC	n/a	n/a	n/a	n/a	n/a
CA	75%	17%	6%	2%	86
NCI-IDD	77%	19%	4%	0%	3758

The NCI-IDD average is weighted.

Has behavior plan



The NCI-IDD average is weighted.

Table 137. Has behavior plan

Information may have been obtained through state records; at least 25% of CA responses were missing or “Don’t Know.”

Regional Center	Yes	No	N
ACRC	4%	96%	24
CVRC	n/a	n/a	n/a
ELARC	n/a	n/a	n/a
FNRC	n/a	n/a	n/a
FDLRC	n/a	n/a	n/a
GGRC	n/a	n/a	n/a
HRC	41%	59%	22
IRC	24%	76%	112
KRC	25%	75%	251
NBRC	n/a	n/a	n/a
NLACRC	23%	77%	62
RCRC	23%	77%	22
RCEB	n/a	n/a	n/a
RCOC	n/a	n/a	n/a
SARC	n/a	n/a	n/a
SDRC	n/a	n/a	n/a
SGPRC	n/a	n/a	n/a
SCLARC	n/a	n/a	n/a
TCRC	23%	77%	170
VMRC	n/a	n/a	n/a
WRC	n/a	n/a	n/a
CA	25%	75%	783
NCI-IDD	26%	74%	16066

The NCI-IDD average is weighted.


Wellness

Value Statement: People are supported to engage in and maintain healthy habits and lifestyles.

Important note on data Several states had large amounts of missing data or data recorded as “don’t know.” Where 25% or more of a state’s sample had “don’t know” or missing responses, we used an asterisk (*) to indicate that state’s data should be interpreted with caution as it may not accurately represent the sample or service population.

The NCI-IDD average is weighted.

Uses nicotine or tobacco products




The NCI-IDD average is weighted.

Table 138. Uses nicotine or tobacco products*Information may have been obtained through state records*

Regional Center	Yes	No	N
ACRC	6%	94%	401
CVRC	5%	95%	404
ELARC	5%	95%	411
FNRC	11%	89%	403
FDLRC	5%	96%	400
GGRC	3%	97%	409
HRC	2%	98%	407
IRC	3%	97%	495
KRC	5%	95%	396
NBRC	4%	96%	392
NLACRC	5%	95%	401
RCRC	10%	90%	425
RCEB	5%	95%	397
RCOC	4%	96%	435
SARC	4%	96%	404
SDRC	2%	98%	401
SGPRC	3%	97%	377
SCLARC	5%	95%	415
TCRC	5%	95%	384
VMRC	9%	91%	422
WRC	6%	94%	408
CA	5%	95%	8587
NCI-IDD	5%	95%	23605

The NCI-IDD average is weighted.

Body Mass Index (BMI) category (BMI calculated using data on weight and height)



The NCI-IDD average is weighted.


Table 139. Body Mass Index (BMI) category (BMI calculated using data on weight and height)

Information may have been obtained through state records

Regional Center	Underweight	Normal	Overweight	Obese	N
ACRC	5%	32%	31%	32%	417
CVRC	5%	31%	27%	37%	413
ELARC	4%	31%	30%	35%	414
FNRC	6%	27%	32%	35%	414
FDLRC	5%	31%	28%	35%	410
GGRC	6%	39%	28%	27%	411
HRC	6%	35%	28%	31%	412
IRC	7%	33%	26%	34%	524
KRC	5%	28%	26%	41%	404
NBRC	6%	32%	25%	37%	409
NLACRC	6%	31%	26%	36%	407
RCRC	5%	30%	25%	41%	427
RCEB	6%	34%	28%	32%	414
RCOC	6%	38%	31%	25%	441
SARC	8%	36%	31%	26%	416
SDRC	8%	35%	28%	29%	405
SGPRC	5%	31%	31%	33%	405
SCLARC	6%	29%	28%	37%	419
TCRC	5%	32%	27%	36%	409
VMRC	6%	32%	26%	36%	433
WRC	8%	38%	26%	29%	418
CA	6%	33%	28%	33%	8822
NCI-IDD	5%	29%	28%	38%	22082

The NCI-IDD average is weighted.

Exercises or does physical activity at least once per week for 10 minutes or more at a time



The NCI-IDD average is weighted.


Table 140. Exercises or does physical activity at least once per week for 10 minutes or more at a time

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	81%	19%	408
CVRC	77%	23%	407
ELARC	81%	19%	410
FNRC	84%	16%	412
FDLRC	86%	14%	408
GGRC	83%	17%	410
HRC	85%	15%	407
IRC	73%	27%	520
KRC	75%	25%	404
NBRC	87%	13%	399
NLACRC	81%	19%	400
RCRC	83%	17%	421
RCEB	83%	17%	410
RCOC	82%	18%	441
SARC	91%	9%	412
SDRC	74%	26%	405
SGPRC	83%	17%	405
SCLARC	84%	16%	413
TCRC	79%	21%	409
VMRC	80%	20%	420
WRC	82%	18%	416
CA	81%	19%	8737
NCI-IDD	82%	18%	24802

The NCI-IDD average is weighted.

Exercises or does physical activity at least once per week that makes the muscles in arms, legs, back, and/or chest work hard



The NCI-IDD average is weighted.

Table 141. Exercises or does physical activity at least once per week that makes the muscles in arms, legs, back, and/or chest work hard

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	33%	67%	411
CVRC	17%	83%	404
ELARC	36%	64%	410
FNRC	26%	74%	409
FDLRC	24%	76%	404
GGRC	26%	74%	411
HRC	31%	69%	408
IRC	33%	67%	520
KRC	19%	81%	402
NBRC	36%	64%	399
NLACRC	35%	65%	401
RCRC	38%	62%	421
RCEB	25%	75%	406
RCOC	29%	71%	439
SARC	33%	67%	412
SDRC	29%	71%	405
SGPRC	25%	75%	402
SCLARC	25%	75%	414
TCRC	24%	76%	404
VMRC	30%	70%	421
WRC	31%	69%	413
CA	29%	71%	8716
NCI-IDD	33%	67%	24669


The NCI-IDD average is weighted.

Rights and Respect

Value Statement: People's rights are respected and people receive the same respect and protections as others in the community.

The NCI-IDD average is weighted.

Has attended a self-advocacy group, meeting, conference or event or had the opportunity and chose not to



The NCI-IDD average is weighted.


Table 142. Has attended a self-advocacy group, meeting, conference or event or had the opportunity and chose not to

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	32%	68%	393
CVRC	30%	70%	384
ELARC	39%	61%	385
FNRC	33%	67%	399
FDLRC	15%	85%	355
GGRC	16%	84%	401
HRC	17%	83%	389
IRC	13%	87%	492
KRC	17%	83%	386
NBRC	25%	75%	378
NLACRC	20%	80%	387
RCRC	28%	72%	406
RCEB	24%	76%	381
RCOC	17%	83%	411
SARC	18%	82%	392
SDRC	26%	74%	397
SGPRC	16%	84%	353
SCLARC	10%	90%	388
TCRC	28%	72%	390
VMRC	32%	68%	371
WRC	25%	75%	389
CA	22%	78%	8227
NCI-IDD	29%	71%	23179

The NCI-IDD average is weighted.

Has ever voted in local, state, or federal election, or had the opportunity and chose not to



The NCI-IDD average is weighted.


Table 143. Has ever voted in local, state, or federal election, or had the opportunity and chose not to

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	48%	52%	403
CVRC	36%	64%	389
ELARC	41%	59%	388
FNRC	60%	40%	402
FDLRC	39%	61%	392
GGRC	43%	57%	408
HRC	38%	62%	402
IRC	27%	73%	513
KRC	38%	62%	399
NBRC	53%	47%	390
NLACRC	38%	62%	393
RCRC	58%	42%	419
RCEB	44%	56%	396
RCOC	33%	67%	432
SARC	43%	57%	401
SDRC	39%	61%	402
SGPRC	30%	70%	397
SCLARC	27%	73%	408
TCRC	53%	47%	398
VMRC	56%	44%	413
WRC	45%	55%	413
CA	40%	60%	8558
NCI-IDD	48%	52%	24080

The NCI-IDD average is weighted.

Has a place to be alone in the home




The NCI-IDD average is weighted.

Table 144. Has a place to be alone in the home

Regional Center	Yes	No	N
ACRC	94%	6%	275
CVRC	97%	3%	320
ELARC	96%	4%	262
FNRC	95%	5%	313
FDLRC	88%	12%	246
GGRC	94%	6%	255
HRC	94%	6%	263
IRC	97%	3%	300
KRC	95%	5%	241
NBRC	90%	10%	277
NLACRC	92%	8%	272
RCRC	97%	3%	355
RCEB	95%	5%	236
RCOC	93%	7%	244
SARC	92%	8%	236
SDRC	96%	4%	246
SGPRC	98%	2%	254
SCLARC	91%	9%	239
TCRC	96%	4%	284
VMRC	95%	5%	256
WRC	93%	7%	274
CA	94%	6%	5648
NCI-IDD	96%	4%	15147

The NCI-IDD average is weighted.

Has a key to the home




The NCI-IDD average is weighted.

Table 145. Has a key to the home*Proxy respondents were allowed for this question*

Regional Center	Yes	No	N
ACRC	62%	38%	408
CVRC	42%	58%	407
ELARC	63%	37%	411
FNRC	55%	45%	412
FDLRC	44%	56%	407
GGRC	71%	29%	411
HRC	50%	50%	410
IRC	52%	48%	520
KRC	50%	50%	404
NBRC	48%	52%	405
NLACRC	45%	55%	405
RCRC	71%	29%	424
RCEB	38%	62%	411
RCOC	52%	48%	441
SARC	48%	52%	413
SDRC	71%	29%	405
SGPRC	37%	63%	403
SCLARC	36%	64%	414
TCRC	65%	35%	404
VMRC	44%	56%	429
WRC	55%	45%	416
CA	52%	48%	8760
NCI-IDD	52%	48%	24866

The NCI-IDD average is weighted.

Wants a key to the home (if does not have one)



The NCI-IDD average is weighted.


Table 146. Wants a key to the home (if does not have one)

Proxy respondents were allowed for this question

Regional Center	Yes	Maybe, Not sure	No	N
ACRC	20%	6%	74%	134
CVRC	23%	27%	50%	220
ELARC	13%	11%	76%	137
FNRC	26%	8%	66%	177
FDLRC	13%	11%	77%	171
GGRC	19%	3%	78%	113
HRC	14%	11%	75%	188
IRC	12%	4%	84%	233
KRC	13%	13%	73%	187
NBRC	8%	7%	85%	189
NLACRC	16%	15%	69%	203
RCRC	18%	10%	71%	115
RCEB	10%	12%	78%	232
RCOC	14%	9%	77%	185
SARC	14%	11%	76%	198
SDRC	10%	6%	84%	110
SGPRC	8%	10%	82%	225
SCLARC	16%	9%	75%	232
TCRC	7%	6%	88%	123
VMRC	18%	12%	70%	188
WRC	13%	3%	84%	173
CA	14%	10%	76%	3733
NCI-IDD	15%	8%	77%	10381

The NCI-IDD average is weighted.

Can lock bedroom if wants




The NCI-IDD average is weighted.

Table 147. Can lock bedroom if wants*Proxy respondents were allowed for this question*

Regional Center	Yes	No	N
ACRC	57%	43%	379
CVRC	68%	32%	400
ELARC	64%	36%	382
FNRC	62%	38%	385
FDLRC	50%	50%	395
GGRC	62%	38%	367
HRC	53%	47%	396
IRC	41%	59%	504
KRC	56%	44%	376
NBRC	54%	46%	375
NLACRC	51%	49%	388
RCRC	56%	44%	397
RCEB	46%	54%	388
RCOC	49%	51%	418
SARC	68%	32%	390
SDRC	51%	49%	381
SGPRC	43%	57%	395
SCLARC	50%	50%	409
TCRC	56%	44%	357
VMRC	64%	36%	404
WRC	48%	52%	392
CA	53%	47%	8278
NCI-IDD	58%	42%	23258

The NCI-IDD average is weighted.

Others (who do not live in the home) let person know before entering home




The NCI-IDD average is weighted.

Table 148. Others (who do not live in the home) let person know before entering home

Regional Center	Yes	No	N
ACRC	89%	11%	268
CVRC	87%	13%	318
ELARC	92%	8%	262
FNRC	87%	13%	308
FDLRC	93%	7%	237
GGRC	91%	9%	246
HRC	90%	10%	249
IRC	85%	15%	283
KRC	95%	5%	238
NBRC	89%	11%	261
NLACRC	89%	11%	257
RCRC	89%	11%	342
RCEB	86%	14%	214
RCOC	86%	14%	240
SARC	85%	15%	224
SDRC	96%	4%	241
SGPRC	88%	12%	239
SCLARC	92%	8%	227
TCRC	90%	10%	278
VMRC	93%	7%	255
WRC	87%	13%	258
CA	89%	11%	5445
NCI-IDD	87%	13%	14621

The NCI-IDD average is weighted.

Others let person know before coming into person's bedroom




The NCI-IDD average is weighted.

Table 149. Others let person know before coming into person's bedroom

Regional Center	Yes	No	N
ACRC	82%	18%	270
CVRC	85%	15%	326
ELARC	85%	15%	253
FNRC	82%	18%	315
FDLRC	84%	16%	239
GGRC	78%	22%	251
HRC	71%	29%	253
IRC	81%	19%	288
KRC	82%	18%	234
NBRC	83%	17%	267
NLACRC	74%	26%	270
RCRC	85%	15%	343
RCEB	71%	29%	228
RCOC	86%	14%	245
SARC	73%	27%	233
SDRC	86%	14%	237
SGPRC	69%	31%	242
SCLARC	79%	21%	233
TCRC	86%	14%	276
VMRC	78%	22%	259
WRC	73%	27%	253
CA	80%	20%	5515
NCI-IDD	80%	20%	14840

The NCI-IDD average is weighted.

Others read person's mail or email without asking




The NCI-IDD average is weighted.

Table 150. Others read person's mail or email without asking

Regional Center	Yes	No	N
ACRC	6%	94%	243
CVRC	12%	88%	247
ELARC	3%	97%	237
FNRC	6%	94%	296
FDLRC	4%	96%	210
GGRC	1%	99%	222
HRC	7%	93%	218
IRC	9%	91%	265
KRC	12%	88%	214
NBRC	5%	95%	247
NLACRC	2%	98%	204
RCRC	2%	98%	314
RCEB	7%	93%	199
RCOC	0%	100%	211
SARC	10%	90%	209
SDRC	0%	100%	214
SGPRC	2%	98%	207
SCLARC	3%	97%	207
TCRC	6%	94%	248
VMRC	10%	90%	242
WRC	8%	92%	232
CA	6%	94%	4886
NCI-IDD	9%	91%	13386

The NCI-IDD average is weighted.

There are no rules for using phone or internet




The NCI-IDD average is weighted.

Table 151. There are no rules for using phone or internet

Regional Center	Yes	No	N
ACRC	91%	9%	249
CVRC	72%	28%	275
ELARC	89%	11%	221
FNRC	92%	8%	275
FDLRC	85%	15%	204
GGRC	92%	8%	224
HRC	81%	19%	226
IRC	83%	17%	278
KRC	87%	13%	211
NBRC	87%	13%	235
NLACRC	82%	18%	228
RCRC	93%	7%	305
RCEB	83%	17%	187
RCOC	79%	21%	222
SARC	79%	21%	203
SDRC	85%	15%	231
SGPRC	92%	8%	200
SCLARC	89%	11%	201
TCRC	89%	11%	249
VMRC	77%	23%	233
WRC	82%	18%	243
CA	84%	16%	4900
NCI-IDD	81%	19%	13626

The NCI-IDD average is weighted.

There are rules about having friends or visitors in the home




The NCI-IDD average is weighted.

Table 152. There are rules about having friends or visitors in the home

Regional Center	Yes	No	N
ACRC	32%	68%	263
CVRC	34%	66%	300
ELARC	38%	62%	237
FNRC	21%	79%	295
FDLRC	28%	72%	206
GGRC	24%	76%	227
HRC	33%	67%	225
IRC	30%	70%	277
KRC	26%	74%	215
NBRC	25%	75%	244
NLACRC	39%	61%	218
RCRC	16%	84%	323
RCEB	30%	70%	188
RCOC	32%	68%	223
SARC	35%	65%	208
SDRC	27%	73%	224
SGPRC	25%	75%	202
SCLARC	39%	61%	215
TCRC	25%	75%	265
VMRC	39%	61%	238
WRC	38%	62%	240
CA	31%	69%	5033
NCI-IDD	31%	69%	13679

The NCI-IDD average is weighted.

Can stay at home if others in the house go somewhere



The NCI-IDD average is weighted.

Table 153. Can stay at home if others in the house go somewhere

Proxy respondents were allowed for this question

Regional Center	Yes	No	N
ACRC	46%	54%	384
CVRC	42%	58%	398
ELARC	54%	46%	379
FNRC	54%	46%	362
FDLRC	52%	48%	390
GGRC	57%	43%	379
HRC	52%	48%	395
IRC	40%	60%	505
KRC	56%	44%	379
NBRC	61%	39%	360
NLACRC	34%	66%	385
RCRC	60%	40%	386
RCEB	43%	57%	384
RCOC	42%	58%	421
SARC	50%	50%	395
SDRC	49%	51%	383
SGPRC	32%	68%	393
SCLARC	38%	62%	409
TCRC	46%	54%	353
VMRC	47%	53%	395
WRC	37%	63%	385
CA	45%	55%	8220
NCI-IDD	44%	56%	23242


The NCI-IDD average is weighted.

California Specific Questions

Additional survey questions were added into the California survey tool.

The NCI-IDD average is weighted.

If have a paid job in the community, also works with co-workers who do not have a disability




The NCI-IDD average is weighted.

Table 154. If have a paid job in the community, also works with co-workers who do not have a disability

Regional Center	Yes, I have a paid job in the community, and I work with at least some co-workers who do not have a disability	No, I have a paid job in the community but only work with co-workers who have a disability	N
ACRC	81%	19%	58
CVRC	95%	5%	20
ELARC	87%	13%	38
FNRC	79%	21%	81
FDLRC	89%	11%	44
GGRC	91%	9%	70
HRC	93%	7%	67
IRC	83%	17%	59
KRC	68%	32%	41
NBRC	76%	24%	83
NLACRC	78%	22%	49
RCRC	69%	31%	77
RCEB	74%	26%	39
RCOC	93%	7%	58
SARC	88%	12%	42
SDRC	91%	9%	57
SGPRC	86%	14%	43
SCLARC	78%	22%	41
TCRC	96%	4%	55
VMRC	81%	19%	36
WRC	94%	6%	64
CA	85%	15%	1122

The NCI-IDD average is weighted.

Staff at job speak preferred language




The NCI-IDD average is weighted.

Table 155. Are there staff at your job who speak your preferred language?

Regional Center	Yes	No	Sometimes	N
ACRC	93%	3%	3%	60
CVRC	100%	0%	0%	20
ELARC	97%	0%	3%	39
FNRC	96%	0%	4%	85
FDLRC	94%	6%	0%	50
GGRC	86%	10%	4%	72
HRC	96%	3%	1%	70
IRC	95%	3%	2%	62
KRC	97%	0%	3%	39
NBRC	97%	1%	2%	90
NLACRC	95%	3%	2%	59
RCRC	95%	1%	4%	82
RCEB	93%	2%	5%	44
RCOC	81%	17%	2%	59
SARC	100%	0%	0%	48
SDRC	90%	10%	0%	58
SGPRC	96%	2%	2%	49
SCLARC	100%	0%	0%	44
TCRC	98%	2%	0%	60
VMRC	95%	0%	5%	40
WRC	96%	4%	0%	73
CA	94%	4%	2%	1203

The NCI-IDD average is weighted.

People read text messages without asking first




The NCI-IDD average is weighted.

Table 156. Do people read your text messages without asking you first? (For example, do people read your text messages without your permission.)

Regional Center	Yes, people read my text messages without asking me first	No, people do not read my text messages without asking me first	N
ACRC	8%	92%	201
CVRC	16%	84%	192
ELARC	2%	98%	211
FNRC	5%	95%	227
FDLRC	1%	99%	170
GGRC	0%	100%	176
HRC	10%	90%	203
IRC	4%	96%	236
KRC	17%	83%	186
NBRC	7%	93%	199
NLACRC	3%	97%	210
RCRC	4%	96%	248
RCEB	1%	99%	151
RCOC	0%	100%	163
SARC	4%	96%	164
SDRC	0%	100%	178
SGPRC	4%	96%	160
SCLARC	6%	94%	179
TCRC	3%	97%	211
VMRC	10%	90%	176
WRC	10%	90%	207
CA	5%	95%	4048

The NCI-IDD average is weighted.

Best way to receive information from the regional center



The NCI-IDD average is weighted.


Table 157a. Best way to receive information from the regional center?

Categories are not mutually exclusive; therefore, N is not shown

Regional Center	Phone call (landline)	Phone call (cell phone)	Text message	Email	Information posted on the regional center website
ACRC	35%	43%	14%	34%	3%
CVRC	21%	55%	4%	6%	0%
ELARC	10%	55%	14%	26%	1%
FNRC	40%	62%	20%	23%	1%
FDLRC	17%	34%	20%	42%	2%
GGRC	28%	38%	21%	34%	0%
HRC	20%	50%	34%	53%	2%
IRC	38%	53%	11%	25%	0%
KRC	17%	60%	14%	16%	0%
NBRC	27%	51%	28%	35%	2%
NLACRC	31%	57%	28%	39%	1%
RCRC	24%	58%	26%	31%	1%
RCEB	24%	54%	25%	39%	1%
RCOC	25%	38%	12%	25%	0%
SARC	29%	51%	14%	42%	0%
SDRC	18%	39%	12%	33%	0%
SGPRC	24%	40%	18%	18%	0%
SCLARC	22%	44%	24%	41%	2%
TCRC	42%	51%	17%	17%	0%
VMRC	37%	41%	10%	22%	0%
WRC	20%	52%	24%	43%	1%
CA	27%	49%	17%	30%	1%

The NCI-IDD average is weighted.

Best way to receive information from the regional center (continued)



The NCI-IDD average is weighted.

Table 157b. Best way to receive information from the regional center (continued)

Categories are not mutually exclusive; therefore, N is not shown

Regional Center	Facebook post	Instagram post	Twitter post	WhatsApp message	Direct Mail	Other
ACRC	1%	0%	0%	0%	25%	15%
CVRC	0%	0%	0%	0%	47%	70%
ELARC	1%	0%	0%	0%	48%	6%
FNRC	2%	0%	0%	0%	62%	20%
FDLRC	0%	0%	0%	0%	46%	8%
GGRC	0%	0%	0%	0%	42%	17%
HRC	0%	0%	0%	0%	45%	9%
IRC	0%	0%	0%	1%	53%	3%
KRC	0%	0%	0%	0%	35%	6%
NBRC	0%	0%	0%	0%	45%	5%
NLACRC	1%	1%	0%	0%	41%	11%
RCRC	1%	0%	0%	0%	48%	7%
RCEB	0%	0%	0%	0%	51%	10%
RCOC	0%	0%	0%	0%	39%	14%
SARC	0%	0%	0%	0%	68%	3%
SDRC	0%	0%	0%	0%	33%	12%
SGPRC	0%	0%	0%	0%	27%	24%
SCLARC	0%	0%	0%	0%	49%	5%
TCRC	0%	0%	0%	0%	29%	8%
VMRC	1%	0%	0%	0%	28%	22%
WRC	1%	0%	0%	0%	19%	23%
CA	0%	0%	0%	0%	42%	15%

The NCI-IDD average is weighted.

Got a copy of your IPP in your preferred language





Table 158. Got a copy of your IPP in your preferred language

Regional Center	Yes	No	N
ACRC	93%	7%	185
CVRC	98%	2%	268
ELARC	94%	6%	185
FNRC	96%	4%	216
FDLRC	84%	16%	98
GGRC	97%	3%	126
HRC	86%	14%	132
IRC	94%	6%	183
KRC	92%	8%	95
NBRC	90%	10%	157
NLACRC	84%	16%	122
RCRC	95%	5%	230
RCEB	83%	17%	102
RCOC	89%	11%	122
SARC	88%	12%	124
SDRC	91%	9%	124
SGPRC	88%	12%	127
SCLARC	90%	10%	111
TCRC	88%	12%	170
VMRC	94%	6%	191
WRC	83%	17%	151
CA	91%	9%	3219

The NCI-IDD average is weighted.

Knows what to do if disagree with a decision made by a regional center




The NCI-IDD average is weighted.

Table 159. Knows what to do if disagree with a decision made by a regional center (For example, do you know how to ask for a Fair Hearing or file a complaint?)

Regional Center	Yes	No	N
ACRC	65%	35%	226
CVRC	71%	29%	234
ELARC	51%	49%	222
FNRC	64%	36%	278
FDLRC	49%	51%	140
GGRC	61%	39%	194
HRC	62%	38%	191
IRC	61%	39%	218
KRC	47%	53%	172
NBRC	64%	36%	232
NLACRC	42%	58%	188
RCRC	67%	33%	279
RCEB	58%	42%	166
RCOC	51%	49%	185
SARC	43%	57%	196
SDRC	65%	35%	180
SGPRC	66%	34%	144
SCLARC	62%	38%	157
TCRC	63%	37%	220
VMRC	61%	39%	212
WRC	49%	51%	194
CA	59%	41%	4228

The NCI-IDD average is weighted.

Feel prepared for how to handle a natural disaster emergency (such as a wildfire or earthquake)



The NCI-IDD average is weighted.


Table 160. Feel prepared for how to handle a natural disaster emergency (such as a wildfire or earthquake)

Categories are not mutually exclusive; therefore, N is not shown

Regional Center	Yes, I have a written emergency plan	Yes, I know what to do but do not have an emergency plan	Yes, I have a 'go bag' of things that I can take with me if I have to leave my home or workplace	No, I do not feel prepared for how to handle a natural disaster
ACRC	18%	56%	22%	14%
CVRC	20%	37%	9%	12%
ELARC	9%	60%	14%	17%
FNRC	22%	49%	39%	16%
FDLRC	7%	68%	7%	12%
GGRC	16%	52%	24%	12%
HRC	14%	54%	11%	16%
IRC	26%	49%	10%	16%
KRC	6%	63%	8%	18%
NBRC	22%	54%	29%	15%
NLACRC	11%	58%	14%	16%
RCRC	9%	60%	25%	10%
RCEB	15%	54%	13%	15%
RCOC	16%	49%	23%	9%
SARC	18%	55%	19%	21%
SDRC	13%	57%	19%	11%
SGPRC	12%	39%	15%	13%
SCLARC	5%	64%	6%	18%
TCRC	23%	49%	9%	15%
VMRC	16%	46%	22%	13%
WRC	16%	51%	14%	20%
CA	16%	53%	16%	14%

The NCI-IDD average is weighted.

**If participated in religious or spiritual practice
(either in-person or online), chose the religious
service or spiritual practice attended**




The NCI-IDD average is weighted.

Table 161. If participated in religious or spiritual practice (either in-person or online), chose the religious service or spiritual practice attended

Regional Center	Yes	No	N
ACRC	69%	31%	167
CVRC	72%	28%	277
ELARC	74%	26%	201
FNRC	82%	18%	138
FDLRC	64%	36%	154
GGRC	73%	27%	99
HRC	59%	41%	161
IRC	61%	39%	283
KRC	62%	38%	185
NBRC	61%	39%	193
NLACRC	57%	43%	176
RCRC	74%	26%	114
RCEB	58%	42%	174
RCOC	72%	28%	177
SARC	54%	46%	228
SDRC	68%	32%	131
SGPRC	62%	38%	189
SCLARC	53%	47%	205
TCRC	69%	31%	168
VMRC	76%	24%	203
WRC	57%	43%	195
CA	64%	36%	3818

The NCI-IDD average is weighted.

If have a job, get paid the California State minimum wage (\$15.00/hour)




The NCI-IDD average is weighted.

Table 162. If have a job, get paid the California State minimum wage (\$15.00/hour)

Regional Center	Yes, I get paid \$15.00/hour or more	No, I get paid less than \$15.00/hour	N
ACRC	92%	8%	61
CVRC	n/a	n/a	n/a
ELARC	83%	18%	40
FNRC	93%	7%	95
FDLRC	94%	6%	51
GGRC	93%	7%	70
HRC	87%	13%	79
IRC	79%	21%	61
KRC	73%	28%	40
NBRC	92%	8%	90
NLACRC	91%	9%	56
RCRC	87%	13%	86
RCEB	91%	9%	45
RCOC	92%	8%	63
SARC	91%	9%	47
SDRC	93%	7%	57
SGPRC	84%	16%	51
SCLARC	82%	18%	45
TCRC	95%	5%	64
VMRC	90%	10%	39
WRC	89%	11%	73
CA	89%	11%	1230

The NCI-IDD average is weighted.

Staff at day program or work program who speak preferred language




The NCI-IDD average is weighted.

Table 163. Staff at day program or work program who speak preferred language

Regional Center	Yes	Sometimes	No	N
ACRC	98%	1%	1%	191
CVRC	97%	3%	0%	218
ELARC	98%	1%	1%	204
FNRC	98%	1%	1%	167
FDLRC	98%	1%	2%	180
GGRC	95%	2%	3%	213
HRC	97%	1%	1%	213
IRC	96%	2%	2%	241
KRC	99%	1%	0%	173
NBRC	94%	3%	3%	236
NLACRC	98%	1%	1%	137
RCRC	99%	1%	0%	197
RCEB	90%	5%	4%	249
RCOC	97%	2%	1%	201
SARC	91%	4%	5%	200
SDRC	97%	2%	1%	184
SGPRC	100%	0%	0%	212
SCLARC	99%	0%	1%	171
TCRC	99%	0%	1%	178
VMRC	96%	3%	1%	223
WRC	98%	1%	1%	181
CA	96%	2%	2%	4169

The NCI-IDD average is weighted.

Have to ask for permission to get spending money to buy things




The NCI-IDD average is weighted.

Table 164. Have to ask for permission to get spending money to buy things

Regional Center	Yes, I have to explain how I am going to spend my money before they give it to me	Yes, someone keeps my money and I ask for it when I need it	No, I keep my money with me	N
ACRC	3%	56%	41%	387
CVRC	4%	59%	37%	395
ELARC	4%	51%	46%	395
FNRC	5%	51%	44%	395
FDLRC	8%	48%	45%	343
GGRC	5%	55%	40%	384
HRC	8%	47%	45%	371
IRC	12%	50%	37%	422
KRC	7%	49%	44%	366
NBRC	9%	41%	51%	370
NLACRC	18%	34%	48%	331
RCRC	4%	39%	57%	415
RCEB	10%	56%	34%	366
RCOC	5%	63%	31%	398
SARC	16%	48%	36%	319
SDRC	2%	59%	40%	374
SGPRC	6%	62%	32%	374
SCLARC	7%	54%	39%	367
TCRC	8%	49%	43%	354
VMRC	6%	56%	39%	394
WRC	6%	49%	45%	375
CA	7%	52%	40%	7895

The NCI-IDD average is weighted.

Devices that can be used to access the internet, talk with others, or see others



The NCI-IDD average is weighted.

Table 165. Devices that can be used to access the internet, talk with others, or see others

Categories are not mutually exclusive; therefore, N is not shown

Regional Center	Tablet	Smart phone	Computer	Another electronic device	Do not have a computer/tablet/or another electronic device
ACRC	59%	52%	41%	24%	9%
CVRC	66%	46%	26%	61%	6%
ELARC	54%	59%	39%	19%	4%
FNRC	48%	61%	37%	41%	12%
FDLRC	52%	58%	41%	10%	14%
GGRC	65%	46%	34%	16%	6%
HRC	60%	62%	43%	22%	6%
IRC	53%	55%	32%	12%	15%
KRC	46%	64%	31%	35%	8%
NBRC	58%	53%	39%	25%	13%
NLACRC	59%	69%	41%	20%	6%
RCRC	48%	63%	42%	30%	9%
RCEB	57%	45%	31%	16%	16%
RCOC	67%	50%	38%	17%	5%
SARC	61%	48%	32%	19%	12%
SDRC	66%	55%	42%	20%	6%
SGPRC	59%	50%	28%	8%	18%
SCLARC	50%	61%	28%	16%	15%
TCRC	50%	61%	36%	24%	9%
VMRC	53%	45%	28%	21%	18%
WRC	57%	61%	50%	26%	9%
CA	58%	55%	36%	22%	10%

The NCI-IDD average is weighted.

NCI-IDD History and Activities

Overview of National Core Indicators

In December 1996, the National Association of State Directors of Developmental Disabilities Services (NASDDDS), in collaboration with the Human Services Research Institute (HSRI), launched the Core Indicators Project (CIP). The aim of the project was to support state developmental disabilities operating agencies in the development and implementation of performance and outcome indicators—and related data collection strategies—so that they could measure service delivery system performance. This effort, now called National Core Indicators—Intellectual and Developmental Disabilities (NCI-IDD), strives to provide states with valid and reliable tools to help improve system performance and better serve people with intellectual and developmental disabilities and their families. Moreover, NASDDDS’ active sponsorship of NCI-IDD facilitates pooled knowledge, expertise, and resources among the states.

In 1997, 15 states convened to discuss the scope and content of a potential performance measurement framework. Directors and staff from these 15 states worked to identify the major domains and sub-domains of performance, indicators, measures, and data sources. The original 61 indicators, developed through a consensus process, were intended to provide a system-level “snapshot” of how well each state was performing. The states were guided by a set of criteria that was designed to select indicators that were:

1. Measurable
2. Related to issues the states had some ability to influence
3. Important to all individuals they served, regardless of level of disability or residential setting.

During this initial phase, data collection protocols were developed and field-tested, including a face-to-face In-person Survey¹ (for individuals age 18 and older who were receiving services) and a mail-out Adult Family Survey (for families who have an adult family member living at home). Seven states volunteered to pilot test the indicators. Eight additional states served on the Steering Committee.

Since the initial field test, NCI-IDD has expanded its scope to include outcomes of services for children with intellectual and developmental disabilities and their families. In addition, NCI-IDD continues to develop and refine the indicators and expand state participation. For more information about NCI-IDD states, technical reports, and other resources, please visit

<https://www.nationalcoreindicators.org>.

The Core Indicators

The Core Indicators are the standard measures used across states to assess the outcomes of services provided to individuals and families. Indicators address key areas of concern, including employment, respect/rights, service planning, community inclusion, choice, and health and safety. To

¹ Formerly named ‘Adult Consumer Survey’

The NCI-IDD average is weighted.

see the entire list of Core Indicators, please visit https://idd.nationalcoreindicators.org/wp-content/uploads/2022/09/NCI_IDD_Indicators_FINAL_21-22.pdf.

Each survey instrument is designed to measure certain Core Indicators. While most indicators correspond to a single survey question, a few refer to clusters of related questions. For example, the indicator that measures Community Inclusion (the proportion of people who regularly participate in everyday integrated activities in their communities) is measured by several survey questions that ask about several separate community activities.

The current set of performance indicators includes approximately 100 consumer, family, system, and health and safety outcomes—outcomes that are important to understanding the overall health of public developmental disabilities agencies. Indicators are organized across domains: Individual Outcomes; Health, Welfare and Rights; System Performance. Each domain is broken down into sub-domains (see Figure B on the following page). Three data sources are used to assess outcomes: the In-person Survey, three Family Surveys, and a State of the Workforce Survey (e.g., staff turnover).

The indicators have remained generally consistent over the last several years and thus can be used to analyze system-level trends over time. However, the NCI-IDD program is a dynamic effort that allows for measures to be added, dropped, or changed to reflect current and future priorities of participating states.

The data collection tools used to gather indicator data are regularly refined and tested to ensure they remain valid, reliable, and applicable to current issues within the field.

Domains and Sub-Domains

The following table lists the domains and sub-domains covered by the NCI-IDD In-person Survey indicators.

The NCI-IDD average is weighted.

Figure B. In-person Survey Indicators: Domains and Sub-Domains

Individual Outcomes Domain

Sub-domain	Value Statement
Employment*	People have competitive paid jobs in community-based businesses. People's jobs reflect varied preferences for employment.
Community Inclusion and Belonging	People do things in their community they want to do. People feel like they belong to the communities/groups of their choosing.
Community Participation	People participate in activities in their community.
Choice and Decision-Making	People are supported to make everyday choices and life decisions. Support for decision making includes necessary information and experiences.
Relationships	People are supported to build and maintain relationships that are important to them.
Satisfaction	People are satisfied with their everyday lives – where they live, work, the supports they receive and what they do during the day.

*Domain not available in CA Report for IPS 22/23.**System Performance**

Sub-domain	Value Statement
Self-Direction*	People who use a self-directed supports option have the information and support needed to actively participate in directing their own supports and services.
Service Coordination	Case managers/service coordinators are accessible and responsive to people. Case managers/service coordinators are knowledgeable about people's needs and the services/supports available to address those needs. Service plans reflect people's goals and needs and are modified as changes occur. People actively engage in the service planning process.
Workforce	There is stable and sufficient direct support workforce to meet demand. People are supported by staff who demonstrate respect for what is important to the person in their day-to-day life. Staff have the right skills to support people.
Access	Services and supports are available, accessible, and responsive to people's needs. People know the options available to them for services and supports...

*Domain not available in CA Report for IPS 22/23.

The NCI-IDD average is weighted.

Health, Welfare, and Rights

Sub-domain	Value Statement
Safety	People feel safe at home and outside of the home. People know whom to talk to if they don't feel safe.
Health	People have access to and get recommended health services at the recommended frequencies.
Medications	Medications are used effectively and appropriately.
Wellness	People maintain healthy habits.
Respect/Rights	People's rights are respected, and people receive the same respect and protections as others in the community.

How NCI Data Are Used

The Core Indicators provide information for quality management and are intended to be used in conjunction with other state data sources, such as risk management information, regional level performance data, results of provider monitoring processes, and administrative information gathered at the individual service coordination level. States typically use the indicator data to inform strategic planning, produce legislative reports, and prioritize quality improvement initiatives. Some states use NCI as a data source for supplemental performance measures in their home and community-based services (HCBS) waiver quality management systems and include the information in support of evidentiary reports to the Centers for Medicare & Medicaid Services (CMS). Many states share the indicator data with stakeholder groups such as Quality Councils and use the stakeholder feedback to help set priorities and establish policy direction. It is also important to note that states do not use the information in a punitive way to sanction service providers, nor do they use the results to remediate individual issues (unless specifically requested by the participant or required by law as in the case of suspected abuse, neglect, or mistreatment).

For more information on how to use these data for quality improvement, please see this handbook: [Using National Core Indicators for Quality Improvement Initiatives](#).²

Methodology

Check out the [Frequently Asked Questions](#) for more information on Methodology.

Administration

A key principle of NCI-IDD is the importance of gathering information directly from service recipients. The indicators are meant to apply to all individuals receiving services from the state developmental disabilities service system, regardless of disability type, and NCI-IDD administration protocols dictate

² Located on the National Core Indicators website: www.nationalcoreindicators.org → Resources → Technical Reports
The NCI-IDD average is weighted.

that every person selected into the sample is given an opportunity to respond and no one is prescreened or predetermined to be unable to respond. Moreover, survey questions should not be marked “not applicable” on the basis of a person’s level of ability.

Information for the In-Person Survey is collected via a direct conversation with the person receiving services. Additionally, background information is primarily collected from the individual’s record. Section I questions, which pertain to personal experiences and require subjective responses, may only be answered by the individual receiving services. Section II of the survey—which consists of objective questions on the individual’s involvement in the community, their choices, respect and rights, and their access to services—allows for the use of “proxy” or other respondents who know the individual well (such as a family member or friend).

Proxy Respondents

Studies have found that the greatest discrepancies between individual and proxy responses occur when the information being collected is subjective (i.e., related to how a person feels; proxies would be aware of the correct answers only if the individual had previously expressed his or her feelings).³ Questions relating to observable behaviors tend to have higher levels of agreement between the proxy and the individual. By excluding proxies, a large percentage of individuals (most of whom are unable to respond) would be unrepresented in the data. Thus, the NCI-IDD determined at the outset that proxy respondents would be used, though only for specific questions and only in situations where the individual surveyed either could not effectively communicate with the surveyor or chose to have a proxy respondent.

As mentioned, the use of proxy respondents for the NCI-IDD tool is limited to questions in Section II, which relates to observable and/or measurable items: Community Inclusion, Choices, Respect/Rights, and Access to Needed Services. These questions deal with everyday occurrences on which others may reliably report. State records are also used to report objective data on an individual’s health status and exam history as well as employment status; this information is collected in the Background Section of the survey.

NCI-IDD has taken steps to ensure that the responses gathered are as accurate as possible. First, it is important to make the questions as accessible as possible to increase participation by all individuals. Surveyors are trained to make informed decisions about whether to include a proxy respondent. NCI-IDD attempts to make the language in the In-person Survey as easy to understand as possible and includes suggested rephrasing for questions that may be nuanced or more difficult to understand. The NCI-IDD surveys are also routinely revised based on feedback from states, self-advocates, families, and surveyors who are administering the tool. Secondly, it is important to establish a set of standards

³ Magaziner, Jay, Sheryl Zimmerman, Ann L. Gruber-Baldini, J. Richard Hebel, and Kathleen M. Fox. "Proxy Reporting in Five Areas of Functional Status Comparison with Self-Reports and Observations of Performance." *American Journal of Epidemiology* 146.5 (1997): 418-28.

The NCI-IDD average is weighted.

for proxy respondents. NCI-IDD aims to increase the reliability of proxy responses by allowing only those people who know the individual well (family, friends, staff, etc.) to serve as proxy respondents.

To avoid conflict, case managers/service coordinators are not allowed to respond as proxies. Further, if both the individual and a proxy respondent answer a question, the individual's answer is recorded so long as his/her answer is deemed reliable by the surveyor. Surveyors also keep track of who responds to each question—the individual or the proxy—and the proxy's relationship to the individual.

Surveyor Training

States employ a variety of individuals to conduct the face-to-face meetings for the NCI-IDD In-Person Survey. To avoid conflict, surveys cannot be administered by the individual's service provider, relative, personal case manager, staff member, or other close contact. Given this constraint, states often use university students, state staff, private contractors, advocacy organizations, and individuals with disabilities and their families to conduct the surveys.

NCI-IDD National staff implements a required, standardized training for NCI-IDD surveyors each year. Training includes asynchronous and synchronous trainings that includes an in-depth review of the NCI-IDD program, survey administration protocol and procedures, and the survey tool. The goal of trainings is to provide a standardized training to ensure uniform application of the survey.

Additional training is available to review the process for entering survey data in the Online Data Entry Survey Application (ODESA).

Data Analysis

Criteria for Exclusion of Responses

All individuals selected in the survey sample are given an opportunity to participate in a face-to-face meeting. There are no prescreening procedures. Exclusion of responses occurs at the time of data analysis by HSRI, based on the criteria described below. There is no threshold of number of answers to be given in order to consider a survey complete.

Surveys are excluded from analysis of questions occurring in Section I if:

1. The surveyor indicated that the individual receiving supports did not respond validly to questions in Section I.
2. All questions in Section I were missing or marked n/a or Don't Know.

Surveys are excluded from analysis of questions occurring in Section II if:

1. The individual receiving supports was marked as the respondent to all questions in Section II but Section I was deemed invalid (for one of the reasons above).
2. No questions were answered in Section II.

The total number of valid In-Person Surveys included in the NCI-IDD average in this report is 25,424; CA contributed 8,830 surveys.

The NCI-IDD average is weighted.

Responses for Section I

Only individuals receiving services may answer questions in Section I. As shown in Figure C, 62% of individuals included in the NCI-IDD total and 69% of individuals in the total CA sample responded to Section I of the direct meeting; valid responses by Regional Center ranged from 62% to 87%.

Responses for Section II

Section II allows for multiple respondents who know the individual well (e.g. family, friend, support worker) to provide answers. If an individual's responses were excluded from Section I in the final analysis, responses from Section II were also excluded if the individual was the only respondent to Section II. For 2022-23, the valid response rate (proxies included) to Section II across NCI-IDD states was 99.6% and 99.8% for CA.

Sampling

Each state is instructed to attempt to complete surveys with a sample of adults who are receiving at least one publicly funded service in addition to case management. A sample size of 400 guarantees valid comparisons to be made across states with a 95% confidence level and a margin of error of +/- 5%, no matter how large the service population size. A 95% confidence level and a margin of error of +/- 5% is mandatory for each state's sample to be included in this report. Most states sample more than 400 individuals to account for refusals and surveys that may be deemed invalid.

In California, the overall approach was to draw a "core sample" based on the minimum numbers needed to yield valid samples from each regional center. Each regional center is represented by at least 400 surveys. Sampling by regional center included stratification to ensure that the racial/ethnic makeup of the final sample was proportional to the racial/ethnic population served by each regional center.

Why do we ask states to collect 400 surveys?

When NCI-IDD asks states to pull a representative sample of 400 surveys, the aim is to compile a dataset that can provide a high level of statistical accuracy. This means that the goal is to create a dataset that can be used to make accurate inferences about the entire population of people using public services in each state. In order to do this, we ask each participating state to pull a sample that reaches the 95% confidence level/5% margin of error threshold; for most states, this sample size is 400.

A sample size that reaches the 95% confidence level/5% margin of error threshold means that if you sampled that number of people from the same population several times, 95% of your responses would fall within 5% above or below the actual percentages. Using this sample size we can assume relative accuracy. The larger the sample size, the smaller the margin of error and the greater the accuracy.


Statistical accuracy is largely a function of sample size. The larger the sample size, the greater the statistical accuracy of results (lower margin of error). However, gains in statistical accuracy are not proportional to increases in sample size. There are diminishing returns. For example, for a large total

The NCI-IDD average is weighted.

population, if the sample size increases by 100, and then by another 100, and then by another 100, the statistical accuracy might increase by 5%, then by 3%, then by 1%.

As a result, the 400 sample size gives a statistical accuracy of $\pm 5\%$ and is considered the most “cost effective” sample size for large-scale surveys. Meaning, you could sample more people, but the increase in statistical accuracy those “extra” people would provide is minimal, and not worth the money.

To play around with this, take a look at www.raosoft.com/samplesize.html NCI-IDD requires a margin of error at most 5% and a 95% confidence level. As you increase the population size (in our case, this represents the service population), you’ll see that the recommended sample size does not increase proportionally.



<https://answersresearch.com/wp-content/uploads/2015/06/Answers-Research-Magic-400-062315.pdf>

The NCI-IDD average is weighted.

Figure C. Valid Surveys and Response Rates by Regional Center 2022-23

Regional Center	% Valid Answers to Section I	% Valid Answers to Section II	Number of Valid Surveys Completed
ACRC	68.4%	99.5%	417
CVRC	80.6%	99.8%	413
ELARC	71.0%	100.0%	414
FNRC	76.7%	100.0%	414
FDLRC	68.3%	100.0%	410
GGRC	69.3%	100.0%	411
HRC	68.1%	100.0%	412
IRC	63.0%	100.0%	525
KRC	66.1%	100.0%	406
NBRC	70.5%	99.5%	411
NLACRC	72.0%	99.8%	407
RCRC	86.9%	100.0%	427
RCEB	65.3%	100.0%	415
RCOC	63.2%	100.0%	441
SARC	62.2%	99.8%	416
SDRC	68.1%	100.0%	405
SGPRC	69.0%	100.0%	405
SCLARC	62.9%	99.3%	419
TCRC	73.1%	100.0%	409
VMRC	63.1%	99.3%	434
WRC	69.9%	100.0%	418
CA Unweighted Total	68.6%	99.8%	8830
NCI-IDD Unweighted Total	62.8%	99.6%	25,424

The NCI-IDD average is weighted.

Data Management and Analysis

HSRI coordinates the NCI data management and analysis. All states enter data into the Online Data Entry Survey Application (ODESA) system; HSRI staff subsequently download the data into an SPSS data file. This data file is then “cleaned” (reviewed for completeness and compliance with standard NCI formats) and invalid responses are eliminated. Files from individual states are then merged into a single SPSS file. The merged file from 2022-23 was used for all analyses in this report.

Below is a summary of the statistical procedures used to analyze the In-Person Survey data.

Weighting

Statistically, the term “average” refers to a calculated central or middle value of a set of numbers. In NCI reports, we use “NCI average” to demonstrate the typical performance of all the states that conducted the survey. Prior to the 2016-17 survey cycle, the NCI average was calculated as the simple arithmetic mean of all state means (an approach known as “average of averages”).

The NCI averages are “weighted” to reflect the states’ relative population and sample sizes. We created the weights using the state’s number of valid surveys and its total survey-eligible population. This way, a state that provides services to a larger number of people but uses a sample similar in size to other states has a greater influence on the overall NCI average (that is, its contribution is *proportional to its service population*).

When a state’s sampling strategy is to identify and interview survey participants using simple random sampling or proportional stratified random sampling, each completed survey in the state gets assigned the same weight. In some cases, when a state’s sampling strategy departs markedly from simple random or proportional, it may be necessary for completed surveys in the state to be assigned different weights based on which sampling strata they correspond to.

CA stratified their sample by Regional Center to get more focused insights. Weights are applied in the calculation of the CA average. The weights are calculated using the number of completed surveys and service population sizes in each Regional Center.

The number of respondents (N) for each question is not weighted.

Collapsing Data

For many of the indicators in this report, only “yes” responses are analyzed and reported comparisons. However, there are several indicators for which the “yes” response was collapsed with the middle response (for example, a “sometimes” response, or a “some input” response) to form the “yes” indicator category which was then analyzed and subsequently reported. For example, for choice indicators, responses “person chose” and “person had some input” were collapsed into one “yes, person chose” category. For those indicators, the two responses were considered to be equally indicative of a positive outcome. See Appendix A for information on how the data are collapsed and recoded.

The NCI-IDD average is weighted.

Appendix A: NCI-IDD In-Person Survey 2022-23 Recoding Guide

The NCI-IDD average is weighted.

Sub-domain	Table Title	Recoding/Collapsing		Question Number
Demographics	Age	n/a		BI-2
Demographics	Age Group	1=18-22 2=23-34 3=35-54 4=55-74 5=75 and older 6=Unknown		BI-2
Demographics	Sex	n/a		BI-3
Demographics	Marital Status	n/a		BI-7
Demographics	Is this person a parent?	n/a		BI-8
Demographics	Race and Ethnicity	<i>NOTE: Reported all categories without creating the categorical variable. ; In previous years, this variable was mutually exclusive</i>		BI-4
Demographics	Residential designation	n/a		BI-1
Demographics	Type of residence – ICFs/ID, nursing facilities or other specialized institutional settings	Response options 1,2,3,4,5		BI-36
Demographics	Type of residence – group residential setting	Response options 6-8		BI-36
Demographics	Type of residence--Continued	Response options 9-15		BI-36
Demographics	Length of time at current residence (if not homeless or in crisis bed placement)	n/a		BI-35
Demographics	Person's residence owned or controlled by provider agency	n/a		BI-37
Demographics	Person is named on the lease or other legally enforceable rental agreement	n/a		BI-38
Demographics	Has ID diagnosis	n/a		BI-10

The NCI-IDD average is weighted.

Sub-domain	Table Title	Recoding/Collapsing		Question Number
Demographics	Level of ID	n/a		BI-11
Demographics	Mood, anxiety, behavior, psychotic, and other mental illness	“Don’t know” responses are in denominators		BI-12
Demographics	Diagnoses noted in record	“Don’t know” responses are in denominators		BI-12
Demographics	Diagnoses noted in record (continued)	“Don’t know” responses are in denominators		BI-12
Demographics	Other conditions in record	“Don’t know” responses are in denominators		BI-13
Demographics	Other conditions in record (continued)	“Don’t know” responses are in denominators		BI-13
Demographics	Other conditions in record (continued)	“Don’t know” responses are in denominators		BI-13
Demographics	Preferred language	n/a		BI-15
Demographics	Preferred language (continued)	n/a		BI-15
Demographics	Preferred language (continued)	n/a		BI-15
Demographics	Preferred language (continued)	n/a		BI-15
Demographics	Preferred means of communication	n/a		BI-16
Demographics	Mobility	n/a		BI-17
Demographics	Support needed to manage self-injurious behavior	n/a		BI-59
Demographics	Support needed to manage disruptive behavior	n/a		BI-60
Demographics	Support needed to manage destructive behavior	n/a		BI-60

The NCI-IDD average is weighted.

Sub-domain	Table Title	Recoding/Collapsing		Question Number
Demographics	Level of conservatorship	n/a		BI-5
Demographics	Conservator's relationship to person	n/a		BI-6
Demographics	Conservator's relationship to person (continued)	n/a		BI-6
Demographics	Funding source	n/a		BI-51
Demographics	Person receives Medicare	n/a		BI-52
Demographics	Amount of daily support received at home	n/a		BI-39
Demographics	Has remote supports	n/a		BI-40
Demographics	Has ever been diagnosed or presumed diagnosed with COVID-19	n/a		BI-62
Demographics	Has ever required in-patient hospitalization due to COVID-19 (of those who had COVID19)	n/a		Bi-63
Demographics	Has gotten the COVID-19 vaccine	n/a		BI-64

Sub-domain	Table Title	Recoding/Collapsing	Question Number
Community Inclusion and Belonging	Gets to go out and do the things likes to do in the community as much as wants to	Response options collapsed: <ul style="list-style-type: none"> YES=Yes NO=No, or in-between 	22
Community Inclusion and Belonging	Does things in the community with the people they want	Response options collapsed: <ul style="list-style-type: none"> YES=Yes NO=No, or some activities or some people 	23

The NCI-IDD average is weighted.

Sub-domain	Table Title	Recoding/Collapsing	Question Number
Community Inclusion and Belonging	Can be themselves when with others in groups, organizations, or communities the person takes part in (if person takes part in groups, organizations, or communities)	Response options collapsed: <ul style="list-style-type: none"> • YES=Yes, all groups • NO=No, sometimes or some groups 	68
Community Inclusion and Belonging	Others include them as part of the group in groups, organizations, or communities the person takes part in (if person takes part in groups, organizations, or communities)	Response options collapsed: <ul style="list-style-type: none"> • YES=Yes, all groups • NO=No, sometimes or some groups 	69
Community Inclusion and Belonging	Gets help to learn new things	Response options collapsed: <ul style="list-style-type: none"> • YES=Yes • NO=No, maybe 	25

Sub-domain	Table Title	Recoding/Collapsing	Question Number
Choice and Decision-making	Chose or had some input in choosing where they live if not living in the family home	Response options collapsed: <ul style="list-style-type: none"> • YES=Person made choice, person had some input • NO=Someone else chose 	S2-72
Choice and Decision-making	Chose or had some input in choosing their housemates if not living in the family home, or chose to live alone	Response options collapsed: <ul style="list-style-type: none"> • YES=Person made choice, person had some input • NO=Someone else chose 	S2-73
Choice and Decision-making	Decides or has help deciding their daily schedule	Response options collapsed: <ul style="list-style-type: none"> • YES=Person made choice, person had some input • NO=Someone else chose 	S2-77

The NCI-IDD average is weighted.

Sub-domain	Table Title	Recoding/Collapsing	Question Number
Choice and Decision-making	Decides or has help deciding how to spend free time	Response options collapsed: <ul style="list-style-type: none"> • YES=Person made choice, person had some input • NO=Someone else chose 	S2-78
Choice and Decision-making	Has enough choice about what to do in free time	n/a	S2-79
Choice and Decision-making	Chose or had some help in choosing where they work (among those with a paid community job)	Response options collapsed: <ul style="list-style-type: none"> • YES=Person made choice, person had some input • NO=Someone else chose 	S2-74
Choice and Decision-making	Chose or had some input in choosing day program or work program	Response options collapsed: <ul style="list-style-type: none"> • YES=Person made choice, person had some input • NO=Someone else chose 	S2-75
Choice and Decision-making	Has input in choosing their regular day activities (in addition to or instead of a paid community job and/or day program/work program)	Response options collapsed: <ul style="list-style-type: none"> • YES=Person made choice, person had some input • NO=Someone else chose 	S2-76

The NCI-IDD average is weighted.

Sub-domain	Table Title	Recoding/Collapsing	Question Number
Choice and Decision-making	Chooses or has help deciding what to buy or has set limits on what to buy with their spending money	<p>Response options collapsed:</p> <ul style="list-style-type: none"> • YES=Person chooses, person has help choosing what to buy or has set limits (such as can buy small items but not big items) • NO=Someone else chose 	S2-80
Choice and Decision-making	Chose staff or were aware they could request to change staff	<p>Response options collapsed:</p> <ul style="list-style-type: none"> • YES=Person chose staff, Staff are assigned but can be changed if requested by person • NO=Someone else chose 	S2-82
Choice and Decision-making	Can change their case manager/service coordinator if wants to	<p>Response options collapsed:</p> <ul style="list-style-type: none"> • Yes • Maybe not sure, no 	S2-81

Sub-domain	Table Title	Recoding/Collapsing	Question Number
Community Participation	Went out shopping at least once in the past month	<p>Response options collapsed:</p> <ul style="list-style-type: none"> • YES= One or two times, three or four times, five or more times” • NO= Did not go 	56

The NCI-IDD average is weighted.

Sub-domain	Table Title	Recoding/Collapsing	Question Number
Community Participation	Went out on errands at least once in the past month	Response options collapsed: <ul style="list-style-type: none"> • YES= One or two times, three or four times, five or more times” • NO= Did not go 	58
Community Participation	Went out for entertainment at least once in the past month	Response options collapsed: <ul style="list-style-type: none"> • YES= One or two times, three or four times, five or more times” • NO= Did not go 	60
Community Participation	Went out to a restaurant or coffee shop at least once in the past month	Response options collapsed: <ul style="list-style-type: none"> • YES= One or two times, three or four times, five or more times” • NO= Did not go 	61
Community Participation	Went out to religious service or spiritual practice at least once in the past month	Response options collapsed: <ul style="list-style-type: none"> • YES= One or two times, three or four times, five or more times” • NO= Did not go 	63
Community Participation	Takes part in groups, organizations or communities (in-person or virtually)	n/a	65
Community Participation	The groups, organizations or communities takes part in include people without disabilities	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes • NO= No, some groups 	67

The NCI-IDD average is weighted.

Sub-domain	Table Title	Recoding/Collapsing	Question Number
Relationships	Has friends who are not staff or family members	Response options collapsed: <ul style="list-style-type: none"> • YES= yes, not staff or family • NO= no, only staff or family 	14
Relationships	Has best friend (may be staff or family)	n/a	15
Relationships	Wants help to make or keep in contact with friends	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes, maybe • NO= no 	18
Relationships	Has friends (may be staff or family) and can meet with their friends in person when they want	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes • NO= No, often unable to see friends, Sometimes cannot see friends when wants 	16
Relationships	Has other ways of talking, chatting, or communicating with friends when cannot see them in person	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes • NO= No, sometimes 	17
Relationships	Can see and/or talk with their family when they want (among those who do not live in the family home)	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes • NO= No, sometimes 	21
Relationships	Often feels lonely	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes, often • NO= No, not often or sometimes 	20

The NCI-IDD average is weighted.

Sub-domain	Table Title	Recoding/Collapsing	Question Number
Relationships	Can go on a date or is married or living with partner	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes or is married living with partner • NO= No, or yes but with restrictions 	19

Sub-domain	Table Title	Recoding/Collapsing	Question Number
Satisfaction	Likes home or where lives	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes • NO= No, or in between 	1
Satisfaction	Wants to live somewhere else	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes • NO= No, or in between 	2
Satisfaction	Has enough things they like to do at home	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes • NO= Not enough or in the middle 	28
Satisfaction	Likes paid community job (if working in a paid community job)	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes • NO= No or in between 	8
Satisfaction	Wants to go out shopping more, less or the same amount as last month	n/a	57

The NCI-IDD average is weighted.

Sub-domain	Table Title	Recoding/Collapsing	Question Number
Satisfaction	Wants to go out for entertainment more, less or the same amount as last month	n/a	60
Satisfaction	Wants to go out to a restaurant or coffee shop more, less or the same amount as last month	n/a	62
Satisfaction	Wants to go out to a religious service or spiritual practice more, less or the same amount as last month	n/a	64
Satisfaction	Person wants to be a part of more community groups	n/a	66
Satisfaction	Likes how they usually spend time during the day	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes • NO= No or some days or sometimes 	24
Satisfaction	Has used telehealth for healthcare services and like using it	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes • NO= No or in between 	95
Satisfaction	Has accessed services and support using video conference technology and like using it	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes • NO= No or in between 	99
Satisfaction	Have talked with their case manager using video conference technology and like using it	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes • NO= No or in between 	97

The NCI-IDD average is weighted.

Sub-domain	Table Title	Recoding/Collapsing	Question Number
Service Coordination	Has met or spoken with case manager/service coordinator	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes • NO= No or maybe, not sure 	45
Service Coordination	Case manager/service coordinator knows what is important to person	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes • NO= No or maybe, knows some things that are important 	46
Service Coordination	Able to contact case manager/service coordinator when wants	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes • NO= No or sometimes 	47
Service Coordination	Case manager/service coordinator has talked to them about technology that may help them in their everyday life		91
Service Coordination	Was at last service planning meeting, or had the opportunity to be but chose not to	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes or had option but chose not to • NO= No 	48
Service Coordination	Knew what was being talked about at last service planning meeting	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes • NO= No or in-between 	50
Service Coordination	Last service planning meeting included people person wanted to be there	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes • NO= No or in-between 	49

The NCI-IDD average is weighted.

Sub-domain	Table Title	Recoding/Collapsing	Question Number
Service Coordination	Person helped make service plan	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes • NO= No or maybe, not sure 	53
Service Coordination	Case manager/service coordinator reviews their service plan with them throughout the year, when needed	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes • NO= No or maybe, not sure 	54
Service Coordination	Service plan includes things that are important to person	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes • NO= No or in-between 	52
Service Coordination	Knows who to ask if wants to change something about services	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes • NO= No or maybe 	55

Sub-domain	Table Title	Recoding/Collapsing	Question Number
Workforce	Staff are respectful of person's culture	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes, all staff, always • NO= No or sometimes or some staff 	38
Workforce	Staff treat person with respect	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes, all staff, always • NO= No or sometimes or some staff 	39
Workforce	Person can talk or communicate with staff in their preferred language	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes, all staff, always • NO= No or sometimes or some staff 	40

The NCI-IDD average is weighted.

Sub-domain	Table Title	Recoding/Collapsing	Question Number
Workforce	Staff do things the way person wants them done	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes, all staff, always • NO= No or sometimes or some staff 	42
Workforce	When in the community, staff support person in the way they want	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes, all staff, always • NO= No or sometimes or some staff 	41
Workforce	. Staff come and leave when they are supposed to	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes, all staff, always • NO= No or sometimes or some staff 	43
Workforce	Person's staff change too often	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes, staff do change too often • NO= No staff do not change too often 	44
Workforce	Staff have the right training to meet person's needs	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes • NO= No, maybe, not sure, or only some staff have the right training 	106

Sub-domain	Table Title	Recoding/Collapsing	Question Number
Access	Able to get places when wants to do something outside of home like going out to see friends, for entertainment, or to do something fun.	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes, almost always • NO= No almost never, sometimes 	26

The NCI-IDD average is weighted.

Sub-domain	Table Title	Recoding/Collapsing	Question Number
Access	Has a way to get places needs to go (like work, appointments, etc.)	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes, almost always • NO= No almost never, sometimes 	27
Access	Has access to the internet	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes • NO= No, sometimes 	87
Access	Internet always works at home	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes • NO= Rarely, never or sometimes works 	89
Access	Frequency uses internet	n/a	88
Access	Uses technology in everyday life to help them do more things on their own	n/a	90
Access	Has enough help to use the technology and devices that help them in their everyday life (if uses technology that helps them do more things on their own)	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes • NO= No, sometimes or some technology 	92
Access	Knows who to talk to if there are issues with the technology and devices that help them in their everyday life (if uses technology that helps them do more things on their own)	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes • NO= No, maybe not sure 	93
Access	Has used telehealth to talk with a health professional.	n/a	94

The NCI-IDD average is weighted.

Sub-domain	Table Title	Recoding/Collapsing	Question Number
Access	Accessed services or supports using videoconference technology	n/a	98
Access	Has talked with their case manager/service coordinator using videoconference technology	n/a	96
Access	Has a cell phone or smartphone	n/a	34
Access	Wants a cell phone or smartphone (if does not have one)	n/a	35
Access	Reasons does not have cell phone or smartphone	n/a	36
Access	Additional services needed	n/a	105

Sub-domain	Table Title	Recoding/Collapsing	Question Number
Safety	Feels afraid in their home, neighborhood, transport, workplace, day program/at other daily activity and/or other places	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes, either in home, day program, work, community, transport, or other • NO= No 	12
Safety	Has someone to go to for help when they feel afraid	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes • NO= No, or maybe 	13

Sub-domain	Table Title	Recoding/Collapsing	Question Number
Health	Has a primary care doctor or practitioner	n/a	Bi-18

The NCI-IDD average is weighted.

Sub-domain	Table Title	Recoding/Collapsing	Question Number
Health	In poor health	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes, in poor health • NO= No, health is excellent, very good, good or fair 	100
Health	Had a complete physical exam in the past year (routine exam, not a visit for a specific problem or illness)	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes, In the past year (anytime less than 12 months ago) • NO= One year ago or more 	BI-19
Health	Had a routine dental exam in the past year	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes, within the last 6 months or within the past year • NO= One year ago or more 	BI-20
Health	Had an eye exam/vision screening in the past year	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes, within the past year • NO= Within past 2 years, within past 3 years, within past 5 years, 5 or more years ago, and has never had a vision screening 	Bi-21
Health	Had a hearing test in the past five years	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes, within the past 5 years • NO= 5 years ago or more or has never had a hearing test 	BI-22

The NCI-IDD average is weighted.

Sub-domain	Table Title	Recoding/Collapsing	Question Number
Health	Had a Pap test in the past three years (among women 21 and older)	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes, Within past year, within past 2 years, within past 3 years • NO= Within past 5 years, 5 or more years ago, and has never had a Pap test 	BI-27
Health	Had a mammogram test in the past two years (among women age 50 and over)	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes, within past year, within past 2 years • NO= Within past 3 years, within past 5 years, 5 or more years ago, and has never had a mammogram 	BI-28
Health	Last colorectal cancer screening (among people age 45 to 75)	n/a	BI-29
Health	Had a flu vaccine in the past 12 months	n/a	BI-23
Health	Went to the emergency room for any reason to get care for themselves in the past 12 months	n/a	101
Health	Fell and hurt themselves in the past six months	n/a	102

The NCI-IDD average is weighted.

Sub-domain	Table Title	Recoding/Collapsing	Question Number
Medications	Takes medication for mood, anxiety, and/or psychotic disorders	Response options collapsed: <ul style="list-style-type: none"> YES= Yes, takes meds for mood, anxiety, psychotic disorders NO= No meds for mood, anxiety, psychotic disorders 	Bi-30
Medications	Number of medications taken for at least one of the following: mood disorders, anxiety, or psychotic disorders	n/a	BI-31
Medications	Takes medication for behavior challenges	Response options collapsed: <ul style="list-style-type: none"> YES= Yes, takes meds for behavior challenges NO= No does not take meds for behavior challenges 	BI-32
Medications	Number of medications taken for behavior challenges if taking at least one for this purpose (includes missing and “don’t know” responses)	n/a	BI-33
Medications	Has behavior plan	n/a	BI-34

Sub-domain	Table Title	Recoding/Collapsing	Question Number
Wellness	Uses nicotine or tobacco products	n/a	BI-26
Wellness	Body Mass Index (BMI) category (BMI calculated using data on weight and height)	n/a	BI-24 BI-25

The NCI-IDD average is weighted.

Sub-domain	Table Title	Recoding/Collapsing	Question Number
Wellness	Exercises or does physical activity at least once per week for 10 minutes or more at a time	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes, 1 or 2 times, 3 or 4 times or 5 or more times • NO= No 	103
Wellness	Exercises or does physical activity at least once per week that makes the muscles in arms, legs, back, and/or chest work hard	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes, 1 or 2 times, 3 or 4 times or 5 or more times • NO= No 	104

Sub-domain	Table Title	Recoding/Collapsing	Question Number
Rights and Respect	Has attended a self-advocacy group, meeting, conference or event or had the opportunity and chose not to	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes, or had the opportunity but chose not to • NO= No and did not have the opportunity to participate 	70
Rights and Respect	Has ever voted in local, state, or federal election, or had the opportunity and chose not to	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes, or had the opportunity to register to vote but chose not to • NO= No and did not have the opportunity to register to vote 	71
Rights and Respect	Has a place to be alone in the home	n/a	5
Rights and Respect	Has a key to the home	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes • NO= No or maybe, not sure 	83
Rights and Respect	Wants a key to the home (if does not have one)	n/a	84

The NCI-IDD average is weighted.

Sub-domain	Table Title	Recoding/Collapsing	Question Number
Rights and Respect	Can lock bedroom if wants	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes • NO= No or maybe, not sure 	86
Rights and Respect	Others (who do not live in the home) let person know before entering home	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes • NO= No or sometimes 	3
Rights and Respect	Others let person know before coming into person's bedroom	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes • NO= No or sometimes 	4
Rights and Respect	Others read person's mail or email without asking	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes mail/email is read without permission • NO= No person reads own mail/email or others read with permission 	31
Rights and Respect	There are no rules for using phone or internet	Response options collapsed: <ul style="list-style-type: none"> • YES= There are no Rules about using phone/internet • NO= Rules about internet only, rules about using phone/internet, and rules about phone only 	33
Rights and Respect	There are rules about having friends or visitors in the home	n/a	32
Rights and Respect	Can stay at home if others in the house go somewhere	Response options collapsed: <ul style="list-style-type: none"> • YES= Yes • NO= No or sometimes can stay at home, sometimes has to go 	85

California-Specific questions are not collapsed

The NCI-IDD average is weighted.